

ATV Product Spec Book

ATV Accessories and Parts & Maintenance



TABLE OF Contents

ATV Accessory	Compatibility Guide
---------------	----------------------------

G2, G2L, G2S ACCESSORIES G3L ACCESSORIES PARTS AND MAINTENANCE

CANAMOFFROAD.COM

© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. TAII other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment Windout incurring obligation. Some models depicted may include optional equipment. Products performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. BRP recommends that all ATV-SSV drivers take a training course. See your dealer. ATVs and SSVs can be hazardous to operate. Never exceed the ATV-SSV's passenger capacity. All adult model ATV are meant to be used by drivers aged 16 and older. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SSVs are primarily designed for use on unpaved surfaces (off-road); avoid paved surfaces. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terrain. Always ride responsibly and safely. See your authorised BRP dealer for details and visit https://can-am.brp.com.



IF WE SELL IT, WE STAND BY IT.

BRP Limited Warranty^{*} for new Parts, Accessories and Riding Gear

2-year limited warranty**

- Genuine BRP Parts and Accessories installed by you or your authorized BRP dealer
- Aftermarket Products sold through BRP
- Riding Gear

4-year limited warranty**

Helmets

GET ALL THE DETAILS FROM YOUR CAN-AM OFF-ROAD DEALER

* Purchased at an authorized BRP dealership/distributor or on a BRP-authorized online store. Other exclusions may apply; see complete limited warranty or contact your Can-Am Off-Road authorized dealer. This limited warranty does not apply to factory-installed accessories and Evinrude parts and accessories. ** Unless otherwise stipulated or required by law.

CUSTOMIZING MADE EASY 1 2

3

Select the M model. Select the package.

can-am

Customize color, engine, and accessories (or accessory bundles) for your vehicle.

Click "Save" or "Send to dealer."

4



If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above.

BUILD **YOURS NOW**

ATV ACCESSORY COMPATIBILITY GUIDE

	Model year	Model	Engine configuration	Platform code
We've made things	2015	Outlander L	450, 500	G2L
super simple.	2010	Outlander	500, 650, 800, 1000	G2
		Outlander L MAX	450, 500	G2L
Check your model year		Outlander MAX	500, 650, 800, 1000	G2
Choose engine and model		6x6	650, 1000	G2
Learn your PLATFORM CODE		Renegade	500, 800, 1000	G2S
This PLATFORM CODE will	2016	Outlander L	450, 570	G2L
let you know at a glance if the	2010	Outlander	570, 650, 850, 1000	G2
accessory is compatible with		Outlander L MAX	450, 570	G2L
your vehicle.		Outlander MAX	570, 650, 850, 1000	G2
		6x6	650, 1000	G2
		Renegade	570, 850, 1000	G2S
	2017 2018	Outlander	450, 570	G2L
		Outlander	650, 850, 1000	G2
		Outlander MAX	450, 570	G2L
		Outlander MAX	650, 850, 1000	G2
		6x6	650, 1000	G2
		Renegade	570, 850, 1000	G2S
	2019	Outlander	450, 570	G2L
	2020	Outlander	650, 850, 1000R	G2
	2021	Outlander MAX	450, 570	G2L
	2022	Outlander MAX	650, 850, 1000R	G2
	2022	6x6	450	G2L
	2023	6x6	650, 1000	G2
	2024	Renegade	570, 650, 850, 1000R	G2S
		Outlander	500, 700	G3L
		Outlander PRO	HD5, HD7	G3L



G2S









G2, G2L, G2S Accessories

LinQ: Easy On, Easy Off Cargo	g
Racks & Holders	14
Cargo & Storage	15
Can-Am Windshields	17
Handlebars & Mirrors	18
Seats	19
Plastic Skid plates	20
HMWPE Skid Plates	21
Aluminum Skid Plates	22
HMWPE & Aluminum Skid Plates	24
Bumpers & Guards	25
Lights & Electrical	28
Winches	32
Hitches	34
Performance	35
Covers, Decals & Add-Ons	38
Apache Track Systems	40
ProMount Plows	43



BUNDLE UP TO NEVER COMPROMISE. YOUR ATV BUNDLES.

STEP 1: **CHOOSE YOUR ESSENTIAL BUNDLE**

CHOOSE YOUR ESSENTIAL BUNDLE		G2L G2L MAX	G2 G2 MAX	
LinQ Base		715002350	N/A	
STARTER	LinQ 23 Gal (86 L) Trunk Box	715004923	715004923	
	Handlebar Wind Deflectors	715001706	715001706	
ADVANCED	LinQ Heavy-Duty Basket	715001215	715001215	
	LinQ Tool Kit	715006829	715006829	
	Handlebar Mirrors	715005366	715005366	
РЕАК	Bluetooth Handlebar Soundbar by MTX	219400840	219400840	

G2L

G2

STEP 2:

PICK YUUK I	ANN-AN RANAFF	G2L MAX	G2 MAX
	Self-Clearing Footwells	715004759	715004759
ADVENTURE	Electronic Device Holder	715004919	715004919
	Storage 2.6 Gal (10 L) Bag	269502121	269502121
	Fender Flares	715004487	N/A
	Mud Flaps	N/A	715007089
HUNT	LinQ Gear Grips	715005340	715005340
	Gun Boot Rack	715001918	715002113
	Gun Boot 6.0 Impact by Kolpin	715001419	715001419
	Expedition Front Bumper	715007233	715007233
	Large Cargo Box	715007001	715007001
	LinQ Tool Holder	715007358	715007358
WORK	USB Power Outlet Kit	219400510	219400510
	Rachet Tie-Downs	715008309	715008309
	Seat Heater	715007211	715007211
WINTER	Heavy-Duty Seat Cover	715007212	715007212
	High Windshield Kit	715006382	715006382

LINQ: EASY ON, EASY OFF CARGO

LINQ ACCESSORIES

Compatibility/requirements · No tools needed: Quickly install and remove accessories by hand. **OUTLANDER** OUTLANDER RENEGADE · Equip your Can-Am for specialized tasks in no time. 450/570 · Sturdy mounting system that holds up to the roughest terrain. LinQ anchors mounted 16 inches apart, center-to-center. Lower loading capacity than the LinQ with 36" base accessories. Can be used on Can-Am ATV and SSV vehicles, Can-Am Spyder and Ryker vehicles, LinQ Accessories with 16" Base Sea-Doo watercraft and Ski-Doo snowmobiles. LinQ 4.2 Gal (16 L) Cooler 219400964 · Black / 295100698 · White LinQ Tool Box LinQ Luggage Rack 715008111 715001734 LinQ SR 5.5 Gal (21 L) Bag & 860202449 LinQ Anchor Adapter Kit 715004960 LinQ Adapter Plate LinQ Anchor Adapter Kit LinQ 4.5 Gal (17 L) Sport Bag 715007273 715004960 860202447 & & OR LinQ Base Installation Kit LinQ Base Installation Kit LinQ Modular Box LinQ Adapter Plate 715008125 715008125 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L) 715007274 & LinQ Base Installation Kit LinQ Tool Kit 715008125 715006829 LinQ Roll-Top Bag 715008110 Mount on LinQ racks often used by Can-Am ORV vehicles. Higher loading capacity than the LinQ with 16" base accessories. Usage is limited to Can-Am ORV vehicles. **LinQ Accessories** with 36" Base LinQ 12 Gal (45 L) Cargo Box 715003879 LinQ Base 715002350 LinQ 23 Gal (86 L) Trunk Box 715008749 LinQ 32 Gal (121 L) Trunk Box 715001747 / 715001748 (1-up) No compatibility 715001749 / 715001750 (MAX LinQ 11.5 Gal (43 L) Audio Cargo Box LinQ Base LinQ Luggage Rack 715002350 715003018 No further requirements 715001734 LinQ 8 Gal (30 L) Cooler Box No compatibility 715004778 • Black / 715004698 • Grav LinQ Premium Storage Bag by OGIO 715002923 · Black **LinQ Heavy Duty Basket** LinQ Base 715001215 715002350 LinQ Low Profile Basket 715004282 LinQ Holders LinQ 4" Rack Not compatible 715001711 · Silver / 715001665 · Black *Alternative 5" or 8" Rack Extensions (**715001913** or **715001914**) are available for G2L LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black LinQ Luggage Rack 715001734 **LinQ Mounted Gear Grips** 715005340 No further requirements LinQ Base 715002350 LinQ Tool Holder 715007358 Not compatible LinQ Gun Boot Rack *Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L No compatibility 715002112

715002113

LinQ Accessories wi	th 16" base				
LinQ Modular Box		G2, G2L, G2S			10 L) 726,00 ZŁ 20 L) 837,00 ZŁ 30 L) 929,00 ZŁ
	 Allows stacking of other mo Always have the right box s Can be installed on any Linit See table for installation loop 	Q base with a 16" width.	right gear accessible.		
hermal Insert For LinQ Mo	dular Box (10 L)	G2, G2L, G2S		219401110	<u>10 640,00</u> ZŁ
	 Insulated liner. Fits very well in the LinQ M. Can contain five 473 ml car 				
inQ Tool Kit		G2, G2L, G2S		715006829	1 722,00 ZŁ
	 Includes: Cutter pliers Long-nose pliers Locking plier Ratchet wrench ¾" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive 	 Combined wrench 19 mm Combined wrench 18 mm Combined wrench 15 mm Combined wrench 13 mm Combined wrench 10 mm Combined wrench 8 mm 	 Socket Torx Socket Torx Socket Torx Breaker bar See table for location and in 	T30 %" drive T20 %" drive %" drive installation
inQ 4.2 Gal (16 L) Cooler		G2, G2L, G2S		219400964 295100698	
er fi	 All the benefits of LinQ—sin Rotomolded construction for durability. Premium-quality foam insulice retention. 	or exceptional rigidity and	 Uses LinQ mounting system US 8875830). Easy one-second on/off too See table for installation loc 	I-less system.	
inQ Tool Box		G2, G2L, G2S		715008111	910,00 ZŁ
	 High precision injected HD 5 gal (19 L) maximum capate Weather-resistant, sealed a Marinized for salt water put See table for installation loce 	nd lockable cover. poses.	ty and durability.		
inQ Roll-Top Bag		G2, G2L, G2S		715008110	1 181,00 ZŁ
ung	 Fully waterproof Roll-Top dr confine your equipment. LinQ mounted using heavy- High capacity storage solut Bottom foam liner for additi 	duty rigid plastic base. ion 10.6 gal (40 L).	 Integrated handle for easy t vehicle. Marinized for salt water pur See table for installation loc 	poses.	

SR 5.5 Gal (21 L) LinQ Bag		G2, G2L, G2S	860202449 1 156,00 Z
	 Semi-rigid expandable bag. 5.5 gal (21 L) capacity. See table for installation loc 		
LinQ 4.5 Gal (17 L) Sport Bag		G2, G2L, G2S	860202447 1 064,00 Z
	 4.5 gal (17 L) capacity. Rigid bottom, semi-rigid top See table for installation loc 		
LinQ Accessories wit	h 36" base		
LinQ 12 Gal (45 L) Cargo Box		G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S	715003879 1 673,00 Z
	 LinQ mounted for easy on, Holds cargo safely and sec See table for installation loc 	urely while riding.	
LinQ 23 Gal (86 L) Trunk Box		G2 (except 6x6 models), G2L, G2S	715004923 1 925,00 Z
C	 LinQ mounted for easy on, Lockable and weather-resis Holds cargo safely and sec Comfort pads for passenge See table for installation loc 	stant. urely while riding. r.	
LinQ 32 Gal (121 L) Trunk Box		G2 (except MAX models & 6x6), G2S European Version (EC compliant)	715001747 3 026,00 Zł
	LinQ Retrofit Adapter Plate	(715001334) is required for G1 models. in many colors to match your vehicle (sold separately). ation and requirements.	2 725,00 ZŁ
LinQ 32 Gal (121 L) Trunk Box	for Outlander Max	G2 (MAX models only except 6x6 models) European Version (EC compliant) 3 506,00 ZŁ	715001749 3 512,00 Z 715001750 · No rear tail light.
	passenger padding comforVery easy to embark even w	red on active rides as well as longer recreational rides thanks to t-fitted with a portion made of closed cell foam that won't absor /hen driver is seated. in many colors to match your vehicle (sold separately).	
LinQ 32 Gal (121 L) Trunk Box	Panels	G2 (except 6x6 models), G2S	
	Color panels to match the L	inQ 32 gal (121 L) Trunk Box to your vehicle.	
		715001392 · Yellow 715002986 715001395 · Viper Red 332,00 ZŁ 715006115 715002481 · White 715006120 715006120	 5 · Manta Green 6 · Can-Am Red 9 · Orange Crush 0 · Squadron Green 4 · Tundra Green

LinQ 32 Gal (121 L) Trunk Box Panels

EUROPEAN VERSION (EC compliant)

Not illustrated)		EUROPEAN VERSION (EC compliant)					
	 Color panels to match the Li No rear tail light. 	inQ 32 gal (121 L) Trunk Box	to your vehicle.				_
		715001397 · Black 715001398 · Yellow 715006124 · Viper Red 715002483 · White	332,00 ZŁ	71500612	2 · Manta Green 1 · Can-Am Red 3 · Orange Crush		_
inQ 11.5 Gal (43 L) Audio Ca	rgo Box	G2 (front only for 6x6 & MA	X models 2013-201	4), G2L, G2S	715003018	4 213,00	ZŁ
	 Mounts on/off easily to hold and securely. The Bluetooth enabled rece speakers are smartly concer in the cover. Automatic shut-off function turning the system off after 	eiver and 6.5" (16.5 cm) aled and integrated protects your battery by	 Water-resist Delivers the your ride con amplifier. 	ant speakers. best sound qua urtesy of a built-	et for night riding ality on the marke in full range high cation and requir	et to sweeten I-efficiency	-
inQ 8 Gal (30 L) Cooler Box		G2 (except 6x6 models), G2	S		■ 715004778 ■ 715004698	$\mathbf{B} \cdot Black \ 4 \ 21$ $\mathbf{B} \cdot Gray \ 2 \ 28$	3,00 2
	 LinQ mounted for easy on, e Rotomolded construction pi Premium-quality foam insula Integrated, fully-removable o Robust rubber latches keep Weather-resistant. Convenient drain plug. See table for installation loc 	rovides exceptional rigidity a ation for optimal ice retentio compartment protects food. the cover tightly closed.					
inQ Premium Storage Bag by	OGIO	G2 (except 6x6 models), G2	L, G2S		715002923	Biack 22	- 51,00 /
Ling Low Profile Basket	 LinQ mounted for easy on, e Holds cargo safely and secu See table for installation loc 	urely while riding.	& 6y6 models) G2	<u>s</u>	715004282	1 077,00	ZŁ
ing Low Frome Busket	Low profile, open basket inc		a oxo modeloj, dz	.0	715004282	,	•
	 Perfect for easy access to to Multiple bungee cord and ti Made of impact-resistant in See table for installation loc 	e-down anchor points. jected polypropylene.	ccessories.				
_inQ Heavy-Duty Basket		G2, G2L (front only for MAX	& 6x6 models), G2	S	715001215	1 403,00	ZŁ
HE HE CAN AN	Made of high-strength, low- LinQ mount for easy on, eas Can be placed on both front See table for installation loc	y off installation. t and back racks of vehicle.					-
Large Cargo Box		G2, G2L (except 6x6)			715007001	3 328,00	ZŁ
	 Rear bed to carry large item Anchor points (D-ring), LinG Also has a mat for the floor a the rear vertical lip. It is installed on ATV platform 	a fixtures for tool holder, and and slot to enable the install ms through the LinQ system	ation of a divider an and hooks to make	nd a slot for a d e it easily install	ivider to close th lable and remova	able.	-

12 G2, G2L, G2S ATVs ACCESSORIES

LinQ Tool Holder		G2, G2S, G2L	715007358	284,00 ZŁ
	 Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. 	ows tools to be stored in any orientation.		
LinQ Gear Grips		G2, G2S, G2L	715005340	800,00 Zł
¥¥	 Heavy-duty design for carry Quick-release button opens Heavy-duty base system but 	provide a custom fit for a variety of items from 1" to 4" (2.5 cm f ving bows, fishing poles, rakes, farm tools and more. s grip quickly for easy access to gear. hilt for the toughest adventures. Is a snap by combining the Gear Grips with the LinQ System.	o 10 cm) in dian	neter.
LinQ Mounting				
LinQ Anchor Adapter Kit		G2, G2S	715004960	394,00 Zł
	 Tool-less installation and re 	ccessories with LinQ base of 16" on LinQ racks. moval. Rack (715001734) is required for installation.		
LinQ Base		G2L	715002350	128,00 ZŁ
58	 Made of polypropylene glas Allows you to install LinQ at Sold in pack of 4. 			
LinQ Lock		G2, G2S, G2L,	860201968	320,00 Z
	 Simple way to securely lock Lock cover protects lock from Corrosion resistant. Pack of 1, includes 2 keys. Not compatible with LinQ 4 		inQ Gear Grips.	
LinQ Replacement Parts			715001707	156,00 ZŁ
	 Unique mounting fastener u Tool-less installation and re 	usable on any LinQ System accessory. moval.		

RACKS & HOLDERS

LinQ Rack Extension – 4" (10	cm)	G2, G2S	■ 71500171 ■ 71500166	1 · Silver 1 212,00 ZŁ 5 · Black
	 Fits front or rear. Strong and durable. Helps keep cargo securely Easy and tool-less installati Anti-corrosion coating with LinQ Luggage Rack (71500) 	on thanks to the LinQ System. a durable powder coat finish.		
LinQ Rack Extension – 6" (15	cm)	G2, G2S	71500171 71500167	
	 Fits front or rear. Strong and durable. Helps keep cargo securely Easy and tool-less installati Anti-corrosion coating with LinQ Luggage Rack (71500) 	on thanks to the LinQ System. a durable powder coat finish.		
Rack Extension – 5" (13 cm)		G2L	715001913	714,00 ZŁ
	 Fits front or rear. Made of carbon steel. Provides tie-down points to Easy installation on tubular Anti-corrosion coating with 	rack.		
Rack Extension – 8" (20 cm)		G2L	715001914	831,00 ZŁ
	 Fits front or rear. Made of carbon steel. Provides tie-down points to Easy installation on tubular Anti-corrosion coating with 	rack.		
LinQ Luggage Rack		G2S (except X mr models)	715001734	1 636,00 ZŁ
	Bolt-on rack. Enables use of LinQ mount	ed accessories on the G2S.		
LinQ Base Plate		G2L	715007273	585,00 ZŁ
63	Enables use of 16" wide Lir Requires LinQ base kit (715	nQ base accessories on G2L to extend cargo options and jou 5008125).	rney opportunities	<u>.</u>
LinQ Base Plate		G2S	715007274	763,00 ZŁ
and the second s	Enables use of 16" wide Lir Requires LinQ Base Kit (71	nQ base accessories on G2S to extend cargo options and jou 5008125).	irney opportunities	3.

		G2L (except MAX models)		715001918	806,00 ZŁ
Gun Boot Rack		G2L (MAX models only)		715001919	806,00 ZŁ
//	 Made of steel. Designed for the tubular rac 	ιk.	 For use with Gun Boot 6.0 I Can be mounted to either s 		
Gun Boot 6.0 Impact [†] By Kolpir	n [†]	G2, G2L		715001419	622,00 ZŁ
	 Extra room for pistol-grip-tyl small bipods. Easily fits firearms up to 51" Provides ample room for 2 3 Hatchback design allows ea Ergonomically designed har points for sling. 	(130 cm) in total length. %" (60 mm) scopes. Isy access.	 Snap-close cover with locki Designed to accommodate bolt-action rifles and shotgi Includes removable, shock a Impact liner for superior inter Requires appropriate mount 	left and right ha uns. absorbing foam erior protection.	and nylon
LinQ Cup Boot Book		G2 (except MAX, 6x6 & X mr 1	000)	715002112	960,00 ZŁ
LinQ Gun Boot Rack (Not illustrated)		G2 (MAX & X mr 1000 models		715002113	782,00 ZŁ
	This lightweight Gun Boot R side of your Outlander using	ack can be mounted on either the tool-less LinQ System.	For use with Gun Boot 6.0 I	mpact by Kolpin	
Multi-Fit Holder		G2, G2L			Single 328,00 Double 468,00
	 Open U-shaped bracket for and hunting weapons (rifle, but easily accessible. Easy installation on tubular or bumpers. 	bow) that are safely secured,	 For G2, the LinQ Rack Exter Sold in pairs. 	nsion (7150017 ⁻	11) is required.
LinQ Gear Grips		G2L		715001421	492,00 Z
YP	 Durable, flexible grips cushion custom fit for a variety of items in diameter. Heavy-duty design for carrying tools and more. Quick-release button opens gri gear. 	from 1" to 4" (2.5 cm to 10 cm) bows, fishing poles, rakes, farm	 Heavy-duty base system bu adventures. Easy installation on tubular brackets or bumpers. Sold in pairs. 	-	
<u>CARGO & ST</u>	ORAGE				
Log Bars		G2 (6x6 models only)		715001987	6 040,00 Zł
	• •	rt the cargo bed into a perfect t teed by the protective front scr	transport space for 4' (120 cm) reen.	timber.	
Hard Top		G2 (6x6 models only)		715002394	5 585,00 Z
	• The hard top provides a 116				

The hard top provides a 116 gal (440 L) cargo box.
Locking secures your belongings.
The cover raises assisted by gas cylinders.

Side Walls & Tailgate	G2 (6x6 models only)	715005153	5 818,00 Zł
	 Allows for a quick and easy conversion of the cargo bed into a trunk with plenty of room. Rotationally molded walls provide extreme durability for hard work - in all conditions. 		
Cargo Protection Wall (Not illustrated)	G2 (6x6 models only)	708301522	1 722,00 ZŁ

· Fits with or without side walls

Cargo Box Pool		G2L (6x6 models only)	715005256	1 950,00 Zł
	Made of durable formed HE	a large capacity cargo box for increased loading possibilities. DPE and shaped to maximize cargo space. water-resistant rear compartment. easy installation.		
Tailgate Extension/Divider		G2 (6x6 models only)	715002017	2 657,00 Z
	Thanks to the longer cargo	n provides a 10" (25 cm) extension to the cargo space. bed, even large loads pose no problem. locks, the extension also acts as a solid space divider for the c	argo bed.	
Tarpaulin		G2 (6x6 models only)	715002416	2 048,00 Z
	Prevents splash from enteri Easily removable for quick a			
8 Gal (70 L) Utility Box		G2 (6x6 models only)	715001999	2 903,00 Z
		ever you do, this handy 18 gal (70 L) utility box is your mobile st ent safe from the elements in all conditions. In handles for easy access.	orage.	
Cargo Box Net		G2 (6x6 models only)	715001371	344,00 ZŁ
	Solid net designed to hook	to the bottom of the cargo box for secure and compact confine	ement of your ca	argo.
Soft Storage Bag		G2, G2L, G2S	715003759	929,00 ZŁ
	 3 -section bag. Transport gear in a weather 11.8 gal (45 L) capacity soft LinQ Luggage Rack (71500 	cargo bag designed with vehicle's rack in mind to maximize pe	otential storage	
Storage 2.6 Gal (10 L) Bag			269502121	196,00 ZŁ
0	 Roll-Top dry bag for fully pro Fits in rear compartment of 	tecting your cargo from the elements. your vehicle.		

CAN-AM WINDSHIELDS

		1		1 341	,00 ZŁ
Deluxe Fairing		G2 (except X mr & 6x6), G2L	715001232 · Black 715000935 · Yellow 2000 715002479 · Light Gray		5 · Squadron Green 3 · Tundra Green
	 Innovative, richly featured w Quick tool-less removal onc on handlebar. Two cup holders. Ready for GPS mounting kit 	e base brackets are mounted	 Optional mirrors and auxilia Requires low, high or extra l Tapered Handlebar Adapter with 11%" (28 mm) tapered a Does not fit T3 models. 	high windshield. r Kit is required f	or vehicles
Tapered Handlebar Adapter K (Not illustrated)	it	Deluxe Fairing		715002470	184,00 Zł
	 Required to install Deluxe F aluminum handlebars. 	airing on an Outlander X-TP and	d on any vehicle equipped with	1 1⁄8" (28 mm) tap	pered
Extra High Windshield		Deluxe Fairing		715000936 (677,00 ZŁ
	 16" (41 cm) windshield prov For wind protection and wir Tool-less installation and re 	nter applications.	ainst the elements while touring	g.	
	Installation of some accessor for information.	ries shown may impact vehicle	compliance with some regulation	ons. Consult you	ır local dealer
High Windshield		Deluxe Fairing		715001211	449,00 ZŁ
	 11" (28 cm) high, for wind p Tool-less installation and re 	rotection and winter application placement.	ns.		
	Installation of some accessor for information.	ries shown may impact vehicle	compliance with some regulation	ons. Consult you	ır local dealer
Low Windshield		Deluxe Fairing		715001227	419,00 ZŁ
and the second sec		y of enjoying directional lighting	ing sporty while giving you som g.	e protection fror	n the
	Installation of some accessor for information.	ries shown may impact vehicle	compliance with some regulation	ons. Consult you	ır local dealer
Accessories					
Auxiliary Windshield Lighting		Deluxe Fairing		715003115	2 325,00 Z

	 1 ,800 lumens. 2 x 10W LED Cree light kit.	eluxe Fairing for both increased output and directional lightin to 350' (107 m), drawing less than 1 amp per light.	g.
Deluxe Mirror Kit		Deluxe Fairing	715002353 376,00 ZŁ
	Improved mounting system Wide rear view. Perfect fit with your Deluxe		

		G2, G2L, G2S (except X mr mod	dels)	715003023	1 563,00 Z
turbulence and rumble noi and smoother ride. • Quick tool-less removal on on handlebar. • Fits straight and tapered ha			ced rigidity. 9) is required for XT and n and winter applications.		
	dealer for information.	ies shown may impact vehicle c		ons. Consult you	
High Windshield Kit		G2, G2L, G2S (except X mr mod	dels)	715006382	1 353,00 Z
	and smoother ride.Quick tool-less removal onc on handlebar.Fits straight and tapered han	e at high speeds for a quieter e base brackets are mounted	 Improved design for enhance Steering Cover (709400939 Mossy Oak models. 11" (28 cm) windshield. For wind protection and wir) is required for nter applications	i.
ow Windshield Kit		G2, G2L, G2S (except X mr mod	dels)	715003021	1 144,00 Z
	 Made of polycarbonate with turbulence and rumble nois and smoother ride. Quick tool-less removal onc on handlebar. Fits straight and tapered hai 	e at high speeds for a quieter e base brackets are mounted	 Improved design for enhance Steering Cover (709400939 Mossy Oak models. 6" (15 cm) windshield. Allows you to keep your veh giving you some protection 	ced rigidity.) is required for iicle looking spo	XT and rty while
HANDI FRAR	s & MIRR	ORS			
		l			
Handlebar Wind Deflectors		G2, G2L, G2S struction with Can-Am logo. ir flow adjustment.	15	56,00 ZŁ	
Handlebar Wind Deflectors	Rugged injected plastic con Include removable cap for a	G2, G2L, G2S struction with Can-Am logo. ir flow adjustment.	w 7150038 k 7150038 c 7150061 l / Black 7150061	56,00 ZŁ 13 · Orange / Bla 14 · Octane Blue 17 · Squadron G 18 · Viper Red /	e / Black reen / Black
Handlebar Wind Deflectors	Rugged injected plastic con Include removable cap for a	G2, G2L, G2S struction with Can-Am logo. ir flow adjustment. /. 715000525 · Black / Yello 715000537 · White / Black 715001706 · Black / Black 15003811 · Can-Am Red	w 7150038 k 7150038 c 7150061 l / Black 7150061 n/Black	13 · Orange / Bla 14 · Octane Blue 17 · Squadron G 18 · Viper Red /	e / Black reen / Black
Handlebar Wind Deflectors	 Rugged injected plastic con Include removable cap for a Mounting kit sold separately 	G2, G2L, G2S struction with Can-Am logo. ir flow adjustment. /- 715000525 · Black / Yello 715000537 · White / Blac 715001706 · Black / Blac 715003811 · Can-Am Red 715003812 · Manta Green	w 7150038 k 7150038 k 7150038 k 7150061 l / Black 7150061 n/Black	13 · Orange / Bla 14 · Octane Blue 17 · Squadron G 18 · Viper Red / 715001669 ²	e / Black reen / Black Black
Handlebar Wind Deflectors	 Rugged injected plastic con Include removable cap for a Mounting kit sold separately These wind deflectors fit on Easy to install and remove. 	G2, G2L, G2S struction with Can-Am logo. ir flow adjustment. /. 715000525 · Black / Yello 715000537 · White / Blac 715001706 · Black / Black 715003811 · Can-Am Red 715003812 · Manta Green G2 and G2L (MAX models only	w 7150038 k 7150038 k 7150038 k 7150061 l / Black 7150061 n/Black	13 · Orange / Bla 14 · Octane Blue 17 · Squadron G 18 · Viper Red / 715001669 ² ng.	e / Black reen / Black Black 186,00 ZŁ
Cam-am	 Rugged injected plastic con Include removable cap for a Mounting kit sold separately These wind deflectors fit on Easy to install and remove. 	G2, G2L, G2S struction with Can-Am logo. ir flow adjustment. 715000525 · Black / Yello 715000525 · Black / Black 715003811 · Can-Am Red 715003812 · Manta Green G2 and G2L (MAX models only the passenger handles and pro G2, G2L, G2S luminum construction. e.	w 7150038 k 7150038 k 7150038 k 7150061 l / Black 7150061 n/Black	13 · Orange / Bla 14 · Octane Blue 17 · Squadron G 18 · Viper Red / 715001669 ² ng.	e / Black reen / Black Black
Handlebar Wind Deflectors	 Rugged injected plastic con Include removable cap for a Mounting kit sold separately These wind deflectors fit on Easy to install and remove. g Kit Lightweight black die cast a Includes complete hardward Handlebar wind deflectors s 	G2, G2L, G2S struction with Can-Am logo. ir flow adjustment. 715000525 · Black / Yello 715000525 · Black / Black 715003811 · Can-Am Red 715003812 · Manta Green G2 and G2L (MAX models only the passenger handles and pro G2, G2L, G2S luminum construction. e.	w 7150038 k 7150038 k 7150038 k 7150061 l / Black 7150061 n/Black	13 · Orange / Bla 14 · Octane Blue 17 · Squadron G 18 · Viper Red / 715001669 ² ng.	e / Black reen / Black Black 186,00 ZŁ

Xt Handlebar Protector Kit		G2, G2L		703100352	585,00 ZŁ
	Not compatible with Mud St	trap (715003053).			
Mirrors Left - ℁" (10 mm)		G2, G2L, G2S		708200963	160,00 ZŁ
		·	jade.		
Mirrors Right – ¾" (10 mm) (Not illustrated)		G2, G2L, G2S		709400523	171,00 ZŁ
	 True vision surface 5" x 3" (1 Matte finish. 	13 cm x 8 cm).	Bracket (715000190) required right hand brake.	d except for ve	hicles with

Matte finish.
Stem includes %" (10 mm) thread.

Handlebar Mirrors

 G2, G2L, G2S
 715005366
 364,00 ZŁ

 • Adjustable handlebar mounted convex mirrors.
 • Doesn't require a windshield or fairing to be mounted.



The convex surface allows improved visibility with a wider field of view.

SEATS

		G2L (except MAX models)	715003941	1 366,00 ZŁ		
		G2 (except 6x6 & MAX models)	715003940	1 341,00 ZŁ		
Driver Backrest		G2 (6x6 models only, except MAX)	715003611	1 206,00 ZŁ		
	Provides the rider's back with that extra support that makes riding that extra mile way more comfortable. Adjusts borizontally to match the driver's beingt and professore.					

• Adjusts horizontally to match the driver's height and preference.


Mounts and locks in firmly onto the vehicle.

Outlander Max Passenger Seat Kit		G2 2015 & up, G2L (MAX models only)	715002373	3 635,00 Zł
	Perfect to replace used or	damaged passenger seat.		
Heavy-Duty Seat Cover		G2, G2L	715007212 2	88,00 ZŁ
		Heavy-duty materials to cover and protect the seat. Abrasion- and tear-resistant.		

 Simply installs by stretching around the original seat; the elastic holds the cover securely in place.

secure

PLASTIC SKID PLATES




Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

· Lighter than aluminum.

Offer your Outlander & Renegade the full protection kit or get them individually	OUTLANDER	OUTLANDER MAX	OUTLANDER 6X6	G2, G2S	G2L	G2L MAX
INDIVIDUAL PLASTIC SKID PLATES		'				
1 A-ARM PROTECTORS G2	715002924	715002924	715002924	715002924	_	_
2 TRAILING ARM PROTECTORS G2	715002925	_	715002925	715002925	_	_
③ PLASTIC SKID PLATE G2	715006019	715006020	715005290 715005320 (MAX)	_	715006115	715006116

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

· Lighter than aluminum.

Superior stress crack resistance.

· High impact strength.

OUTLANDER, RENEGADE

		I								
			G	i 2			Gź	2L	Gź	2S
	2016 & Prior		2017-2018 2019 & Up				2017- 2018 Models	2019 - 2022		
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except Max & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HMWPE Skid P	late Pro	tection	Kit							
	715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
Individual HMV	VPE Ski	d Plates	5							
A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
Underbelly Plates Footwell portion not compatible with Renegade X mr	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
Trailing Arm Protectors	-	-	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823

ALUMINUM SKID PLATES




For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.

Ultimate durability.

• High strength.

	OUTLANDER							
			G	2			G2L	
	2016	& prior	2017-2018		2019 & up		Any	year
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
Aluminum Skid Plate Protection	on Kit							
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
Individual Aluminum Skid Plat	es							
1 A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
2 Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922
5 Trailing Arm Protectors	_	_	715008595	715008595	715004821	715004821	715008595	715008595
6 Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
⑦ Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES




For ultimate durability and strength, all our Aluminum Skid Plates are made with 3/16" (4.5 mm) thick High Strength 5052 H32 Aluminum.

Ultimate durability.

High strength.

		RENEGADE		
		G2S		
	2016 & prior	2017-2018	2019 - 2022	2023 & up
Aluminum Skid Plate Protection Kit				
Not compatible on X mr models	715002139	715004201	715004808	715009730
Individual Aluminum Skid Plates				
2 A-Arm Protectors	715001667	715001667	715004820	715004820
② Front Skid Plate	715000925	715000925	715000925	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078
Trailing Arm Protectors	715001129	715008595	715004821	715004821
Rear Differential Protectors	715000920	715000920	715000920	715000920
Rear Skid Plate	715002028	715002028	715002028	715002028

HMWPE & ALUMINUM SKID PLATES



Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Lighter than aluminum.

Made of 1/4" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Ultimate durability.
 - · High strength.

ALUMINUM Made with High Strength 3/16" (4.5 mm) thick 5052 H32 Aluminum.

Superior stress crack resistance. High impact strength.	
	MITI ANDER GYG

	UUILAN	IDEN UNU	
	G2 6x6		G2L 6x6
2016 & prior	2017 - 2018	2019 & up	Any year
S			
715002924	715002924	715004822	715002924
715005290 (except Max)	715005290	715005290 (except Max)	715004987 (except MAX)
715005320 (Max Only)	715005320	715005320 (Max Only)	715005259 (Max Only)
-	715003466	715004823	715003466 (2020 models & prior only)
tes			1
715001667	715001667	715004820	715001667
	715008595	715004821	715008595
	S 715002924 715005290 (except Max) 715005320 (Max Only) -	G2 6x6 2016 & prior 2017 - 2018 S 715002924 715005290 (except Max) 715005290 715005320 (Max Only) 715005320 - 715003466 tes 715001667	2016 & prior 2017 - 2018 2019 & up S 715002924 715002924 715004822 715005290 715005290 715005290 (except Max) 715005320 715005320 715005320 715005320 - 715003466 715004823 tes 715001667 715004820

BUMPERS & GUARDS

Bumpers				
Expedition Front Bumper		G2, G2L (except X mr models & X xc models 2022 & up)	715007233	1 526,00 ZŁ
	 Protects and doesn't obstru Integrated mounting spots 	-		
Expedition Rear Bumper		G2, G2L	715007234	1 403,00 Zł
	 Protects and doesn't obstru Inside and outside anticorre 	tubes for complete protection of the vehicle's rear. uct the vehicle's taillights. osion coating with a durable powder coat finish. per installation requires 705008164 and 705008165.		
NEW X mr Front Bumper		G2S 2023 & up	715008198	1 513,00 ZŁ
XT Front Bumper		G2	715004837	1 101,00 Z
	 Standard on XT, XT-P, Moss 	added on base Outlander model to convert vehicle into XT m	nodel.	
XT Rear Bumper		G2	715004920	1 101,00 Z
	 Standard on XT, XT-P, Moss 	added on base Outlander model to convert vehicle into XT m	nodel.	
XT Front Bumper		G2L	715001910	818,00 ZŁ
	 Winch compatible. Large tube construction. Protects vehicle against ob Standard on XT models. 	stacles.		
XT Rear Bumper		G2L	715001911	646,00 ZŁ
	 Large tube construction. Protects vehicle against ob Standard on XT models. 	stacles.		

		G2	715001286*	1 587,00 2
xtreme Front Bumper		G2L	715004279	1 464,00 2
	Ultra-sturdy build. Enhances front-vehicle pro Compatible with XT Front E Fits the Apache [™] 360 Trac Not compliant with T-categ <i>`Not compatible with Front Hite</i>	Bumper. k System (when side panels are removed). jory models.		
ancher Front Bumper		G2, G2L (except X mr models)	715003461	1 772,00 Zł
	vehicle and the animals. • The flat front portion facilit. • The full frontage coverage • Inside and outside anti-cor	on and plates allow you to use your ATV within cattle herds an ates gently prodding cattle or pushing light objects, e.g. closi extends to provide an extra layer of defense to your headlight rosion coating with durable powder coat finish. systems, plows and front hitch. jory models	ng a fence.	r of both the
ancher Rear Bumper		G2, G2L (except 6x6 models)	715003462	1 501,00 Z
	 Inside and outside anti-cor Not compatible with tracks Not compliant with T-categ 	-		1.400.00
enegade Extreme Front Bu	mper	G2S 2022 and prior (except X mr models)	715002469	1 403,00 Z
	 Enhanced vehicle front pro 	tection.		
Guards		itection. int for Radiator Relocator (715008898).		
Guards	Required as a mounting po	int for Radiator Relocator (715008898).	715003459	1 925,00 Zł
Guards	Required as a mounting po G2 2012 to 2018 with stock X G2L with Rancher Bumper, (e		<u>715003459</u> 715004940*	
Guards	Required as a mounting po G2 2012 to 2018 with stock X G2L with Rancher Bumper, (e	rs, (except X mr and 6X6 models)	_	1 925,00 Zł <u>1 987,00</u> Zł <u>2 073,00</u> Zł
	 Required as a mounting poor G2 2012 to 2018 with stock X G2L with Rancher Bumper, (e G2 2019 & up with XT Bumper G2L with XT Bumpers, (exception) The heavy-duty fender guathe look of your ATV. Made tough and designed rancher and forestry applic Built of durably bold 1.25" (durable powder coat finish Not compatible with Self C XT Front and Rear Bumper 	T Bumper, G2 2012 & up with Rancher Bumper, xcept X mr and 6X6 models) rrs, (except X mr and 6X6 models) tr X mr and 6X6 models) rd designed to pull double duty, protecting your ATV and also to deliver a rugged appearance, this fender guard offers full s ations. 3 cm) diameter steel-tube construction, with inside and outsi learing Footwell. s or Rancher Front and Rear Bumpers are required for installa tor Extensions (715003460) for installation on MAX models.	o enhancing side protection for	1 987,00 Zł 2 073,00 Zł farmer,

G2 (with stock fender flares)

	 Keeps mud, snow and debri Adds aesthetic appearance Requires stock fender flare. Sold in pairs. 	u.	
	G2 2012-2018 (except with 30'	tires) (except 6x6 models)	715001764 ∗ 763,00 ZŁ
	G2 2019 & up (with 30" tires) (except 6x6 models)		715004250** 763,00 ZŁ
	G2L	715001909*** 763,00 ZŁ	
Fender Flares	G2L European vehicles only 20	015 & up	715004487 825,00 ZŁ
	Kit designed to deliver extra Made of injected plastic tha Gives vehicle added flair for Includes front and rear exter *Comes stock on G2 models 2019 **Standard on G2 X mr 1000R. ***Not compatible with European	riding in the mud.	
		G2 (except 6x6 models)	715005111* 1 286,00 ZŁ
Fender Flare Extensions		G2L	715003615** 1 286,00 ZŁ
	track kits. • Made of High Molecular We • Include front and rear extensive *Must be used with Fender Flare for *Must be used with Fender Flare	ior G2 (715001764).	h.
Fender Flares		G2S (except X mr models)	705012695 1 218,00 ZŁ
	•	Flares for sporty look and full body protection from dirt and w sions and all mounting hardware.	ater.
Flatbed Protection Tubes		G2 (6x6 models only)	715002030 2688,00 ZŁ
	 Bolt-on bumpers for the side Protect the exterior plastic c areas or loading cargo onto 	components of the flatbed from rocks, trees and other obstacle	es when traversing enclosed
Flatbed Protection Tubes		G2L (6x6 models only)	715005266 1 852,00 ZŁ



Bolt-on bumpers for the sides of the 6x6 flatbed.

 Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

LIGHTS & ELECTRICAL

Integrated Heated Grips &	Thumb Throttle Combo	G2, G2L, G2S (2024 & up)		715005072	1 686,00 ZŁ
	 Heat levels for grips and th vehicle screen. Ergonomic button integrate Single button for both grips Five temperature settings f Adjustable heat ratio between 	ed on LH grip. s and thumb heat selection. or the thumb and grips.	 Hold button to reach maxin Remembers your last heat IP67-rated waterproof seal ECE compliant. Plug-and-play installation. Clamp-on grips, no glue reaction 	setting. ling keeps the ele	-
	G2, G2L, G2S (except 2020 & and 2019 & up models with 1	up models equipped with 850 er 000R engine, T Category models	igine)	715003250 Not compatib Intelligent Thr (iTC)	rottle Control
Heated Grips & Thumb Throttle Combo	G2, G2L, G2S (2020 & up mod and 2019 & up models with 1	dels equipped with 850 engine 000R engine, T Category models)	715008739* Compatible w Throttle Contr	vith Intelligent 1 575.
	 LED dimmer facilitates rear 4 temperature settings with and grips. Returns to previous heat set *Relocation bracket (715007619) T-category models & G2L XU (IN) 	n individual controls for thumb etting.	 One-touch shutdown. Wiring Cable is required fo only. 	r installation on (G2L models
Niring Cable Not illustrated)		G2L		710004567	62,00 ZŁ
	Required for installation of	Heated Hand Grips & Throttle C	ombo.		
Heated Visor Outlet		G2, G2L		715001246	320,00 ZŁ
Heated Passenger Grips &	Optional visor outlet that do Quick and easy installation Sold individually. Heated Visor not included.			715008794	1 335,00 ZŁ
	Replace your stock passen	ger handles. Itegrated into seat arm for 3-zon	e heated handles and grips.	113008784	
USB Power Outlet Kit		G2, G2L, G2S		219400510	3 161,00 ZŁ
USB Power Outlet Kit	Dual port USB connectors.	devices while riding [*] (smartpho		219400510	3 161,00 ZŁ
(USB)	Dual port USB connectors.	devices while riding* (smartpho			3 161,00 ZŁ 757,00 ZŁ
USB Power Outlet Kit	Dual port USB connectors. The power outlet is not cap 25 W seat heater delivers of One temperature only. Heated pad and electrical l	devices while riding* (smartpho bable of recharging all device typ G2, G2L shill-free riding comfort.	pes while riding.		
(USB)	Dual port USB connectors. The power outlet is not cap 25 W seat heater delivers of One temperature only. Heated pad and electrical l	devices while riding* (smartpho bable of recharging all device typ G2, G2L shill-free riding comfort. narness only.	pes while riding.		

Electronic Device Holder		G2, G2L (except 6x6 & X mr mo	odels)	715004919	757,00 ZŁ
	 Robust injected-polypropyle the right fit and easy installa Adjustable unit safely holds tablets with a length or widt cm) and 5.1" (13.0 cm) with Integrated storage (0.6 gal / 	ation. smartphones or small th mesuring between 2.9" (7.5 or without protective case.	 Guiding wire grooves to pas the lid. Possibility of relocating 12V USB outlet in storage comp sold separately). Not compatible with windsl 	/ power outlet or artment (USB po	installing ower outlet
3.5" (9 cm) LED Lights (2 X 14) Lights	N) LED Driving	G2, G2L (except X mr models)		715003666	1 226,00 Z
	 14W LED lights producing 1 Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. 	r LEDs in a heavy-duty die ts — if one attachment point	 Sold in pairs. CE certified. Spot lens for a narrow and l when driving at higher spee Expedition Front Bumper (7 Cable (715007275) required. 	eds. 15007233) and	Light Power
3.5" (9 cm) LED Lights (2 X 14)	N) LED Flood Lights	G2, G2L (except X mr models)		715003665	1 226,00 ZŁ
	 14W LED lights producing 1 Equipped with 6 high powel cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. 	r LEDs in a heavy-duty die ts — if one attachment point	 Sold in pairs. CE certified. Flood lens for a wide light b applications like plowing or riding conditions. Expedition Front Bumper (7 Cable (715007275) required 	for cornering, d 15007233) and	usty or foggy Light Power
۱" (10 cm) Round LED Lights (2 x 25 W)	G2, G2L (except X mr models)		715002935	2 164,00 Z
(Canana)	 25 W LED spotlights. 1,800 lumens. Rugged and waterproof. Includes basic wiring and store of the standard set of the standard set. Can-Am branded grill. 	witch.	 Sold in pairs. Not EC compliant. Expedition Front Bumper (7 Cable (715007275) required 		
10" (25 cm) Double Stacked LEI	D Light Bar (60 Watts)	G2, G2L (except X mr models)		715002933	1 765,00 Z
(RRARRA)	 Equipped with 12 5W Cree 5,400 lumens. Rugged and waterproof. Packs a big punch for its siz 		Not EC compliant. Expedition Front Bumper (7 Cable (715007275) required		
Light Power Cable		G2, G2L		715007275	677,00 ZŁ
	Required for installation of t	he 10'' (25 cm) LED Light Bar, th	ne 3.5" (9 cm) and 4" (10 cm) L	ED Lights.	
Bluetooth Handlebar Soundba	r by Mtx	G2, G2L, G2S		219400840	677,00 ZŁ
	 Bluetooth speaker with the fingertip control. Rugged IP66-rated weather for outdoor use. Driven by 150 watts of quali Seamless integration and openabled devices. 	-resistant speaker designed ty audio power.	Includes input, ground and port and 3.5" (8.89 cm) com Not compatible with XT Har EC compliant. Note: We recommend you use 32 AIFF, WAV formats to match the p compressed formats will probably	nector cable. ndlebar Protecto 20 Kbps MP3 - 192- potential of the spe	r Kit. 256 Kbps AAC or aker. More
Multi Position Light Mount Kit		G2, G2L, G2S		715004274	542,00 ZŁ
Contraction Contraction	Multi-position plastic clamp	bs that fit on various tubing sizes of the 2" (5 cm) Square LED Lig			

Baja Designs High Beam Kit		G2 (2022 and prior)		715004284	3 875,00 Zł
	your stock high beam lights • Each spot is equipped with	on and plug-and-play installatior s to these powerful Baja Design 4 Cree LEDs producing 4,900 I n for smooth blend of light for b	s Squadron Pro LED Lights bec umens at 40 watts.	comes child's pl	
2" (5 cm) Square LED Lights (2 X 10 Watts)	G2, G2L, G2S		715004293	997,00 ZŁ
		ree light kit. to 350' (107 m), drawing less th Kit is required for installation.	an 1 amp per light.		
RAM [†] LED Spotlight		G2, G2L, G2S		710005423	736,00 Zł
	 540 lumens LED light (9W) rubber-coated double ball a Not EC compliant. 	heavy-duty spotlight standard-e and socket system.	equipped with 1" (2.5 cm) diam	eter	
Battery Charger/Maintainer				715005061	
	 Keeps stored lead-acid batteries charged. Charges and maintains small batteries. Microprocessor controlled multi-stage charging for added precision, safety and battery life. Automatically detects 6- or 12-volt batteries. Reverse hook-up protection helps protect battery and charger from damage. 		 Auto-voltage detection. Press the display button to show the charge progree Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual. Not EC compliant. US plug (110V). Not available in Europe. 		pter, DC
ump Starter				715005062	
	 4 LED battery indicators for easy read on battery charge level. Compact design, will conveniently fit in your backpack, glove box or any other storage compartment. 2.4A + 1A/5V USB ports for fast charging of all USB devices. Not 		 short circuit, low voltage, h reverse charging. Built-in LED light (3 modes) Content: 300CA jump start 	odes). starter, SA858 smart cable clamp, ing cable, travel bag, user manual.	
Quick Connect Battery Cable				715005408	46,00 ZŁ
		and charge different items with rger/Maintainer (715005061).	your charger.		
C-TEK charger				860200997	603,00 Zł
C .	•CTEK, the manufacturer of th products. •Charger is built to meet the c •Ask your dealer for more info		the world, has produced a BRP	, specific charge	

Quick Connect Cable with	715006055	116,00 ZŁ			
		and charge different batteries v des constant battery health indi	, ,		
GPS RAM [†] Mount for Han	dlebar	G2, G2L, G2S		715001985 While supplies	alast 388,00 Z
	Convenient bracket for insta	alling the Garmin Montana GPS	: (not included) onto your unit's	handlebar.	
igitally Encoded Securit freen Key	y System (D.E.S.S.)	G2, G2S (2018 & up)		710005232	270,00 ZŁ
0	 Anti-theft technology, Digita (D.E.S.S) key snaps easily or riders easy and quick starts 		The Programmable D.E.S.S. to 3 modes: - Work mode: Limits vehicle	5	

- Performance mode: No restrictions.

- vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.


WINCHES

Can-Am HD Winches

		G2, G2L (Except T-category m	odels 2022 & up)	715006414	1 567,00 Z
Can-Am HD 2500 Winch		G2, G2L (T-category models 2	022 & up)	715008140	1 799,00 Z
	more torque and • Automatic 100% • Sealed solenoid t	h handle. gears and bushings provide	 Plug-and-play wiring and attachment Weather-sealed handlebar-mounted s Pulling strength capability of 2,500 lb 50 ft. of %s" (15.2 m of 4.8 mm) wire st EC-compliant. 	switch. (1,134 kg).	
		G2, G2L (Except T-category m	odels 2022 & up)	715006415	1 750,00 Z
Can-Am HD 3500 Winch		G2, G2L (T-category models 2	022 & up)	715008137	2 453,00 Z
WARN [†] VRX Winche	more torque and • Automatic 100% • Sealed solenoid t • Wired Remote Co	gears and bushings provide longer life. load-holding brake. for all-weather protection. ontrol sold separately.	 Pulling strength capability of 3,500 lb 50 ft. of ³/₈" (15.2 m of 4.8 mm) wire s EC-compliant. 	• •	
		G2, G2L, G2S (Except T-categ	ory models 2022 & up)	715006109	3 355,00 Z
WARN VRX 35-S Winch		G2, G2L, G2S (T-category mod	dels 2022 & up)	715008139	<u>3 377,00</u> Zł
WARM WARN	the elements out • Durable all-meta • Black powder-co fasteners for corr • Robust new cluto of WARN 4WD ho • Handlebar-mour • Load-holding bra	l construction. ated finish and stainless-steel rosion resistance. ch design based on 70+ years ub lock know-how. ated rocker control. ke for great control. able all-metal three-stage	 Limited lifetime warranty (mechanica Pulling strength capability of 3,500 lb 50 ft. of ¾6" (15 m of 4.8 mm) syntheti Cast aluminum fairlead. Wire harness (715002453) required f Winch mounting plate is required for (STD & X xc 2022 & prior only). EC-compliant. 	o (1,361 kg). ic rope. or installation.	nty (electrical).
		G2 (except 6x6 models)		715007100	3 200,00 Z
		G2 (6x6 models only)		715006503	2 718,00 Z
Rear winch kit		G2L (6x6 models only)		715007099	<u>2 353,00</u> Z
	youwant to pull you heavy loads. • Includes a fully-sea	lled rear winch is a godsend wh urself out of a tough spot or mov aled Warn winch and all wiring a for an easy and quick installatio	ve		

Nireless Remote Control		WARN Winches	715002542	1 091,00 Z
	mounting hardware.		-	sary
	WARN Winches		715006378	474,00 ZŁ
	Can-Am HD Winches (71500	6414 & 715006415)	715006555	156,00 ZŁ
Vired Remote Control	Can-Am HD Winches (71500	8140 & 715008141)	715008121	160,00 Zł
2/	 This kit allows winch owner remote to their winch. This kit allows winch owner to vehicles with a stock with Works in conjunction with 	EC-complian ers to add the handheld remote nch.	te & Remote Socket included. nt.	
Vinch Accessories Kit			715002409	738,00 ZŁ
		r, change your pulling direction and keep your wi h block, shackle and winching gloves.	nen in proper working order.	
MADN Hawaa Fairland				204 00 71
VARN Hawse Fairlead		WARN Winches	715007698	394,00 Zł
NARN Hawse Fairlead	 Double powder-coated co Required to use the Synth Cable (715004254) on WA To be used with synthetic 	nstruction. etic Winch. RN winches.	715007698	<u>394,00 Z</u> ł
	Required to use the SynthCable (715004254) on WA	nstruction. etic Winch. RN winches. winch cables only.	,	<u>394,00 Zł</u> 394,00 Zł
NARN Hawse Fairlead	Required to use the SynthCable (715004254) on WA	nstruction. etic Winch. RN winches.		394,00 ZŁ
	 Required to use the Synth Cable (715004254) on WA To be used with synthetic 	nstruction. etic Winch. RN winches. winch cables only.	715007699 ³ 710007459	283,00 Zł
VIARN O	Required to use the Synth Cable (715004254) on WA To be used with synthetic Features top, bottom and a winching.	nstruction. etic Winch. RN winches. winch cables only. WARN Winches Can-Am HD Winch	715007699 ³ 710007459	394,00 ZŁ 283,00 Zł ^{ier}

		705014983	101,00 21
Replacement Wire Rope –	Can-Am HD	705014984	<u>200,00 Z</u> Ł
	 Play it safe, always carry a replacement wire rope. 		



• 2,500 lb (1,134 kg) pulling strength with 50 ft of 3/6" (15.2 m of 4.8 mm) wire rope for 705014983. • 3,500 lb (1,588 kg) pulling strength with 50 ft of 3/2" (15.2 m of 5.5 mm) wire rope for 705014984.

Replacement Wire Rope – ATV WARN Winches

- Play it safe, always carry a replacement wire rope.
 - 3,500 lb (1,588 kg) pulling strength.
 - 50 ft. of 1/32" (15.2 m of 5.5 mm) aircraft grade steel wire.

Synthetic Winch Cable		ATV WARN Winches	715004254	745,00 Zł
	 Easier to manipulate than st Replaces the original cable Kit includes synthetic rope a Always use with the new Ha 50 ft. (15.2 m) of 3⁴/₈" (15.2 m) 3,500 lb (1,588 kg) pulling st 	on any factory installed WARN winch or sold as an and rock guard sleeve. awse Fairlead (715007698). n of 4.8mm) synthetic rope.	accessory by BRP.	
Winch Mounting Plate		G2S (2022 & prior)	715000927	671,00 Zł
Ŕ	 Adds functionality to your R Fits Can-Am winches by WA 	-		
Winch Wire Harness (Not illustrated)		G2 2021 & up, G2S 2021 & up and G2L	715002453	240,00 Zł
	 Required plug-and-go wiring Not required for Can-Am HE 	-	·	

HITCHES

Hitches				
Rear Hitch		G2, G2L (except 6x6 models), G2S	715001925	284,00 ZŁ
	 E-coat finish. Fixed hitch ball mounting bi Provides fixed mounting po This hitch offers 1,300 lb (59) Hitch ball not included. 	int for trailer ball to provide vehicle with towing capabilities.		
Front and Rear Hitch Drawb	bar	G2, G2L, G2S	715008350	523,00 ZŁ
-7	 Standard on 2" (5 cm) receives It offers 1,650 lb (750 kg) of Hitch ball not included. Forged steel. 			
Front coupling device		ТЗ	705205025	247,00 ZŁ
	Required for T3 models.			
Multitrailer			619590024	10 701,00 Z
	 Bogie wheels updated to be more silent than before and now equipped with grease nipples. Product developed for heavy-duty use. 100% galvanized steel. Specifications: 12 mm polywood base, strong stand, movable attachment points (4 pc), tipping bed, removable sides and 4 pc timber holder. Underside of the bogie and frame designed to travel over stones and logs (no sharp edges). Bed length: 182 cm Bed width: 66 cm bottom / 95 cm top Bed height: 200 kg with timber holders and sides 			

Hitches Accessori	es			
Rear Receiver Hitch		G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2	715005186	677,00 ZŁ
	,	s 1,500 lb (680 kg) of towing capacity. 1,654 lb (750 kg) of towing capacity. regulations.		
Front Receiver Hitch		G2	715000921	554,00 ZŁ
	 This hitch offers 1,300 lb (59 Allows you to maneuver you Hitch bar sold separately. 	ander with or without a winch. 90 kg) of towing capacity. 1r trailer easily in tight, confined areas. 1e Front Bumper, Rancher Bumper and ProMount Plows.		
Rubber Receiver Plug			705204503	66,00 ZŁ

Rubber Receiver Plug



PERFORMANCE

Performance		
Renegade Snorkel Kit	G2S (2020 & prior) G2S (2021 & up)	715006000 3 365,00 ZŁ 715007083 3 365,00 ZŁ
	 Comprehensive kit. Extended air intakes and CVT exhaust. CVT outlet integrates into pod cover. Ideal for muddy conditions. 	

Not compliant with T-category

• Rubber cap for 2" (5 cm) hitch receiver.

	G2S 2023 & up	715008898	2 633,00 ZŁ
Renegade Radiator Relocator Kit	G2S 2022 & prior	715001929	2 608,00 ZŁ
Relocates radiator to top mount position.			

- · Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- Radiator not included.
 - Renegade Extreme Front Bumper (715002469) required for G2S 2022 and prior or X mr Front Bumper (715008198) required for 2023 and up for installation (except X mr).
 - Not compliant with T-category

Mud Strap	G2, G2L, G2S	715003053	248,00 ZŁ
	ndle. eir weight for improved traction in demanding conditions. andlebar Protector Kit (703100352).		

Radiator Protector		G2, G2S (except G2S with 500 e	engine)	715001744	382,00 ZŁ
	Metal shield that mounts ov	er radiator face, providing prote	ction from stones and branche	əs.	
Outlander Snorkel Kit		G2 2015 & up, G2L (except X m	ır & 6x6 models)	715005999	2 417,00 Z
	 Comprehensive kit. Extended air intakes and CV CVT outlet integrates into po Must be installed on a vehic Ideal for muddy conditions. Not compatible with windsh Not compliant with T-categories 	od cover. Ile without XT Handlebar Protec iields.	tor Kit.		
Outlander Snorkel Kit		G2 (X mr models only), G2L (X r	mr models only)	715002518	585,00 ZŁ
	 Comprehensive kit. Extended air intakes and CV CVT outlet integrates into perform the second s	Raised horn only. Provides higher intake. pod cover. hicle without XT Handlebar s. Not compliant with T-category			upport
Outlander Radiator Relocator	^r Kit	G2, G2L (except 6x6 models)		715001930	2 608,00 Z
	 Relocates radiator to top mo Prevents cooling performan Uses existing radiator. Includes support, hardware Engineered for easy cooling Radiator not included. Not compliant with T-categorian 	ce loss in muddy conditions. and hoses. system bleeding and maintena	nce.		
K mr Traction Plates		G2 (MAX models only), G2L		715001752	646,00 ZŁ
	• •	iver when riding in extreme mud ding position to maximize vehicl			
Self-Clearing Footwells		G2 2015 & up, G2L		715004759	1 593,00 2
	 Made from aluminum. Replace original footwells. Feature large evacuation po Aggressive design for impro Not compatible with Body S Sold in pairs. 		imulation in footwells.		_
Footpeg Kit		G2, G2L		715001131	288,00 Zł
	 Provides maximum integrate Kick-up end generates adde Made of aluminum. Sold in pairs. 	ed grip and more stability during d grip during hard cornering.	g vigorous riding.		

G2, G2S, G2L

- Maximizes performance by increasing air flow throughout RPM range.
- Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.



G2 L (except Mossy Oak, PRO, 6x6 and X mr models) G2 2012 2018 (Base model DPS, XT & X mr with 650 engine only = except 6x6)		G2 2012-2018 (Base model, DPS, XT, X mr with 650 engine only & Limited – except 6x6) G2S (Base model with 500 & 570 engines only)	715003199 · Front 782,00 ZŁ
G2S (Base model with 500 & 570 engines only) 715003200 · Rear 782,00 Z G2 2019 & up (Base, DPS & XT models, except 6x6) 715005159 · Front & Rear Heavy-duty springs provide enhanced stiffness. 1 366,00 ZŁ		G2L (except Mossy Oak, PRO, 6x6 and X mr models)	715007203 · Front 652,00 ZŁ
• Heavy-duty springs provide enhanced stiffness. Defect for anomy clearing and builting beau leads 1 366,00 ZŁ		G2 2012-2018 (Base model, DPS, XT & X mr with 650 engine only – except 6x6) G2S (Base model with 500 & 570 engines only)	715003200 · Rear 782,00 ZŁ
Participation of the answer leaving and having heavy leader 1 300,00 ZL	Heavy-Duty Springs	G2 2019 & up (Base, DPS & XT models, except 6x6)	715005159 · Front & Rear
-		 Perfect for snow clearing and hauling heavy loads. Improves handling and helps prevent accidental overturns. Kit includes 4 springs. 	1 366,00 ZŁ

Front Shock Covers		G2, G2L, G2S	715500301	248,00 ZŁ
ran-am	 F eature ventilation holes. Offer added protection in ro Sold in pairs. 	ugh terrain and weather conditions.		

Front and Rear Heavy-Duty Shock kits	G2L (4x4 and 6x6 models)	715007841 · Front 7110,00 ZŁ 715008136 · Rear 7 088,00 ZŁ
	e standard ones, for Heavy-duty usage. ty, ground clearance and comfort (front and rear).	
Extreme Heavy-Duty rear spring set	G2	715001998 1 513,00 ZŁ

 E.g. for use with 	Forest Pro Log Trailer.
---------------------------------------	-------------------------

Yoshimura				
Yoshimura Slip-On Exhaust - Outlander G2 (except 6x6 models) 715005480				
	 USDF/USDA approved spar Non-EPA compliant (for racii) Not EC compliant. Fuel injection system tuning 	ing and lighter than stock muffler. k arrester. ng application only).	up.	
oshimura Slip-On Exhaust –	Renegade	G2S 2012 & up (except 570 engine and X mr models)	715005481	
	 USDF/USDA approved spar Non-EPA compliant (for raci Not EC compliant. Fuel injection system tuning 	ing and lighter than stock muffler. k arrester. ng application only).	up.	

Emergency Accessories

Emergency Kit

Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations
 powersport enthusiasts may find themselves in.



- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

715006102

763,00 ZŁ

COVERS, DECALS & ADD-ONS

		G2 (avaant MAX madala)	715001737 1 194,)0 ZŁ
		G2 (except MAX models) G2 (MAX and X mr 1000R models only)		00 ZŁ
		G2L (except MAX models)	-1940,	
		G2L (MAX models only)		$\frac{100}{100}$ ZŁ
railering Covers		G2S (except X mr models)		,00 Zł
	- Hoovy duty oppyoe mode	of UV-resistant solution-dyed polyester.	10//	<u>,00</u> Z1
		blored panels from abrasion.		
		e reinforced with a double canvas layer.		
	Opening for fuel cap acce	ess.		
	 Weather-resistant trailerir 	ng cover protects your vehicle during transportation.		
	Quick and easy installatio			
	Designed to perfectly fit y	our vehicle with or without Can-Am accessories.		
			1 1 212	10 71
		G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr	715001720 1 212,	
		G2, G2L (MAX and X mr 1000R models only)	-	<u>,0</u> 0 ZŁ
		G2 (6x6 models only)	715002492 715005095 (Europe) 2	426.00
			-	
		G2, G2L (except MAX models)	715001597 · Mossy O Break-Up Country Cam	ак 1 292
		G2 MAX (6x6 models only		<u>,0</u> 0 ZŁ
		G2L (6x6 models only)	715005261 1 478	,00 ZŁ
torage Covers		G2L MAX (6x6 models only)	715006024 1 304,	00 ZŁ
	 Weather-resistant storage 	2 COVIERS	- ^-	
The second second	•	covers.		
	 For vehicle storage only. 			
	 UV-resistant solution-dye 	d polyester construction.		
Contraction of the second s				
FRE ALL A	 Quick and easy installation 	n		
	Quick and easy installatio			
		n. our vehicle with or without Can-Am accessories.		
lag			715000277 · Yellow	 155,00
lag	Designed to perfectly fit y	our vehicle with or without Can-Am accessories.	715000277 · Yellow	155,00
lag	Designed to perfectly fit y	our vehicle with or without Can-Am accessories.	715000277 · Yellow	155,00
lag	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and	our vehicle with or without Can-Am accessories.	715000277 · Yellow	155,00
	Designed to perfectly fit y Order of the dunes and S-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	715000277 · Yellow	155,00
ag Can-am	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	715000277 · Yellow	155,00
-	Designed to perfectly fit y Order of the sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	715000277 · Yellow	 155,00
	Designed to perfectly fit y Order of the sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	715000277 · Yellow	 155,00
can-am	Designed to perfectly fit y Order of the sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.		
<i>can-am</i> lag Mount	Designed to perfectly fit y Order of the sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	715000277 · Yellow 715000127 112,0	
<i>can-am</i> lag Mount	Designed to perfectly fit y Order of the sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	112.0	
<i>Can-am</i> lag Mount	Designed to perfectly fit y Order of the sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	112.0	
	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	112.0) ZŁ
Can-am	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150	our vehicle with or without Can-Am accessories. vs what you're riding. new riders.	715000127 112,0) ZŁ
Iag Mount Iot illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Deteting Tie-Downs Perfect for transporting ye	our vehicle with or without Can-Am accessories. vs what you're riding. new riders. 000127).	715000127 112,0) ZŁ
Iag Mount Iot illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Desting Tie-Downs Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie-	our vehicle with or without Can-Am accessories. vs what you're riding. new riders. 200127). Dour powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22)	715000127 112,0 295101072 187,00	0 ZŁ
Iag Mount Iot illustrated)	Designed to perfectly fit y Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Designed to the dunes and Perfect for transporting ye Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str	our vehicle with or without Can-Am accessories. vs what you're riding. new riders. 200127). Dour powersport vehicle or securing loads. ny flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22) ength.	715000127 112,0 295101072 187,00 6 kg) working load strength a	0 ZŁ
Can-am	Designed to perfectly fit y Output Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie 1,500 lb (680 kg) break str Convenient retractable pu	our vehicle with or without Can-Am accessories. vs what you're riding. new riders. D00127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22 rength. ush button automatically slackens, spools and stores away strap	715000127 112,0 295101072 187,00 6 kg) working load strength a	0 ZŁ
ag Mount ot illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly to	our vehicle with or without Can-Am accessories.	715000127 112,0 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanis	0 ZŁ
ag Mount ot illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly Rubber ratcheting handle	our vehicle with or without Can-Am accessories. vs what you're riding. new riders. D00127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22 rength. ush button automatically slackens, spools and stores away strap	715000127 112,0 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanis	0 ZŁ
Lag Mount Not illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly to	our vehicle with or without Can-Am accessories.	715000127 112,0 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanis	0 ZŁ
Iag Mount Iot illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly Rubber ratcheting handle	our vehicle with or without Can-Am accessories.	715000127 112,01 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanist tever surface it hooks into.	0 ZŁ 0 ZŁ 1 d sm
Iag Mount Iot illustrated) olt-On [†] Retractable Ratcl	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting ye Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly Rubber ratcheting handle Sold in pairs.	our vehicle with or without Can-Am accessories. vs what you're riding. new riders. D00127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). cdown strap with heavy-duty stitching that delivers a 500 lb (22 ength. ush button automatically slackens, spools and stores away strap is button automatically slackens, spools and stores away strap provides firm grip, and the hook is vinyl coated to protect what	715000127 112,0 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanic tever surface it hooks into.	0 ZŁ
Iag Mount Iot illustrated)	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting ye Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly Rubber ratcheting handle Sold in pairs.	our vehicle with or without Can-Am accessories. ws what you're riding. new riders. D00127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). cdown strap with heavy-duty stitching that delivers a 500 lb (22 ength. ush button automatically slackens, spools and stores away strap ish button automatically slackens, spools and stores away strap provides firm grip, and the hook is vinyl coated to protect what ng load.	715000127 112,01 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanist tever surface it hooks into.	0 ZŁ 0 ZŁ 1 d sm
Iag Mount Jot illustrated) Solt-On [†] Retractable Ratcl Solt-On [†] Retractable Ratcl	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7156 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable putightens the strap snugly t Rubber ratcheting handle Sold in pairs. 400 lb (181 kg) safe worki 1" x 10' (2.5 cm x 3 m) stra	vs what you're riding. new riders. 200127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22 rength. Ish button automatically slackens, spools and stores away strap to secure your vehicle or load into place. provides firm grip, and the hook is vinyl coated to protect what ing load. ap with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 112,01 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanist tever surface it hooks into.	0 ZŁ 0 ZŁ 1 d sm
Iag Mount Jot illustrated) Solt-On [†] Retractable Ratcl Solt-On [†] Retractable Ratcl	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7150 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable pu tightens the strap snugly t Rubber ratcheting handle Sold in pairs. 400 lb (181 kg) safe worki 1" x 10' (2.5 cm x 3 m) strat Deluxe ratchet with rubber	vs what you're riding. new riders. 200127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22 rength. Ish button automatically slackens, spools and stores away strap to secure your vehicle or load into place. provides firm grip, and the hook is vinyl coated to protect what ing load. ap with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 112,01 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanist tever surface it hooks into.	0 ZŁ 0 ZŁ 1 d sm
ag Mount ot illustrated) olt-On [†] Retractable Ratcl Contemporation of the second s	Designed to perfectly fit y Make sure everyone know Perfect for the dunes and 8-ft. (2.4 m) length. Includes flag mount (7156 Perfect for transporting y Mounts easily: Bolts on ar 1" x 6' (2.5 cm x 1.8 m) tie- 1,500 lb (680 kg) break str Convenient retractable putightens the strap snugly t Rubber ratcheting handle Sold in pairs. 400 lb (181 kg) safe worki 1" x 10' (2.5 cm x 3 m) stra	vs what you're riding. new riders. 200127). Dur powersport vehicle or securing loads. hy flat surface (e.g., truck bed or frame). -down strap with heavy-duty stitching that delivers a 500 lb (22 rength. Ish button automatically slackens, spools and stores away strap to secure your vehicle or load into place. provides firm grip, and the hook is vinyl coated to protect what ing load. ap with Can-Am, Sea-Doo, and Ski-Doo logos.	715000127 112,01 295101072 187,00 6 kg) working load strength a p, while the ratchet mechanist tever surface it hooks into.	0 ZŁ 0 ZŁ 1 d sm

Heavy-Duty Ratchet Tie-D	own		715008308 232,00 ZŁ
	 1,000 lb (454 kg) safe work 1.5" x 6' (38 mm x 1.8 m) st Deluxe ratchet with rubber Black-coated clip hooks. 12" (300 mm) webbing inc Pack of two. 	trap with BRP brands. r handle.	
Shifter Lock		G2, G2L	715007337 308,00 ZŁ
	Secure the vehicle's shifte Prevents the vehicle from g	r by locking it in position. going into neutral without the lock key.	
Lockable Gas Tank Cap		 G2, G2L, G2S	860200387 236,00 ZŁ 619590085 (Scandinavia)
	Protects your fuel. Meets EPA requirements.		
		G2L	715002498 116,00 ZŁ
License Plate Bracket		G2S	715001401 124,00 ZŁ
	Provides specific area to in Mounts to rear of vehicle.	nstall license plate.	

APACHE TRACK SYSTEMS

Apache Track Systems

Apache Backcountry Track Sy	/stem	G2 (except 6x6 models), G2S, G2L	715005247	36 687,00 Zł
	 Contact patch is 23% bigge Impressive added ground c Aggressive track design wit Apache Backcountry Moun For winter use only. 	learance of 7" (18 cm), keeps the vehicle out of deep snow. h 2" (5 cm) lug height for maximum traction on snow. ting Kit and engine and air intake pre-filters are required.		
	Installation of some accessol for information.	ries shown may impact vehicle compliance with some regulat	ions. Consult you	ir local dealer
dler Wheel Kit		Apache Backcountry Track System (rear tracks only)	860201230	141 mm 280,00
00	 Reduces drag and rolling re Includes 2 wheels, brackets Add up to 2 kits per rear trac Can extend slider life in hard 	and hardware. ck.		
Sliders with Vespel [†] Inserts		Apache Backcountry Track System	503194815	677,00 ZŁ
• 110	 Use DuPont Vespel inserts Longer life. Can be cut to desired length 8 needed per vehicle. Sold individually. 			
Rail Ice Scratchers		Apache Backcountry Track System	860201728	566,00 ZŁ
		on in hard and icy conditions.		
Apacho 260 & 260 LT	 Rail mounted, small, light. Design expands on coil con Easily stored when not in us 	cept to allow reversing without damage.		
Apache 360 & 360 LT	 Rail mounted, small, light. Design expands on coil con Easily stored when not in us 	cept to allow reversing without damage. se.	715006323	29 561,00 Z
	 Rail mounted, small, light. Design expands on coil con Easily stored when not in us Multifunctional tracks perfetee Average ground clearance of a 1" (2.5 cm) lugs in the front Apache 360 & 360 LT Mour 	G2 (except 6x6 models), G2L, G2S		
Apache 360 & 360 LT Apache 360 Track System	 Rail mounted, small, light. Design expands on coil con Easily stored when not in us Multifunctional tracks perfet Average ground clearance of 1" (2.5 cm) lugs in the front Apache 360 & 360 LT Mour Installation of some accession 	G2 (except 6x6 models), G2L, G2S ect for any Can-Am ATV. of 16" (41 cm). and 1.25" (3.2 cm) in the back. titing Kit and engine and air intake pre-filters are required.		29 561,00 Z Ir local dealer 37 449,00 Z
Apache 360 Track System	 Rail mounted, small, light. Design expands on coil con Easily stored when not in us Have a stored when not in us Average ground clearance of a stored sto	G2 (except 6x6 models), G2L, G2S G2 (except 6x6 models), G2L, G2S ext for any Can-Am ATV. of 16" (41 cm). and 1.25" (3.2 cm) in the back. titing Kit and engine and air intake pre-filters are required. G2, G2L, G2S med to support heavy loads and to fit on most Can-Am Off-Ro- ent provides enhanced attack angle and better performance of for improved flotation when lowered. ncrease of 4.5" (11.4 cm). and 1.25" (3.2 cm) in the back.	ions. Consult you 715005103 ad vehicles. over rough terrain	<i>ur local dealer</i> <u>37 449,00</u> Z n when raised

Apache 360 LT 6x6

Apache 360 LT (6x6) Track System

G2, G2L (6x6 only)

715005104 42 289,00 ZŁ

Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-R	load vehicles.
--	----------------

- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
 - Average ground clearance increase of 4.5" (11.4 cm).
 - 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
 - Apache 360 LT Mounting Kit, Track DPS Module and Engine & Pre-Filter Kit are required.
- Reliable heavy-duty build.
- EC compliant.
- Exclusively for the Outlander 6x6.
- · Recommended for use on snow only.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Accessories				
Apache Backcountry Mounting Kit (Not illustrated)	G2 2018 & prior, G2S 2018 & prior, G2L G2 2019, G2S 2019	715004830	3 103,00 ZŁ 3 580,00 ZŁ	
Required for installation of the Apache Backcountry Track System.				

DPS module and pre-filter are required and sold separately.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Track DPS Module (Not illustrated)		G2, G2L, G2S	715007338 512,00 ZŁ		
An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect					

- track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

	G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G2L	715007207	1 807,00 ZŁ
	G2 2019 & up (except 6x6 models), G2S 2019 & up	715007206	1 807,00 ZŁ
Apache 360 & 360 LT Mounting Kit	G2 2018 & prior, G2L (6x6 models)	715004991	1066,00 ZŁ
(Not illustrated)	G2 (6x6 models 2019 & up)	715005105	1 066,00 ZŁ

Required to install Apache 360 & 360 LT Track Systems.

• DPS module and pre-filter not included.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Track System Accessories 715003483 248,00 ZŁ Air Intake Pre-Filter Adds extra protection to your engine in harsh riding conditions. · Filter blocks particles larger than 0.007" (0.19 mm). Easy, tool-less installation. · Necessary to maintain vehicle warranty when tracks are installed. Required to install the Apache and Backcountry Track Systems. Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO. Not compatible with Snorkel Kits. **Engine Air Intake Pre-Filter** 715004729 200,00 ZŁ G2, G2L, G2S · Adds extra protection to your engine in harsh riding conditions. Filter blocks particles larger than 0.005" (0.13 mm). · Necessary to maintain vehicle warranty when tracks are installed.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L		715004830		715004729	
2018 & Prior G2, G2S	715005247	/15004830	715007338	& 715003483 (standard on G2	715004729
		715004796		models and G2L PRO model)	

Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715006323	715007207		715004729 &	
2018 & Prior G2, G2S	(Apache 360) OR 715005103		715007338	715003483 (standard on G2	715004729
2019 & Up G2, G2S	(Apache 360 LT)	715007206		models and G2L PRO model)	
Apache 360 LT 6x6					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorke
2018 & Prior G2 6x6		715004991		715004729	
		/15004991		& 715003483	745004700
2019 & Up G2L 6x6	715005104		715007338	(standard on G2 models and G2L	715004729

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Reference Chart

NEIEIEIICE	Unart	_						
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	60" Flex2	66" Flex2
Plow Kit	715007753	715008178	715007754	715008179	715007755	715008180	715008181	715008182
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004203	715006265
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007751	715007751	715007751	715007751	715007751	715007751	715007751	715007751

Can-Am ProMount Steel Plow Kits 54" (137 cm) Blade	G2, G2L, G2S	715007753 · Black 715008178 · Yellow
	lount Steel Blade vith Quick-Attach System	
Can-Am ProMount Steel Plow Kits 60" (152 cm) Blade	G2, G2L, G2S	1 658,00 Zł ■ 715007754 · Black 715008179 · Yellow
	lount Steel Blade vith Quick-Attach System	
Can-Am ProMount Steel Plow Kits 66" (168 cm) Blade	G2, G2L, G2S	1 893,00 ZŁ ■ 715007755 · Black 715008180 · Yellow
	lount Steel Blade vith Quick-Attach System	
Can-Am ProMount Steel Blades 54" (137 cm) Blade	Fits ProMount Push Frame	1 514,00 ZŁ 715004472 · Black

54" (137 cm) Blade	Fits ProMount Push Frame	1 514,00 ZŁ	715004472 · Black 715005316 · Yellow
(some plow accessories a	ProMount Blade accessories to further of re not compatible with 54" (137 cm) plo ount Drift Cutters, Blade Extensions and	ws).	

Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blac 60" (152 cm) Blade	des	Fits ProMount Push Frame	■ 715004202 · Black 1 658,00 ZŁ ■ 715005317 · Yellow
	 Blades available individual! Compatible with Can-Am P Clears 54" (137 cm) when p Blade height of 17" (43 cm) 	roMount Blade accessories to further enhance plow versatility. plow is fully angled.	
Can-Am ProMount Steel Blac 66" (168 cm) Blade	des	Fits ProMount Push Frame	715006337 · Black 1 893,00 Z 715006338 · Yellow
GBH-BHH NGC CCCC	 Blades available individual! Compatible with Can-Am P Clears 60" (152 cm) when p Blade height of 17" (43 cm) 	roMount Blade accessories to further enhance plow versatility. plow is fully angled.	
	des	Fits ProMount Push Frame	■ 715004474 · Black 715006021 · Yellow 2 244,00 ZŁ
	Blades available individually	y to create your own kit. roMount Blade accessories to further enhance plow versatility. plow is fully angled.	
Can-Am ProMount Steel Blac 72" (183 cm) Blade	 Blades available individuall Compatible with Can-Am P Clears 66" (168 cm) when p Blade height of 17" (43 cm) 	y to create your own kit. roMount Blade accessories to further enhance plow versatility. plow is fully angled.	
72" (183 cm) Blade	Blades available individually Compatible with Can-Am P Clears 66" (168 cm) when p Blade height of 17" (43 cm) Iex2 Plow Kit	y to create your own kit. roMount Blade accessories to further enhance plow versatility. plow is fully angled.	

NEW Can-Am ProMount Flex2 – 66" (168 cm) Plow Kit	G2, G2L, G2S	715008182 · Black	<u>2 3</u> 88,00 ZŁ
 This kit includes: Can-Am ProMount Flex2 Push Frame with Quick-At Mounting plate 			

- Can-Am ProMount Flex2 blade - Push Frame with Quick-Attach System

Can-Am ProMount Angle Blac 60" (152 cm) Steel Oneway S	des tate Blade	G2, G2L, G2S		715007261	1 962,00 Zł
	further out of the way. • Wing end of plow measures • One-way "winged" state plo	25" (63 cm) high and tapers d w designed to throw snow hig		Ū	ately).
an-Am ProMount Angle Bla 5" (168 cm) Steel Oneway S		G2, G2L, G2S		715007263	2 287,00 Z
	further out of the way. • Wing end of plow measures • One-way "winged" state plo	25" (63 cm) high and tapers d w designed to throw snow hig		-	ately).
an-Am ProMount Angle Blac 2" (183 cm) Steel Oneway S	des tate Blade	G2, G2L, G2S		715007264	2 522,00 Z
	further out of the way. • Wing end of plow measures • One-way "winged" state plo	25" (63 cm) high and tapers d w designed to throw snow hig		-	ately).
	de Rubber Flap			715007299	565,00 ZŁ
	-	ow projections in various snov	v conditions.	715007299	565,00 ZŁ
ot illustrated)	Allows for more efficient sn	ow projections in various snov	v conditions.	715007299	565,00 ZŁ
an-Am ProMount Fl	Allows for more efficient sn ex2 Plows	ow projections in various snov	v conditions.		
Can-Am ProMount Fl	Allows for more efficient sn ex2 Plows	Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate	 v conditions. Blade design provides best Compatible with Can-Am P further enhance plow versa Clears 54" (137 cm) when p 	715004203 snow roll-off at roMount Blade a atility.	2 069,00 Zł any angle. accessories to
To Mount One-Way State Bla Data illustrated) Can-Am ProMount Flex2 Blac ade EW Can-Am ProMount Flex2	 Allows for more efficient sn ex2 Plows les - 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. 	Fits ProMount Push Frame PE, flexible and impact s damaging your plow when blade rotation to eliminate	 Blade design provides best Compatible with Can-Am P further enhance plow versa 	715004203 snow roll-off at roMount Blade a atility.	2 069,00 Zł any angle. accessories to ed.
Can-Am ProMount Fl an-Am ProMount Flex2 Blac ade	 Allows for more efficient sn ex2 Plows les - 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. 	Fits ProMount Push Frame PE, flexible and impact a damaging your plow when blade rotation to eliminate Fits ProMount Push Frame PE, flexible and impact a damaging your plow when blade rotation to eliminate	 Blade design provides best Compatible with Can-Am P further enhance plow versa 	715004203 snow roll-off at roMount Blade a atility. Jow is fully angle 715006265 snow roll-off at blow is fully angle roMount Blade a	2 069,00 Zł any angle. accessories to ed. 2 388,00 Z any angle. ed.
Can-Am ProMount Fl an-Am ProMount Flex2 Blac ade	 Allows for more efficient sn ex2 Plows les - 60" (152 cm) Plow blade made of UHMW absorbing material prevents accidental impacts occur. Replaceable wear blade. Large pin designed for easy snow buildup at pivot point. 2 66" (168 cm) Blade Plow blade made of UHMW absorbing material prevents accidental impact occurs. Replaceable wear blade. Inge pin designed for easy snow buildup at pivot point. 	Fits ProMount Push Frame PE, flexible and impact a damaging your plow when blade rotation to eliminate Fits ProMount Push Frame PE, flexible and impact a damaging your plow when blade rotation to eliminate	 Blade design provides best Compatible with Can-Am P further enhance plow versa Clears 54" (137 cm) when p Blade design provides best Clears 60" (152 cm) when p Blade height of 17" (43 cm) Compatible with Can-Am P 	715004203 snow roll-off at roMount Blade a atility. Jow is fully angle 715006265 snow roll-off at blow is fully angle roMount Blade a	2 069,00 Zł any angle. accessories to ed. 2 388,00 Z any angle. ed.

Can-Am ProMount Plov	N Accessories				
an-Am ProMount Push Frame ystem	with Quick-Attach	G2, G2L, G2S		715007752	2 330,00 ZŁ
	Heavy-duty steel tubes design roughest use. Mid-mount carriage provide and traction. Designed for maximum plow Features a self aligning quic foot release pedal and an er angle adjustment.	gned to withstand the s ultimate push strength v lift height. k-attach system, an easy	 Plow Roller Fairlead and Plorecommended to extend wi Can-Am ProMount Mountin installation. Blade swivels left or right, 5 Large pin designed for easy dirt and snow buildup at pivel 	Low Limit Switch nch cable lifesp ng Plate required positions. v blade rotation t	d for
an-Am ProMount Mounting Pl	ate	G2, G2L, G2S		715007751	736,00 ZŁ
	•		•	learance.	
Can-Am ProMount Push Frame	Extension	G2, G2L, G2S		715006257	816,00 ZŁ
				1	216.00.71
an-Am ProMount Edge Marke	rs Help locate the edges of you	G2, G2L, G2S		715004206	216,00 ZŁ
- Sector Mar	ProMount Steel 54" (137 cm	oMount Steel and Flex2 Blades)) Blades).	with or without Blade Extensic		
an-Am ProMount Drift Cutters		G2, G2L, G2S		715006258	741,00 ZŁ
	Help keep snow in the plow. Dimensions: 17" x 13" (43.2 Sold in pairs. Compatible with Can-Am Pr ProMount Steel 54" (137 cm	cm x 33 cm). oMount Steel and Flex2 Blades	with or without Blade Extensic	ons (except for t	he Can-Am
Can-Am ProMount Curved Wea	r Blade	G2, G2L G2S		715007791 · 715007792 ·	33
- Martin		folded back bottom lip. /s for less digging while plowing el, grass, paver stone and other			
Can-Am ProMount Plastic Wear	Blade	G2, G2L, G2S		715004480 - 715004481 - 715004482 - 715004482 -	60" (152 cm) 75 66" (168 cm) 848
		n smooth driveways and markal	ble surfaces.		, . <u>.</u> .,),

Can-Am ProMount Blade Ext	tensions	G2, G2L, G2S		71500420 71500531	5 · Black 544,00 9 · Yellow
	 Longer Wear Blade can b 	ProMount Blades (except for Car e installed to further extend the e ProMount Steel and Flex2 Blades	xtra length already provided by	the extensions	
ack Drag Blade		ProMount Plows (60" and mor	e)	715007794	1 317,00 Zł
	 ¼ thick steel swivel scrap Lifts up when the vehicle affect the scraping. Increased capacity to pul More aggressive scraping 	is moving forward so as not to I snow.	 Lifts the blade off the groun Adjustable in length for con and 72" blades. Compatible with ProMount 	npatibility with	60 ", 66"
Plow Roller Fairlead		G2, G2L, G2S		705009222	360,00 ZŁ
	Larger diameter lower rol Can be used with all Pro Included in plow mountir	•	plow application.		
Pulley Kit for Alpine Super-D	uty Plow	G2, G2L		715000279	312,00 ZŁ
Synthetic Winch Cable for Pl	Recommended to increase To be used with the XT Final Stream Str	•		715000540	260,00 ZŁ
	 Specially designed for plo 8' (2.4 m) section of dural Stands up to repeated, sh 	owing applications. ble, extra-strong synthetic rope. harp angle pulls used to lift heavy winch rope for plow season to sa		11000040	200,00 21
Plow Limit Switch Not illustrated)		G2, G2L, G2S		715006259	726,00 ZŁ
	 For controlling the cable te Prevents winch, plow push 	ension when over raising your plov I frame and vehicle damage.	v system.	ĥ	
Can-Am ProMount Plow Ang	ling System	G2, G2L, G2S		715007801	3 742,00 Z
	from the driver's seat. Using one hand to control 	m into an easy-to-control unit of all plow motions will allow you manage your plowing tasks. nt Blade.	Push Frame (715007752) is Push Frame Extension (715 installation with the Front R Winch and plow sold separa	006257) is requ ancher Bumpe	





G3L Accessories

LinQ: Easy On, Easy Off Cargo	52
Cargo & Storage	58
Can-Am Windshields	58
Handlebars & Mirrors	59
Skid Plates	60
Bumpers & Guards	61
Electrical & Lights	62
Winches	65
Hitches	66
Performance	67
Covers & Add-ons	68
Apache Track Systems	69
Promount Plows	71



BUNDLE UP TO NEVER COMPROMISE. Your atv bundles.

STEP 1: Choose your essential bundle

	Console Extension	715005368	715005368
STARTER	Console Extension USB Power Outlet	715008750	715008750
STARTER	LinQ Cargo Box (53 L)	715006997	715006997
	LinQ Tool Kit	715006829	715006829
	Fender Flares	715006336	715006336
ADVANCED	Driver Full Wrap Handguards	715005361	715005361
	LinQ Modular Box (10 L)	715005494	715005494
PEAK	Bluetooth Handlebar Soundbar by MTX	219400840	219400840
FEAN	Adventure High Windshield	715005377	715005377

G3L

G3L

G3L MAX

G3L MAX

STEP 2: PICK YOUR ADD-ON BUNDLE

	LinQ Stackable Fuel Caddy - 4 Gallons	860202246	860202246
ADVENTURE	XT Rear Bumper	715004953	715004953
	XT Front Bumper	715004952	715004952
	3.5" (9 cm) LED Driving Lights (2 x 14 W)	715003666	715003666
	LinQ Gun Case	715004968	715004968
HUNT	XU Front Bumper	715006614	715006614
	LinQ Gear Grips	715005340	715005340
	LinQ Chainsaw Holder	715004975	715004975
WORK	LinQ Rack Extension	715004954	715004954
	LinQ Tool Holder	715007358	715007358
	Integrated Heated Grips & Thumb Throttle Combo	715005072	715005072
	Adventure Side Wind Deflectors	715005862	715005862
WINTER	Heated Visor Outlet	715001246	715001246
	Heated Passenger Grips & Visor Outlet	N/A	715005358
	Trailering Cover	715005074	715005075

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- · Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L		(1)	2	3	(4)	LinQ
LinQ A	ccessories with 16" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top
S.	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit 860201806				
	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.				NO
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				NO
N	LinQ 4.5 Gal (17 L) Sport Bag 860202447					
	LinQ Modular Box (10 L) 715005494			YES, with LinQ Base Installation Kit 860201806		YES
P	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	6		NO	113
Ţ	LinQ Modular Box (30 L) 715006830		NO		NO	NO
	LinQ Tool Kit 715006829					YES
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806				NO
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.		NO		NO
	LinQ Gun Case 715004968	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
LinQ A	CCESSORIES WITH 36" Base LinQ Large Cargo Box 715007001	Front Cargo Compartment				Can Stack on Top
LinQ A	LinQ Large Cargo Box	Front Cargo Compartment	Rack	Compartment	Rack	
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L)	Front Cargo Compartment	Rack			Can Stack on Top NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L)		Rack NO	Compartment	Rack	Can Stack on Top
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L)	Front Cargo Compartment	Rack NO YES	Compartment NO YES, remove	YES	Can Stack on Top NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L)		Rack NO	NO	Rack	Can Stack on Top NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L)		Rack NO YES	NO YES, remove the rear rack for installation.	YES	Can Stack on Top NO YES NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler		Rack NO YES	Compartment NO YES, remove the rear rack for	YES	Can Stack on Top NO YES NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case		Rack NO YES	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo	YES NO YES	Can Stack on Top NO YES NO LinQ
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006997 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968	NO Front Cargo Compartment	Rack NO YES NO YES Front	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with	Rack YES NO YES NO Rear	Can Stack on Top NO YES NO NO NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 Olders and Racks LinQ Gear Grips	NO	Rack NO YES NO YES Front	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo Compartment	Rack YES NO YES NO Rear	Can Stack on Top NO YES NO Can Stack on Top
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 Olders and Racks LinQ Gear Grips 715005340 LinQ Tool Holder	NO Front Cargo Compartment	NO YES NO YES Front Rack	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with Ling Base Installation Kit 860201806	Rack YES NO YES NO Rear Rack	Can Stack on Top NO YES NO LinQ
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006997 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 Colders and Racks LinQ Gear Grips 715005340 LinQ Tool Holder 715007358 LinQ Rack Extension	NO Front Cargo Compartment YES, with LinQ Base Installation Kit 860201806	NO YES NO YES Front Rack	Compartment NO NO YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with Ling Base Installation Kit	Rack YES NO YES NO Rear Rack	Can Stack on Top NO YES NO Can Stack on Top

*Removal of front cargo compartment lid is required.

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L N	MAX	0	2	3	(4)	LinQ
LinQ A	ccessories with 16" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack on Top
	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit 860201806				
	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.		NO		NO
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.	d only.			NO
	LinQ 4.5 Gal (17 L) Sport Bag 860202447			YES, with LinQ Base Installation Kit 860201806		
	LinQ Modular Box (10 L) 715005494					YES
P	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO	NO	NO	123
Ţ	LinQ Modular Box (30 L) 715006830		NO			NO
	LinQ Tool Kit 715006829					YES
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				
	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806				
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.				NO
	LinQ Gun Case 715004968	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
LinQ A	CCESSORIES WITH 36" Base LinQ Large Cargo Box 715007001	Front Cargo Compartment		Rear Cargo Compartment		Can Stack on Top
LinQ A	LinQ Large Cargo Box	Front Cargo Compartment	Rack	Compartment	Rack	
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L)	Front Cargo Compartment	Rack			Can Stack on Top NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L)		Rack NO	Compartment	Rack	Can Stack on Top
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L)	Front Cargo Compartment	Rack NO YES	Compartment NO YES, remove	YES	Can Stack on Top NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L)		Rack NO	NO	Rack	Can Stack on Top NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L)		Rack NO YES	NO YES, remove the rear rack for installation.	YES	Can Stack on Top NO YES NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler		Rack NO YES	Compartment NO YES, remove the rear rack for	YES	Can Stack on Top NO YES NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case		Rack NO YES NO YES Front	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo	Rack YES NO YES NO Rear	Can Stack on Top NO YES NO LinQ
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968	NO Front Cargo Compartment	Rack NO YES NO	Compartment NO VES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with	Rack YES NO YES NO	Can Stack on Top NO YES NO NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 Colders and Racks LinQ Gear Grips	NO	Rack NO YES NO YES Front	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo Compartment	Rack YES NO YES NO Rear	Can Stack on Top NO YES NO Can Stack on Top
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 Iolders and Racks LinQ Gear Grips 715005340 LinQ Tool Holder	NO Front Cargo Compartment	Rack NO YES NO YES Front Rack	Compartment NO YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with LinQ Base Installation Kit B60201806	Rack YES NO YES NO Rear Rack	Can Stack on Top NO YES NO LinQ
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 IOICIES and Racks LinQ Gear Grips 715005340 LinQ Tool Holder 715007358 LinQ Rack Extension	NO Front Cargo Compartment YES, with LinQ Base Installation Kit 860201806	Rack NO YES NO YES Front Rack	Compartment NO NO YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with Ling Base Installation Kit	Rack YES NO YES NO Rear Rack	Can Stack on Top NO YES NO Can Stack on Top

*Removal of front cargo compartment lid is required.

LinQ Fuel Caddy - 4 Gallons		G3L		860202246	1 249,00 ZŁ
	 Must be installed in the Fro LinQ Base Installation Kit (8) 	L allation with LinQ system. y. Mitigation Device (FMD) standa nt Cargo Compartment. 60201806) required. an be stacked on the LinQ 4-Ga			
inQ Oil Caddy - 1 Gallon		G3L		860202445	714,00 ZŁ
- EF	 1 US gallon (3.78 L) capacit Must be installed in the Fro LinQ Base Installation Kit (8 No LinQ 16" accessories ca 	nt Cargo Compartment.	llon Oil Caddy.		
inQ Chainsaw Holder		G3L (except X mr models)		715004975	941,00 ZŁ
	 Pinch the blade for a solid a Compatible with the majorities Compatible with all 16" Lind Allows installation of the Lind 	ty of chainsaws available on the Q accessories that fit in the from	e market as most blades t cargo compartment.	go up to 18".	rage.
inQ Modular Box		G3L		715005494 · (10 715007112 · (20 715006830 · (30	DL) 837,00 ZŁ
	Allows stacking of other mo Always have the right box si Can be installed on any Lind See table for installation loc	Q Base with a 16" width.	right gear accessible.		
hermal Insert for LinQ Mod	ular Box (10 L)	G3L		219401110	292,00 ZŁ
	Insulated liner. Fits very well in the LinQ Me Can contain seven 355 ml c Keeps ice cold for one day. Interior dimensions : 9" L x	ans.			
inQ Tool Kit		G3L		715006829	1 722,00 ZŁ
	 Includes: Cutter pliers Long-nose pliers Locking pliers Ratchet wrench %" drive 6" ratchet extension Integrated CVT belt storage location (belt not included) 	 Long-socket 19 mm %" drive - 6 pts Socket 18 mm %" drive Long-socket 17 mm %" drive - 6 pts Socket 15 mm %" drive Socket 13 mm %" drive Socket 10 mm %" drive Socket 8 mm %" drive 	 Combined wrench Combined wrench Combined wrench Combined wrench Combined wrench Combined wrench 	18 mm 15 mm 13 mm 10 mm 18 mm	 Socket Torx T40 %" drive Socket Torx T30 %" drive Socket Torx T20 %" drive Breaker bar %" drive See table for installation location and requirements.
LinQ 4.2 Gal (16 L) Cooler		G3L		219400964 295100698	1 201,00 Z
	 All the benefits of LinQ—sir Rotomolded construction for and durability. Premium-quality foam insul ice retention. Uses LinQ mounting system (Patent US 8777531 and US) 	or exceptional rigidity ation for optimal	Easy one-second or Can contain twenty Keeps ice cold for th Exterior dimensions Interior dimensions See table for installa	355 ml cans. hree days. hree L x 20" W x 1 : 9" L x 17" W x 7"	0" H. H.

LinQ Tool Box		G3L		715008111	910,00 ZŁ
	 High precision injected HDf 5 gal (19 L) maximum capace Weather-resistant, sealed and Marinized for salt water pur See table for installation loce 	nd lockable cover. poses.	r and durability.		
LinQ Roll-Top Bag		G3L		715008110	1 181,00 ZŁ
une	 Fully waterproof roll-top dry confine your equipment. LinQ mounted using heavy- High capacity storage solution Bottom foam liner for addition 	duty rigid plastic base. on 10.6 gal (40 L).	 Integrated handle fo vehicle. Marinized for salt wa Dimensions: 14" L x See table for installa 	ater purposes. 19" W x adjusta	ble H.
SR 5.5 Gal (21 L) LinQ Bag		G3L		860202449	1 156,00 Zł
	 Semi-rigid expandable bag. 5.5 gal (21 L) capacity. See table for installation loc 	ation and requirements.			
LinQ 4.5 Gal (17 L) Sport Bag		G3L		860202447	1 064,00 ZŁ
	 4.5 gal (17 L) capacity. Rigid bottom, semi-rigid top See table for installation loc 				
LinQ Accessories wit	h 36" Base	G31 (except MAX models)		715005273	3 586,00 ZŁ
	 Polyethylene Trunk Box repl Storage capacity of 31 gal (1 Easy to install and remove w LinQ anchors must be instal Possibility to install LinQ 16 New ergonomic and resista Ability to install LinQ Tool H 		ent (4 LinQ anchors inc crease the cargo capac sealing.	se cargo capaci luded).	3 586,00 ZŁ
LinQ Trunk Box (145 L)	 Polyethylene Trunk Box repl Storage capacity of 31 gal (1 Easy to install and remove w LinQ anchors must be instal Possibility to install LinQ 16 New ergonomic and resista Ability to install LinQ Tool H 	acing the rear rack for perfect in (45 L). with the LinQ system. Iled in the rear cargo compartm " accessories on the cover to in nt latch system offers excellent olders (715008896) on the box.	ent (4 LinQ anchors inc crease the cargo capac sealing.	se cargo capaci luded).	ty.
LinQ Accessories wit LinQ Trunk Box (145 L)	 Polyethylene Trunk Box repl Storage capacity of 31 gal (* Easy to install and remove w LinQ anchors must be instal Possibility to install LinQ 16 New ergonomic and resista Ability to install LinQ Tool H Lockable with a lock on the Polyethylene Trunk Box repl Storage capacity of 30 gal (* Easy to install and remove w LinQ anchors must be instal Compatible with the passen New ergonomic and resista Ability to install LinQ Tool H 	acing the rear rack for perfect in [45 L). <i>i</i> /ith the LinQ system. Iled in the rear cargo compartm " accessories on the cover to in nt latch system offers excellent olders (715008896) on the box. front of the box (two keys includ G3L (MAX models only) acing the rear rack for perfect in [39 L). <i>i</i> /ith the LinQ system. Iled in the rear cargo compartm	ent (4 LinQ anchors inc crease the cargo capac sealing. ed). Integration and to increa ent (4 LinQ anchors inc sealing.	se cargo capaci luded). city. 715006097 se cargo capaci	ty. 3 586,00 Zž
LinQ Trunk Box (145 L)	 Polyethylene Trunk Box repl Storage capacity of 31 gal (* Easy to install and remove w LinQ anchors must be instal Possibility to install LinQ 16 New ergonomic and resista Ability to install LinQ Tool H Lockable with a lock on the Polyethylene Trunk Box repl Storage capacity of 30 gal (* Easy to install and remove w LinQ anchors must be instal Compatible with the passen New ergonomic and resista Ability to install LinQ Tool H 	acing the rear rack for perfect in 145 L). 145 L). 146 in the rear cargo compartm 1 accessories on the cover to in 1 latch system offers excellent olders (715008896) on the box. front of the box (two keys includ G3L (MAX models only) acing the rear rack for perfect in 139 L). 11 the LinQ system. 12 di n the rear cargo compartm ger seat. 11 tatch system offers excellent olders (715008896) on the box.	ent (4 LinQ anchors inc crease the cargo capac sealing. ed). Integration and to increa ent (4 LinQ anchors inc sealing.	se cargo capaci luded). city. 715006097 se cargo capaci	ty. 3 586,00 Zž

NEW LinQ Low Profile Box	(63 L)	G3L		715007827	2 085,00 ZŁ
	 Made of impact-resistant ir and weatherproof, this box 16.6 gal (63 L). LinQ-mounted for efficient locked in place with only a easy to remove using the Li Can be installed in a 36" co LinQ 16" accessories can b 	has a storage capacity of and secure storage, it is quarter turn. Easy to install, inQ system. nfiguration only.	 Easily carried with system prevents th Support feet at hing own. The compact desig of vision. Features a lock on (two keys included) 	e handle from mo ge level so the bo In allows for max the front of the b	oving while riding. x can stand on its imum rear field
LinQ Cargo Basket (90 L)	increase cargo capacity.				1 249,00 Z
		with the LinQ system.	ket.	715005274	
	Installation of some accesso local dealer for information.	ries shown may impact vehicle	compliance with some	regulations. Con	sult your
Large Cargo Box		G3L		715007001	3 328,00 ZŁ
	 Also has a mat for the floor the rear vertical lip. It is installed on ATV platfor 	IS. Q fixtures for tool holder, and m and slot to enable the installati rms through the LinQ system ar <i>ries shown may impact vehicle</i>	on of a divider and a slo nd hooks to make it eas	ot for a divider to	close the recess on removable.
NEW LinQ 9.2 Gal (35 L) C	ooler	G3L		715006998	3 365,00 Zł
	 LinQ-mounted for efficient place with only a quarter tu Easy to install, easy to remo Installation in LinQ 36" con Made of polyethylene for ex and durability. Storage capacity of 9.2 gal Lock the cooler on the vehi (860201968). Premium-quality foam insu ice retention. 	ove using the LinQ system. figuration. kceptional rigidity (35 L). cle using the LinQ Lock	 Option to add a 5-s rear of the cooler. A dry basket is incl Drain plug at the base of the new ergonomithe top is tightly se Innovative way to h Molded-in handles 	uded to protect y ottom to get rid o c and resistant la aled. old 12 cans (355	f excess water. tch system ensures ml).
LinQ Rack Extension		G3L		715004954	1 046,00 Zł
	 Easy to install and remove v Fits front or rear of the vehi Provides tie-down points to Made of steel with anti-cor Height of 7". 	cle.	vder-coat finish.		
LinQ Holders					
LinQ Tool Holder		G3L		715007358	284,00 ZŁ
	 Ultra-versatile tool holder. Convenient swivel-latch allo Sold in pairs. 	ows tools to be stored in any ori	ientation.		

LinQ Gear Grips		G3L	715005340	800,00 ZŁ
ŶŸ	 Heavy-duty design for carry Quick-release button opens Heavy-duty base system but 	rovide a custom fit for a variety of items from 1" to 4" (2 ing bows, fishing poles, rakes, farm tools and more. grip quickly for easy access to gear. ilt for the toughest adventures. Is a snap by combining the Gear Grips with the LinQ sy		n diameter.

LinQ Gear Grips		G3L		715001421	492,00 ZŁ
Y?	 Durable, flexible grips cushi providing a custom fit for a v from 1" to 4" (2.5 cm to 10 c Heavy-duty design for carry rakes, farm tools and more. Quick-release button opens access to gear. 	variety of items m) in diameter. ing bows, fishing poles,	 Heavy-duty base synadventures. Easy installation on brackets or bumper Sold in pairs. 	tubular racks, ex	Ū
₋inQ Gun Case		G3L		715004968	1 513,00 Zł
	 The practical design lets rid up to 52" (132 cm), even wit Adapts to different weapon foam cushions that can be r The Gun Case is LinQ-mour storage, and is locked in pla 	th most optic configurations. shapes and features with repositioned. nted for efficient and secure	The LinQ Gun Case compartment lid us (860201806), on the using the LinQ Gun	ing the LinQ Base Front Rack or o	e Installation Kit n fender position
NEW LinQ Gun Case Mount	ing Kit - Fender Position	G3L		715006074	677,00 ZŁ
	position on G3L, G3L MAX a • Installs on the right side of t		The low-profile mouvehicle year-round a Gun Case is not inst	and doesn't get ir	
Holders					236,00 ZŁ
Tool Holder Bolt-On	—	G3L e LinQ Cargo Basket (90 L), LinG		715008896	
6. 6	Sold in pairs. Several degrees of adjustme	ws tools of all shapes to be stor ent. 		715002354 · S	_{Single} 328,00 Z
Multi-Fit Holder		G3L		715001945	
	easily accessible. Easy installation on tubular Sold in pairs. 	carrying tools (shovel, axe) and l rack, extension racks, basket or nsion (715001711) is required.		bow) that are sa	fely secured, but
LinQ Mounting					
LinQ Mounting		G3L		860201806	200,00 ZŁ
	Unique mounting fastener u Included: 2 cargo LinQ base	Lusable on any LinQ system acces	ssory.	860201806	200,00 ZŁ
		Lusable on any LinQ system acces	ssory.	860201806	200,00 ZŁ 128,00 ZŁ
LinQ Base Installation Kit		Lisable on any LinQ system acces as and hardware. G3L is fiber.	ssory.	1	
LinQ Base Installation Kit	Included: 2 cargo LinQ base Made of polypropylene glas Allows you to install LinQ ac	Lisable on any LinQ system acces as and hardware. G3L is fiber.	ssory.	1	

CARGO & STORAGE

Soft Storage Bag (70 L)

	NDSHIELI		1	1 304,00 Z
dventure High Windshield		G3L (except X mr models) h three-position adjustable height.	715007268	-
	 Made of injected polycarl Provides excellent optical Console Extension (7150) 	et against wind and winter weather. Donate with a thickness of 5⁄22" (4 mm) with ultra I clarity and better abrasion resistance. D5368) is required for installation. 5005862) available for added protection.	a-resistant Quantum† coat	ing.
	Installation of some access for information.	ories shown may impact vehicle compliance w	ith some regulations. Cor	nsult your local deale
dventure High Windshield		G3L (except X mr models)	715005377	1 046,00 ZŁ
	Made of injected polycarl Console Extension (7150) Side Wind Deflectors (715)	et against wind and weather. Donate with a thickness of 5⁄22" (4 mm). D5368) is required for installation. 5005862) available for added protection. Stories shown may impact vehicle compliance w	vith some regulations. Cor	nsult your
	local dealer for information			
dventure Low Windshield		G3L (except X mr models)	715005860	941,00 ZŁ
Adventure Low Windshield	Adventure windshield wit Adventure windshield wit 10 in (25 cm) high for win Made of injected polycarl Console Extension (71500 Side Wind Deflectors (715	G3L (except X mr models) h three-position adjustable height. d protection. bonate with a thickness of 5/32" (4 mm). 05368) is required for installation. 5005862) available for added protection.		941,00 ZŁ

G3L

• Soft bag with a storage capacity of 18.5 gal (70 L) designed to maximize space in the front or rear of the vehicle.

Carry your gear in a weatherproof bag.

-

-

1 144,00 ZŁ

715007002

Console Extension		G3L (except X mr models)		715005368 1 046,00 ZŁ
	magnetic mount safe for Robust injected fiber-ro- construction makes it of 25 times stronger than can ride through rough Two possible positions portrait and landscape Includes everything ne	easy to fit and install. any smartphone's weight, so you terrain confidently. s for your electronic device: eded for installation on your ices: two pre-assembled Can-Am	 charging cable. Possibility of instal compartment (USE Required for the in and side wind defle Not compatible with 	
Console Extension USB	Console Extension USB Power Outlet G3L (except X mr models)			→ 394,00 ZŁ

- Useful for the Console Extension (715005368) to plug your electronic device charger into the compartment.
- Rubber cap protects ports when not in use.
- USB-A and USB-C ports.




- Backlit to highlight the USB ports.
- Console Extension (715005368) is required for installation.

HANDLEBARS & MIRRORS

Driver Full Wrap Handguards		G3L	■ 715005361 ■ 715005362	1.02.00
	 Protects against wind, bran- Rugged injected plastic def Lightweight black die cast a New ergonomic design offe Mounting system leaves the Includes complete hardware 	lectors with Can-Am logo. Aluminum full wrap frame. Ars better comfort for the hand and increases protection Anandlebar free.	n.	
Passenger Wind Deflectors		G3L (MAX models only)	715001669	486,00 ZŁ
	 These wind deflectors fit or Easy to install and remove. 	the passenger handles and provide greater comfort w	hile riding.	
Handlebar Mirrors		G3L	715005366	364,00 ZŁ
	Adjustable handlebar moun The convex surface allows i Doesn't require a windshiel Works with all windshield or	mproved visibility with a wider field of view. d or fairing to be mounted.		

Works with all windshield options.

SKID PLATES



OUTLANDER			
G	3L		
20	023		
Except MAX models	MAX models only		
Skid Plate Protection	n Kit		
715005309	715005310		
Individual Skid Plates			
1 Front Aluminum A-Arm	Protectors		
715005305	715005305		
2 Rear Aluminum A-Arm	Protectors		
715005308	715005308		
3 HMWPE Underbelly Pla	tes		
715005306	715005307		

Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: with aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation.
 No need to remove factory skid plates.
 - No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

BUMPERS & GUARDS

XU Front Bumper		G3L		715006614	1 667,00 ZŁ
	 Heavy-duty tubular constru Protects vehicle lights and Winch compatible. Integrated tow hook. Similar to the XU model's be 	corners.	omplete protection for y	your vehicle.	
XT Front Bumper		G3L		715004952	886,00 ZŁ
	 Provides additional protecti Tough and durable. Large tube construction wi Similar to stock bumper on Mounting plate included fo 	th black powder coat finis XT models.			
Extreme Front Bumper Plate		G3L (except X mr mode	ls)	715005439	782,00 ZŁ
	Ultra-robust construction p Compatible with all front bu Not compliant with T-categ	impers.	ion to the front of the ve	chicle in rough terrain.	
Front Tow Hook		G3L		715008842	236,00 ZŁ
	 Provides a solid anchor wh Allows you to attach most h This tow hook offers 3,500 Made of forged steel. XT Front Bumper (7150049) 	nooks or straps. Ib (1,587 kg) of towing ca	pacity.	nicle.	
Full Rear Bumper		G3L		715008738	1 144,00 Zł
	 Provides additional protecti Protects the rear lights of th Strong and durable, it must Wide and sturdy tubular co 	ne vehicle without obstrue be added to the XT rear b	cting them. Sumper (stock or access		
(T Rear Bumper		G3L (STD, DPS & X mr r	nodels only)	715004953	677,00 ZŁ
	 Sturdy tubular construction Protects the vehicle agains Standard on Outlander XT a Fits base models with grab Required to install the Full I 	t obstacles. and Outlander PRO. bar only.			
Guards			677,00 ZŁ		

ELECTRICAL & LIGHTS

Integrated Heated Grips & Thumb Throttle Combo		G3L		715005072	1 686,00 Zł
	 Heat levels for grips and the vehicle screen. Ergonomic button integrate Single button for both grips Five temperature settings for Adjustable heat ratio between 	ed on LH grip. and thumb heat selection. or the thumb and grips.	 Hold button to read Remembers your la IP67-rated waterpr ECE compliant. Plug-and-play insta Clamp-on grips, no 	ast heat setting. oof sealing keeps allation.	
leated Passenger Grips & V	isor Outlet	G3L (MAX models only)		715005358	1 962,00 Zł
0.	 Replace your stock passen; Dual temperature switch in Heated visor outlet integrat 	tegrated into seat arm for 3-zon	e heated handles and	grips.	
Seat Heater		G3L		715007211	757,00 ZŁ
	• •	-	•		
leated Visor Outlet		G3L		715001246	320,00 ZŁ
	 Strategically positioned on Optional visor outlet that de Quick and easy installation. Sold individually. Heated Visor not included. 				
JSB Intelligent Power Outle	t Kit	G3L		715009117	336,00 ZŁ
	 Provides one USB-A3.0 and Power rate: 36 watts. 	a fast charge when battery is lo	-		
NEW Cellphone Holder		G3L		715008786	560,00 ZŁ
	 Water resistant door allows for perfect phone positioning. Requires the GPS or the Console Extension USB Po thickness. Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 			ension (71500536 Console Extension wer Outlet (71500 Console Extension	n, the Console 18750) is required to

GPS RAM[†] Mount for Handlebar

G3L

Convenient bracket for installing the Garmin Montana GPS (715002830) or the Cellphone Holder (715008786) (not included) onto your unit's handlebar.

NEW Integrated Audio System		G3L		715005354	4 933,00 ZŁ
	 Fully integrated and weather Includes two 6.5" front fend you fingertip control of the t Designed to be Can-Am tour riding conditions. Expertly tuned for exception on the move on your Outlan Comes with two speakers, e power, for a total of 100 W d Seamless integration and op enabled devices, or via an a 	er Bluetooth speakers giving racks you're playing. gh in the most demanding nal sound, even when you're der. sach with 50 W dynamic ynamic power. peration from any Bluetooth-	Plug-and-play audio drain the battery. Compatible with the Adventure Windshie Not compatible with (715005862). EC compliant. Note: We recommend yor AIFF, WAV formats to ma compressed formats will	e Console Extense elds. In the Adventure	sion (715005368) and Side Wind Deflectors 193 - 192-256 Kbps AAC o. f the speaker. More
Bluetooth Handlebar Soundbar	by MTX	G3L		219400840	2 743,00 ZŁ
	Bluetooth speaker with the fingertip control. Rugged IP66-rated weather for outdoor use. Driven by 150 watts of quali Seamless integration and op enabled devices.	-resistant speaker designed ty audio power.	Includes input, grouport and 3.5" (8.89 c Not compatible with EC compliant. Note: We recommend yc AIFF, WAV formats to me compressed formats will	em) connector ca n XT Handlebar I ou use 320 Kbps M atch the potential o	able. Protector Kit. 193 - 192-256 Kbps AAC or f the speaker. More
3.5" (9 cm) LED Lights (2 X 14 \ Lights	N) LED Driving	G3L		715003666	1 226,00 ZŁ
	 14 W LED lights producing Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. Sold in pairs. 	r LEDs in a heavy-duty die ts — if one attachment point	 CE certified. Spot lens for a narro when driving at high XT or XU Front Bum and Light Power Ca for installation. Can also be installed 	ner speeds. pers (71500495 ble (715005353)	2 and 715006614)) required
3.5" (9 cm) LED Lights (2 X 14 \	N) LED Flood Lights	G3L		715003665	1 226,00 ZŁ
	 14 W LED lights producing Equipped with 6 high power cast aluminum housing. Features 2 attachment poin fails due to a collision, rotate and re-mount the light. Sold in pairs. CE certified. 	r LEDs in a heavy-duty die ts — if one attachment point		wing or for corn pers (71500495 ble (715005353)	required
10" (25 cm) Double Stacked LED	Light Bar (60 W)	G3L		715002933	1 765,00 ZŁ
	Equipped with 12 5 W Cree 5,400 lumens. Rugged and waterproof. Packs a big punch for its siz		 Not EC compliant. XT or XU Front Bum and Light Power Ca for installation. Can also be installed 	ble (715005353)	required
15" (38 cm) Double Stacked LED	Light Bar (90 W)	G3L		715002934	2 164,00 Z
SI 51 50	Equipped with 18 5 W Cree Complements the Light Rac Rugged and waterproof.		 Not EC compliant. XT Front Bumper (7 (715005353) are rec 		

- Rugged and waterproof.
- Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- Can also be installed on the stock front bumpers (XT and XU).

63

G3L ATVs ACCESSORIES

Light Power Cable (Not illustrated)		G3L		715005353	104,00 Zł
	Required for installation of t	he 10" (25 cm) and 15" (38 cm) LED Light Bars, as well as the	3.5" (9 cm) LED	Lights.
RAM [†] LED Spotlight		G3L		710005423	736,00 Zł
	 540 lumen LED light (9 W) f rubber-coated double ball a Not EC compliant 		equipped with 1" (2.5 cm) diame	əter	
Battery Charger/Maintainer				715005061	
	Keeps stored lead-acid batt	eries charged.	 Auto-voltage detection. 	ł	
	Charges and maintains sma Microprocessor controlled added precision, safety and Automatically detects 6- or Reverse hook-up protection charger from damage.	multi-stage charging for battery life. 12-volt batteries.	 Press the display button to Content: 3 amp battery cha adapter, 24" (61 cm) fused i weather cap, owner's manu US plug (110 V) Not available in Europe 	rger, clamp ada ring leads harne	pter, DC
Jump Starter				715005062	
	 IPX3 water-resistant and en 4 LED battery indicators for charge level. Compact design, will conve glove box or any other stora Ideal for powersports, moto cylinder engines. 2.4A + 1A/5V USB ports for USB devices. 	easy read on battery niently fit in your backpack, ge compartment. rcycles and 4 or 6	short circuit, low voltage, h reverse charging. • Built-in LED light (3 modes) • Content: 300CA jump starte	D light (3 modes). 00CA jump starter, SA858 smart cable clam o USB charging cable, travel bag, user manu mpliant.	
Quick Connect Battery Cable				715005408	46,00 ZŁ
		and charge different items witl rger/Maintainer (715005061).	h your charger.		
Quick Connect Cable with Bat	ttery Indicator			715006055	116,00 ZŁ
	, ,	and charge different batteries les constant battery health ind	, ,		
C-TEK charger				860200997	603,00 ZŁ
C .	CTEK, the manufacturer of th products. Charger is built to meet the o Ask your dealer for more info	demanding arctic conditions.	n the world, has produced a BRF	P specific charge	er for all BRP

<u>WINCHES</u>

Can-Am HD Winches Can-Am HD 2500 Winch G3L 715006973 · Ergonomic clutch handle. • 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable. Rugged all-steel gears and bushings for more torque Heavy-duty 4-way roller fairlead. and longer life. · Weather-sealed handlebar-mounted switch. Automatic 100% load-holding brake. Sealed solenoid for all-weather protection. · Corded 10 ft. (3 m) weather sealed wired remote control • Plug-and-play wiring. (sold separately). · A-armsEC and UKCA compliant. Pulling strength capability of 2,500 lb (1,134 kg). Can-Am HD 3500 Winch G3L 715006974 Ergonomic clutch handle 50 ft. of ⁷/₃₂" (15.2 m of 5.2 mm) wire steel cable. Rugged all-steel gears and bushings for more torque Heavy-duty 4-way roller fairlead. and longer life. · Weather-sealed handlebar-mounted switch. Automatic 100% load-holding brake. · Sealed solenoid for all-weather protection. · Corded 10 ft. (3 m) weather sealed wired remote control Plug-and-play wiring. (sold separately). · A-armsEC and UKCA compliant. • Pulling strength capability of 3,500 lb (1,588 kg). Can-Am HD 3500-S Winch 715008285 G3I • 50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope. · Ergonomic clutch handle. · Rugged all-steel gears and bushings for more torque · Heavy-duty hawse fairlead. and longer life. · Weather-sealed handlebar-mounted switch. Automatic 100% load-holding brake. · Sealed solenoid for all-weather protection. · Corded 10 ft. (3 m) weather sealed, wired remote control · Plug-and-play wiring. (sold separately). A-armsEC and UKCA compliant. · Pulling strength capability of 3,500 lb (1,588 kg). Winch Accessories ī.

Can-Am HD Wired Remote Control	Can-Am HD Winches (715008140/715008141/715006973/715009674/715008285)	715008121	160,00 ZŁ
2	 This kit allows owners to add a handheld remote to their winch or a stock winch. Works with the handlebar-mounted switch. Wired Remote and Remote Socket included. 10 ft. wire. 		

Winch Accessories Kit



- Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- · Includes tree straps, snatch block, shackle and winching gloves.

715002409

738,00 ZŁ

1 866,00 ZŁ

2 021,00 ZŁ

2 524,00 ZŁ

HITCHES

Front Receiver Hitch		G3L	715004977	523,00 ZŁ
	 Installs easily. No drilling re This hitch offers a 1,500 lb (Allows you to maneuver you Hitch bar sold separately. 	•		
Rear Hitch Drawbar Kit		G3L	715006230	523,00 Zł
Store T	 Works on 2" (5 cm) standard Offers a towing capacity of 1 50 mm Hitch Ball included. Forged steel. For European vehicles only. 	3.8 kN (R = 750 kg).		
Front and Rear Hitch Drawba	ar	G3L	715008350	523,00 ZŁ
-	 Standard on 2" (5 cm) receit It offers 1,650 lb (750 kg) of Hitch ball not included. Forged steel. Not compliant with T-catego 	towing capacity.		
Hitch Accessories				
				66,00 ZŁ



PERFORMANCE

NEW Snorkel Kit		G3L	715005073	1 981,00 ZŁ
	 The CVT outlet integrates in Ideal when riding in muddy Not compatible with windsh 	conditions. nields. tegrated Audio System (715005354).		
NEW Radiator Relocator Kit		G3L	715004943	4 201,00 ZŁ
	Engineered for easy cooling	nce loss in muddy conditions. locator hood for easy radiator cleaning. g system bleeding and maintenance. and hoses. Uses existing radiator: radiator not include	ed.	
Mud Strap		G3L	715003053	248,00 ZŁ
$ \land $		Idle. ir weight for improved traction in demanding condition ndlebar Protector Kit (703100352).	IS.	
Radiator Protector		G3L (except X mr models)	715005333	523,00 ZŁ
	Metal shield mounts over ra Slides easily out of its holde	adiator face and protects vehicle from stones and bran er for easy cleaning.	ches.	
-			715008202 . F	ront 782,00 Z
NEW Heavy Duty Spring Kits		G3L (except MAX & X mr models)	715004942	
NEW Heavy Duty Spring Kits	Allows riders to replicate the	e standard HD5/HD7 suspension setup on the Outlan rove handling and provide enhanced stiffness, which	715004942 · F der 500/700 (1-u	b).
	 Allows riders to replicate the The heavy-duty springs imp hauling heavy loads. 	e standard HD5/HD7 suspension setup on the Outlan rove handling and provide enhanced stiffness, which	715004942 · F der 500/700 (1-u	b).

Emergency Accessor			
Emergency Kit		715006102	763,00 ZŁ
	 Complete emergency kit provides all essential equipment and supplies to get out of powersport enthusiasts may find themselves in. Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-dowr strap, zip-ties and cloth rags. 		

COVERS & ADD-ONS

NEW Heavy-Duty Seat Cover		G3L (except MAX models)	715008311	312,00 ZŁ
	 Heavy-duty materials to co Designed to fit the vehicle¹ Abrasion- and tear-resistar Easily installed by stretchin 	s lines perfectly.	s the cover securely in place	
NEW Heavy-Duty Seat Cover		G3L (MAX models only)	715008313	419,00 ZŁ
	 Heavy-duty materials to co Designed to fit the vehicle¹ Abrasion- and tear-resistar Easily installed by stretching 	s lines perfectly.	s the cover securely in place	
		G3L (except MAX models)	715005074	1 194,00 ZŁ
Trailering Cover		G3L (MAX models only)	715005075	1 194,00 ZŁ
	Quick and easy clip-on inst	o fit its lines perfectly for less wind resistar		tion.
Flag			715000277	<u>Yellow 155,00</u> Zł
can-am	 Make sure everyone knows Perfect for dunes and new 8-ft. (2.4 m) length. Includes flag mount (71500) 	riders.		
Flag Mount Not illustrated)			715000127	112,00 ZŁ
Ratchet Tie-Downs			71500830	9 · Black/Gray 128,00
	 400 lb (181 kg) safe working 1" x 10' (2.5 cm x 3 m) strag Deluxe ratchet with rubber Coated S hooks. Pack of 2. 	with Can-Am, Sea-Doo, and Ski-Doo logos		
Heavy-Duty Ratchet Tie-Down			715008308	232,00 ZŁ
	 1,000 lb (454 kg) safe work 1.5" x 6' (38 mm x 1.8 m) st Deluxe ratchet with rubber Black-coated clip hooks. 12" (300 mm) webbing incl Pack of two. 	rap with BRP brands. handle.		

APACHE TRACK SYSTEMS

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry					
Model Year / Model	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023 G3L	715005247	715004993	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required

Apach	Apache 360 and Apache 360 LT							
Model Year	/ Model	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter		
2023	G3L	715006323 (Apache 360) OR 715005103 (Apache 360 LT)	715004992	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required		

Apache Backcountry Track Sy	stem	G3L	36 687,00 ZŁ	715005247
	 Contact patch is 23% bigge Impressive added ground cl Aggressive track design wit Apache Backcountry Mount For winter use only. 	learance of 7" (18 cm), keeps the vehicle o h 2" (5 cm) lug height for maximum tractio ting Kit and engine and air intake pre-filter ries shown may impact vehicle compliance	ut of deep snow. n on snow. s are required.	
Idler Wheel Kit		Apache Backcountry Track System (rear tracks only)	280,00 ZŁ	860201230 · 141 mm
CO O	Reduces drag and rolling re Includes 2 wheels, brackets Add up to 2 kits per rear trac Can extend slider life in hard	and hardware. ck.		
Rail Ice Scratchers		Apache Backcountry Track System	566,00 ZŁ	860201728
HAN - C	 Provide additional lubricatio Rail mounted, small, light. Design expands on coil con Easily stored when not in us 	cept to allow reversing without damage.		

Apache 360 Track System		G3L	29 561,00 ZŁ	715006323	
 Multifunctional tracks perfect for any Can-Am ATV. Average ground clearance of 16" (41 cm). 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back. Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required. EC compliant. 					
	your local dealer for infor	mation.	37 449,00 ZŁ		
Apache 360 LT Track System		G3L	57 449,00 ZL	71500510	
	 Average ground clearan 1" (2.5 cm) lugs in the fr Reliable heavy-duty buil EC compliant. Contact patch is 7 to 9% Apache 360 and 360 LT 	ont and 1.25" (3.2 cm) in the b d. b bigger than the Apache 360 Mounting Kit, Track DPS Mor	back.		
Apache Backcountry Mountin		G3L	3 428,00 ZŁ		
Apache Accessories Apache Backcountry Mountin (Not illustrated)	• Required to install Apac • DPS module and pre-filt • Improved installation tin	G3L he Backcountry Track System er not included. ne and switch seasons faster ssories shown may impact ve	3 428,00 ZŁ		
Apache Backcountry Mountin Not illustrated) Apache 360 & 360 LT Mounti	• Required to install Apac • DPS module and pre-filt • Improved installation tin Installation of some access your local dealer for inform	G3L he Backcountry Track System er not included. ne and switch seasons faster ssories shown may impact ve	3 428,00 ZŁ	71500499	
Apache Backcountry Mountin	ng Kit • Required to install Apac • DPS module and pre-filt • Improved installation tim Installation of some access your local dealer for inform ng Kit • Required to install Apac • DPS module and pre-filt • Improved installation tim	G3L he Backcountry Track System er not included. ne and switch seasons faster ssories shown may impact ve mation. G3L he 360 and 360 LT Track Syst er not included. ne and switch seasons faster	3 428,00 ZŁ n. than ever. <i>hicle compliance with some regulations. Consult</i> 2 399,00 ZŁ tems.	71500499	
Apache Backcountry Mountin Not illustrated) Apache 360 & 360 LT Mounti	 Required to install Apace DPS module and pre-filt Improved installation tim Installation of some acceed your local dealer for informing Kit Required to install Apace DPS module and pre-filt Improved installation tim Installation of some acceed 	G3L he Backcountry Track System er not included. ne and switch seasons faster ssories shown may impact ve mation. G3L he 360 and 360 LT Track Syst er not included. ne and switch seasons faster	3 428,00 ZŁ n. than ever. thicle compliance with some regulations. Consult 2 399,00 ZŁ tems. than ever.	71500499	

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Steel – Reference Chart

	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel
Plow Kit	715006202	715006206	715006203	715006207	715006205	715006208	—	—
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004474	715006021
Push Frame	715004980	715004980	715004980	715004980	715004980	715004980	715004980	715004980
Mounting Kit	715009483	715009483	715009483	715009483	715009483	715009483	715009483	715009483

Flex2 – Reference Chart				
	60" Flex2	66" Flex2	72" Flex2	
Plow Kit	715006204	715008206	-	
Blade	715004203	715006265	715004485	
Push Frame	715004980	715004980	715004980	
Mounting Plate	715009483	715009483	715009483	

Steel Plows

Can-Am ProMount 54" (137 c Steel Plow Kit	em)	G3L	■ 715006202 · Black ■ 715006206 · Yellow 1 514,00 ZŁ
	This kit includes:		



l his kit includes:

- Can-Am ProMount Steel Blade

- Push Frame with Quick-Attach System

- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 6 Steel Plow Kit	60" (152 cm)	G3L	715006203 · Black 715006207 · Yellow	
	This kit includes:			



0

I DIS

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount Steel Plow Kit	66" (168 cm)	G3L	■ 715006205 · Black ■ 715006208 · Yellow 1 893,00 ZŁ
	This kit includes:		

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount Steel Blad 54" (137 cm) Blade	es	Fits ProMount Push Frame	■ 715004472 · Black 1 514,00 ZŁ ■ 715005316 · Yellow
	 Compatible with Can-A (some plow accessorie)).
an-Am ProMount Steel Blad 0" (152 cm) Blade	es	Fits ProMount Push Frame	■ 715004202 · Black 1 658,00 2 ■ 715005317 · Yellow
			nance plow versatility.
an-Am ProMount Steel Blad 6" (168 cm) Blade	es	Fits ProMount Push Frame	■ 715006337 · Black 1 893,00 ZŁ
			nance plow versatility.
an-Am ProMount Steel Blad 2" (183 cm) Blade	es	Fits ProMount Push Frame	715004474 · Black 2 244,00 ZŁ
			nance plow versatility.
Can-Am ProMount Fl	ex2 Plow Kit		
an-Am ProMount 60" (152 c lex2 Plow Kit	em)	G3L	■ 715006204 · Black 2 069,00 ZŁ
	This kit includes: - Can-Am ProMount F - Push Frame with Qui - Mounting Kit - Plow Roller Fairlead		
can-Am ProMount 66" (168 c lex2 Plow Kit	:m)	G3L	■ 715008206 · Black 608,00 ZŁ
	This kit includes: - Can-Am ProMount F	ex2 Blade	

Can-Am ProMount Flex2 6	0" (152 cm) Blade	Fits ProMount Push Frame		715004203	2 069,00 ZŁ
	absorbing material prev accidental impacts occu • Replaceable wear blade	easy blade rotation to eliminate	 Blade design provid Compatible with Ca further enhance plo Clears 54" (137 cm) Blade height of 17" (n-Am ProMount w versatility. when plow is ful	Blade accessories to
an-Am ProMount Flex2 6	6" (168 cm) Blade	Fits ProMount Push Frame		715006265	2 388,00 ZŁ
	absorbing material prev accidental impact occur • Replaceable wear blade	easy blade rotation to eliminate	 Blade design provid Clears 60" (152 cm) Blade height of 17" Compatible with Ca further enhance plo 	when plow is ful (43 cm). n-Am ProMount	ly angled.
Can-Am ProMount Flex2 7	2" (183 cm) Blade	Fits ProMount Push Frame		715004485	2 745,00 Zł
	absorbing material preva accidental impacts occu • Replaceable wear blade	easy blade rotation to eliminate	 Blade design provid Compatible with Ca further enhance plo Clears 66" (168 cm) Blade height of 17" 	n-Am ProMount w versatility. when plow is ful	Blade accessories to
Angle Plows					
Can-Am ProMount Angle B		G3L		715007261	1 962,00 ZŁ
Angle Plows Can-Am ProMount Angle B 50" (152 cm) Steel Oneway	 Y State Blade Make the job easier with further out of the way. Wing end of plow measu One-way "winged" state 	G3L In the right tools, clear long alleys a ures 25" (63 cm) high and tapers d plow designed to throw snow hig 9) designed to keep snow away fro	own to 17" (43 cm). her.	by sending the s	now
Can-Am ProMount Angle B	 y State Blade Make the job easier with further out of the way. Wing end of plow measu One-way "winged" state Rubber Flap (71500729) Can-Am branded. 	n the right tools, clear long alleys a ures 25" (63 cm) high and tapers d plow designed to throw snow hig	own to 17" (43 cm). her.	by sending the s	now

Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade		G3L	715007264	2 522,00 ZŁ
	 Make the job easier with th further out of the way. 	e right tools, clear long alleys and make the task easier	by sending the s	now

ALCONTRACT.		
	 Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm). 	

One-way "winged" state plow designed to throw snow higher.

- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

ProMount One-Way State Blade Rubber Flap (Not illustrated) 715007299 565,00 ZŁ

Allows for more efficient snow projections in various snow conditions.

Can-Am ProMount Plow Accessories			
Can-Am ProMount Push Frame with Quick-Attach System	G3L		

 Heavy-duty steel tubes designed to withstand the roughest use. Mount location provides the ultimate push strength and traction. Designed for maximum plow lift height. Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment. 	 Allows blade to swivel left or right in five positions. Compatible with all Can-Am ProMount blades. Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan. Can-Am ProMount Mounting Kit required for installation.
---	---

Can-Am ProMount Push Frame Extension



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

G3L

G3L

NEW Can-Am ProMount Mounting Kit G3L

- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- No drilling required.
- Quick installation directly to the chassis.
- Plow Roller Fairlead included.

Can-Am ProMount Edge Markers

- Help locate the edges of your plow.
- Height: 24" (60 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cu	ıtters	G3L	715006258	741,00 ZŁ
	 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 			
Cold in noire		•		

Sold in pairs.

Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

		715004480 · 54" (137 cm)	658,00 ZŁ
		715004481 · 60" (152 cm)	752,00 ZŁ
Can-Am ProMount Plastic Wear Blade	G3L	715004482 · 66" (168 cm)	848,00 ZŁ

To help prevent scratches on smooth driveways and markable surfaces.



2 522,00 ZŁ

816,00 ZŁ

608,00 ZŁ

216,00 ZŁ

715004980


715006257

715009483

715004206

Can-Am ProMount Curved	l Wear Blade	G3L	$\begin{array}{c} \textbf{715007791} \cdot 60" \ (152 \ cm) \\ \textbf{715007792} \cdot 66" \ (168 \ cm) \\ \textbf{715007793} \cdot 72" \ (183 \ cm) \end{array}$
	The increased surface	with a folded back bottom lip. e allows for less digging while plowing uneven surfa d gravel, grass, paver stone and other soft surfaces	aces.
Can-Am ProMount Plow B	lade Extensions	G3L	■ 715004205 · Black ■ 715005319 · Yellow 544,00 Zł
	Longer Wear Blade ca	de. Am ProMount Blades (except for Can-Am ProMour In be installed to further extend the extra length alr Am ProMount Steel and Flex2 Blades (except for th	eady provided by the extensions.
Back Drag Blade		ProMount Plows (60" and more)	715007794 1 317,00 ZŁ
	 ¼" thick steel swivel set Lifts up when the vehi affect the scraping. Increased capacity to More aggressive scrap 	cle is moving forward so as not to Adjustable and 72" bla pull snow. Compatibl	lade off the ground so that it scrapes evenly. e in length for compatibility with 60", 66" ades. le with ProMount blades (Flex and Steel).
Plow Roller Fairlead		G3L	705009222 360,00 ZŁ
	Can be used with all P	r roller reduces wear on wire rope for plow applicat roMount plows. m ProMount Mounting Kit (715009483).	tion.
Pulley Kit for Alpine Super	-Duty Plow	G3L	715000279 312,00 ZŁ
	 Pulley kit to be used in Recommended to incomended to incomended to be used with the X 	-	low.
Plow Limit Switch		G3L	715006319 702,00 ZŁ
		sion when raising your plow system. ush frame and vehicle damage.	
Can-Am ProMount Plow A	ngling System	G3L	715007801 3 742,00 ZŁ
	from the driver's seat. • Using one hand to cor	ntrol all plow motions will allow you and manage your plowing tasks.	ne (715004980) is required. ne Extension (715006257) is required for n with the Front Rancher Bumper. d plow sold separately.





PARTS AND MAINTENANCE

Keep an Eye on These Parts	80
Genuine Parts	82
XPS Tires	85
Tires & Rims	86
Lubricant & Oil Change Kit	89
Maintenance Products	90



CAN-AM TOUGH

Trust genuine Can-Am parts to keep your vehicle performing at its best.

TWO-YEAR WARRANTY*

Precisely engineered. Rigorously tested. Factory approved.

CAN-AM ATVs G2, G2L, G2S

To make sure your ATV performs as you expect, **keep an eye on these components**:**

AIR FILTER

Front & Rear Right

OIL FILTER

ENGINE OIL*

4T 10W-50 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
4T 0W-40 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
4T 5W-40 Synthetic Blend Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779133 9779134
OIL CHANGE KIT*	
5W-40 Synthetic Blend Oil 500 cc or more V-twin engine	9779258
0W-40 Synthetic Oil 500 cc or more V-twin engine	9779259
10W-50 Synthetic Oil 500 cc or more V-twin engine	9779252
5W-40 Synthetic Blend Oil 450cc or less	9779256
OW-40 Synthetic Oil 450cc or less	9779257
FUEL FILTER	709001120

420256188

Performance Air Filter by Twin Air [†]	715001333
Premium Air Filter	707800371
CVT AIR FILTER	
G2S	707001786
G2, G2L	715003483
DRIVE BELT	
450 cc & less Premium (Stock)	422280283
500 cc & more Premium (Stock)	422280360
BRAKE PADS	
Metallic G2 Front & Rear Left Front & Rear Right	715900248 715900249
Organic G2, G2L, G2S (except X mr models) Front & Rear Left	715601015

715601014

CV BOOT KITS

G2, G2L, G2S (except X mr models) Front Wheel Side Front Differential Side Rear	705401345 705401346 705501864
X mr models Front Wheel Side Front Differential Side Rear	705401354 705401355 705501864
WHEEL BEARINGS	293350150
A-ARM BUSHING KIT	703500875
BALL JOINTS	
Upper	706202044
Lower	706202045
SPARK PLUG	
450, 850, 1000R engines	715900352
570, 650, 1000 engines	715900642
BATTERY	
G2S, G2, G2L 18 Amps. Wet (YTX20 L-B DS (250, 90, 70, 50)	S) 296000444
13 Amps. Wet (YTX16 L-BS)	V31500MAA020

* For Europe, please check correspondent PNs on page 89. **Refer to periodic maintenance chart for proper intervals.

To make sure your ATV performs as you expect, **keep an eye on these components**:**

Oil Filter	420256188
Oil Filter Cover O-Ring	420230922
Drain Plug Sealing Ring	420552280
Engine Air Filter	707800846
Spark Plug	715900785
Belt for 700/HD7	420280225
Belt for 500/HD5	420280226
Front Left Brake Pad	705602070
Front/Rear Right Brake Pad	705602071
Front CV Outer Boot Kit G3L	715500456
Front CV Inner Boot Kit G3L	715500457

Rear CV Outer Boot Kit G3L	715500464
Rear CV Inner Boot Kit G3L	715500465
Wheel Bearing	293350150
Suspension Bushing	706004511
Ball Joints Lower	706202045
Ball Joints Upper	706202044
Battery	296000444
pDrive Ramp Roller Maintenance Set	420629231
pDrive Torque Roller Maintenance Set	420629225

CAN-AM ATVs G3L

* For Europe, please check correspondent PNs on page 89. **Refer to periodic maintenance chart for proper intervals.

GENUINE PARTS

Oil Filters				
Oil Filters	Models	Oil Filter	Sealing Ring (Oil Filter Cover)	Sealing Ring (Drain Plug)
	G2S, G2 & G2L	420256188	420230923	420552280
	G3L	420256188	420230922	420552280
	Comp	lete Engine Oil Change Kit als	o available — see page 1	04

Air Filters

Premium Air Filter	 Premium quality filter. Prevents airborne contaminants from reaching you Protects internal components against premature v 		
	Models		
	G2S, G2 & G2L	707800371	
	G3L	707800846	
Performance Air Filter by Twin Air⁺	 The best choice for the harshest conditions. Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow. Washable and reusable. 		
	Models		
	1164616		
Thribally	G2S, G2 & G2L	715001333	
CVT Air Filter (Not illustrated)		715001333	
CVT Air Filter	G2S, G2 & G2L	715001333 715003483	
CVT Air Filter	G2S, G2 & G2L Models		

Spark Plug			
Spark Plug	Models		
	ATV 450/850/1000R	715900352	
	ATV 570/650/1000	715900642	
	ATV 500/700	715900785	

Batteries				
Yuasa [†] Batteries	Top of the line models f	rom the leading preferred original e	quipment battery suppliers in N	orth America.
	Models	3 A Wet (YTX4 L-BS)	10 A Wet (YTX12-BS)	18 A Wet (YTX20 L-BS)
	G2S, G2 & G2L	_	_	296000444
	G3L	_	-	296000444
	DS 50, 70 & 90	V31500MAA020	_	_
	Renegade 70, 110	V31500MAA020	_	_
	DS 250	_	715900031	_

Premium CV Axle

All all and

Premium quality design ideal for off-roading, heavy-duty and low speed torque usage
Includes CVs shaft and boots with the best suited geometry for your Can-Am vehicle

Models	Front Left	Front Right	Rear Left	Rear Right
G2, G2S (except X mr)	705402235	705402236	705502710	705502711
G2, G2S X mr	705403009	705402238	705503025	705503024
G2L (except 570 X mr)	705401429	705401428	705501898	705501897
G2L 570 X mr	705401115	705401116	705501485	705501486
G3L (non ABS models)	705402251	705402250	705502928	705502928
G3L (ABS models)	705402612	705402613	705502928	705503078

Brakes

Metallic Brake Pad Kit	 Built strong to last long – heavy-duty construction stands up to hard braking. Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes. Created specifically for use with Can-Am vehicles. 				
	Models	Front Left	Front Right	Rear Left	Rear Right
	G2S, G2 & G2L	715900248	715900249	715900248	715900249
	G3L	705602070	705602071	N/A	705602071

Please contact your dealer or visit our online store at canamoffroad.com for suggested fitment.

Parts		
A-Arm Bushing Kit	G2, G2L, G2S	703500875

This bushing kit includes 2 bushings, a sleeve and a wear plate, as illustrated.



All you need to renew your suspension A-arms.

	Upper	706202044
Ball Joints	Lower	706202045

Robust design for off-road usage and sealed for prolonged durability.

Wheel Bearings (Not illustrated)		G2, G2L, G2	S, G3L	2933501	50
	 Sealed bearings for additi 	onal protection from wat	er and dirt.		
CV Boot Kit	 Comes with clamps and grease. Genuine BRP CV Boot Kits ensure absolute compatibility and a perfect fit. 				
A	Models	Front Wheel Side	Front Differential Side	Rear Wheel Side	Rear Differential Side
1	G2, G2L, G2S (except X mr)	705401345	705401346	705501864	705501864
	X mr	705401354	705401355	705501864	705501864
	G3L	715500456	715500457	715500464	715500465

Belts

• High-performance design ideal for off-road use. **BRP Premium Drive Belt**

BRP-specific calibration adjusted to best suit your Can-Am vehicle.

0	Models		Premium Belt	CVT Gasket Cover
	G2, G2S 450 cc & less		422280283	420430126
	G2, G2S 500 cc & more		422280366	420430126
	G2L Outlander 450 & Outlande	r MAX 450	422280283	420630292
	G3L 500/HD5		420280226	420630255
	G3L 700/HD7		420280225	420630255
Driven Clutch Spreader Tool				
(Not illustrated)		G2, G2L, G2S, G3L		529036098

Allows you to spread the secondary clutch open for easy belt replacement.

pDrive Pulley Service Kits

Ramp Roller Maintenance Set	G3L	420629237
pDrive Ramp Roller Set		

G3L



Torque Roller Maintenance Set

pDrive Torque Roller Set



CAN-AM ATVs PARTS AND MAINTENANCE 84

420629224

XPS TIRES

SHOP BY USAGE	4









XPS Trail Force

XPS Trail Force		
	All-terrain radial tire.	705402754 · 27X9R14
	8-ply rated construction.	705503103 · 27X11R14
	Versatile and suitable for many types of terrain.	705403026 · 26X8R14
	 Aggressive tread pattern for better traction on dirt, mud and rocky terrains. Tread depth: 20 mm (0.78"). 	705503322 · 26X10R14
XPS Trail King		
	All-terrain radial tire.	705402825 - 28X9R14
	8-ply rated construction.	705403081 - 27X9R14
	 Aggressive tread pattern for tougher terrains. An almost continuous center tread offers a smoother trail ride. 	705503181 - 28X11R14
	 Tread depth: 26 mm (1.02"). 	705503355 - 27X11R14
		705402713 - 26X8R12
		705503073 - 26X10R12
XPS Trac Force		
	All-terrain light truck style radial tire.	705403080 – 30X9R14
43	8-ply rated construction.	705503354 - 30X10R14
	 Central tread for good grip and comfort on compact terrain. Tread depth: 18 mm (0.71"). 	705403416 – 32X10R16
XPS Hammer Force		
	Light truck-inspired tire.	705402918 - 30X10R15
<u>↓₹</u>	8-ply rated construction.	
	Rock-crawling tread pattern with unique contact patch.	
8V 2	 Aggressive sidewall for maximum traction when faced with technical terrains. Tread depth: 15 mm (0.59"). 	
XPS Swamp Force		
	Hybrid radial tire for mud and trail.	705403201 - 30X9R14
424	8-ply rated construction.	705503387 - 30X11R14
	Unique tread pattern allowing good grip in mud and mud ejection.	
	Center tread provides for comfortable trail riding. Tread death, 20, 20 mm (1, 44), 1, 40)	
	 Tread depth: 36-38 mm (1.41"-1.49"). 	
XPS Swamp King		
	Bias tires for mud and trail.	705403028 - 28X8X14
	 6-ply rated construction. Ultimate performance in mud without sacrificing good trail handling. Tread depth: 38 mm (1.49"). 	705503324 - 28X10X14
CAL St.		

TIRES & RIMS

Tires			705401333 · Front
			705401334 · (€) 705501769 · <u>Rea</u> r
Carlisle ACT Tire		G2 (500-1000 XT models only)	705501770 · CE
	 Front - 26" x 8" x 12". Rear - 26" x 10" x 12". 		
			705400606 · Front 705400326 · €€
Carlisle ACT Tire		G2 (400 XT models only)	705500598 · Rear (€
	 Front - 25" x 8" x 12". Rear - 25" x 11" x 12". 		
			705402562 · Front
Carlisle ACT HD Tire			705502940 · Rear
	 Front - 26" x 8" x 12". Rear - 26" x 10" x 12". 		
			705401331 · Front 705401332 · (€
Carlisle Badlands A/R Tire		G2 (500-1000 Base models only)	705501767 · Rear 705501768 · C€
	 Front - 26" x 8" x 12". Rear - 26" x 10" x 12". 		
			705402890 · Front 705400607 · (€)
Carlisle Trail Wolf Tire		G2 (400 Base models only) G2L (450/570)	705503225 · Rear 705502165 · C€
	 Front - 25" x 8" x 12". Rear - 25" x 11" x 12". 		
			705402973 · Front
TP TerraCross Tire		G2 XTP, G2Limited	705502858 · Rear
	snow, sand and mud. Features extreme-duty co 	Il command every bit of traction from the ground while enstruction for improved puncture protection and extra g tread pattern and wide footprint make it one of the to	-tough rubber compound for increased

				705400600 · Front 705400475 · €
TP Holeshot ATR Tire		G2S		705500926 · Rear 705500820 · (€
		DR12 - 25" x 8" x 12". R12 - 25" x 10" x 12".		
TP Mega Mayhem		G2 X mr 570 & 650 2 up	2018 & up G2S X mr 570 2018 &	705402131 · Front 705502645 · Rear
60				
TP Cryptid Tire		G2 X mr 850 & 1000 G2S X mr 1000R 201	R 2018 & up 18 & up	705402671
		y height and paddle-like shoulder cc compromising ride comfort on trails		ide bite for climbing in and out of the
Gorilla Silverback Tire	G2 (850 & 1000 models only)		705401501	
S	 Sold individua Not EC compl 30" x 9" x 14". 	•		
Maxxis Mudzilla Tire		G2 (X mr 570 & 650	models only)	705501836 · Rear
60	• Not EC compl • Rear - 28" x 10			
				V42711DGF01HLL · Front
Kenda Klaw MXR Tire		DS 90 X		
	• Front - 20" x 6 • Rear - 18" x 10			
Rims				
			705401853 · Front 705401852 · Front 705401851 · Front	 Black and machined Black with clear coat Silver with clear coat
		G2 DPS, G2 XT, G2 MAX 650, G2 MAX XT, G2 MAX Limited	705502402 · Rear 705502401 · Rear	 Black and machined Black with clear coat
14" Rim	- Due mail and a		705502400 · Rear	Silver with clear coat
CICE	 Center hole: 7 Bolt circle pat Front - 14" x 6 Rear - 14" x 8. 		-	

			-	5402309 · Front 5402222 · Front		Black and machined Black with clear coat
				5402307 · Front		Silver with clear coat
				5502770 · Rear		Black and machined
4" Rim		G2 DPS, G2 XT, G2 MAX Limited North Edition, G2 MAX North Ed	l, G2 70	5502702 · Rear 5502768 · Rear		Black with clear coat Silver with clear coat
	Encode d dllar					onver with clear coat
CECA		6.5" offset = 40 mm. 8.5" offset = 50 mm.				
National States National Disc		X mr models		5401848 · Front	=	Black and machined
Outlander X mr Rim		front and rear wheels	70	5401849 · Front		Black
C	• Front - 14" x	um rim with trend setting explosiv 6.5" offset = 10 mm. Nuts - 250100100 Black, 250100082 C				ke a trailblazer.
			70	5401127 · Front		Black with clear coat
Dutlander Rim (Camo Model)		G2, G2L, G2S	I —	5501493 · Rear	_	Black with clear coat
	Dia di 11	lear coat aluminum rim.	70	555 1455 · Nedi		DIGON WITH CICAL CUAL
	11601 - 12 X	7.5" offset = 51 mm.				
			70	5401678 · Front		Black
2" Beadlock Rim		G2, G2L, G2S	70	5502244 · Rear		Black
	 Needs 16 be Choice of be Front - 12" x 	lear coat aluminum rim. olts (250000787) for installing the eadlock color (not included). 6" offset = 41 mm. 7.5" offset = 51 mm.	70	5401763 · 📕 Can-A		
12" Beadlock Ring		G2, G2L, G2S		5401810 · 📃 Yellov 5401811 · 📕 Oranç		
12 Doualook mily	O and a large in					
	 Must be ins 	um beadlock. talled on Front Rim (705401678) a Nuts - 250100184 Black, 250100185			928	
				705401594 · From	nt	Black
4" Beadlock Rim		G2		705503191 · Rea		Black
	 Choice of be Needs 16 bo Front - 14" x 	lear coat aluminum rim. eadlock color (not included). olts (250000787) for installing the 6.5" offset = 41 mm. 8" offset = 51 mm.	beadlock.			
4" Beadlock Ring				6 · _ Manta Green 2 · _ Octane Blue		337 · ■ Can-Am Red 340 · ■ Black
1740 Parts	 Cast aluminu 	ım beadlock.				
<u>ARA</u>	Must be inst	alled on Front Rim (705401594) a Nuts - 250100184 Black, 250100185 C			28	

LUBRICANT & OIL CHANGE KIT

Lubricant

XPS 4T 10 W-50 Synthetic Oil

9779234 (US) · 1 qt / 946 ml **9779240** (EU) · 1 qt / 946 ml

9779235 (US) · 1 US gal / 3.785 L



- Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged and racing engines.
- · Formulated using carefully selected and strenuously tested base stocks and custom additives.
- Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

9779139 (US) · 1 qt / 946 ml 9779286 (EU) · 1 qt / 946 ml	9779140 (US)· 1 US gal / 3.785 L 9779287 (EU) · 1 US gal / 3.785 L



- Powersport formula with promium anti wear and	

- Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

XPS 4T 5 W-40 Synthetic Blend Oil

9779133 (US)· 1 qt / 946 ml **9779290** (EU) · 1 qt / 946 ml 9779134 (US)·1 US gal / 3.785 L 9779291 (EU) ·1 US gal / 3.785 L



- Off-road formula with premium anti-wear and anti-corrosion additives.
 Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged
- Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

Oil Change Kit

Engine Oil Change Kit		Models	
	 Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money. 	5W-40 Synthetic Blend Oil / 450 cc or less	9779256 (US) 9779408 (EU)
 Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer. 	0W-40 Synthetic Oil / 450 cc or less	9779257 (US) 9779409 (EU)	
	5W-40 Synthetic Blend Oil / 500 cc or more V-twin engine	9779258 (US) 9779405 (EU)	
		0W-40 Synthetic Oil / 500 cc or more V-twin engine	9779259 (US) 9779406 (EU)
		10W-50 Synthetic Oil / 500 cc or more V-twin engine	9779252 (US) 9779401 (EU)
		0W-40 Synthetic Oil / 650 ACE	9779481 (US) 9779417 (EU)
		5W-40 Synthetic Blend Oil / 900 ACE	9779260 (US) 9779410 (EU)


10W-50 Synthetic Oil / 900 ACE


9779261 (US) 9779411 (EU)

MAINTENANCE PRODUCTS

	9779158 (US) · 1 qt / 946 ml
	9779212 (EU) · 1 qt / 946 ml
75W-90	9779160 (US) · 1 qt / 946 ml
75W-140	9779215 (EU) · 1 qt / 946 ml

Uses custom additives to provide the best performance in Visco-Lok[™] and Smart-Lok[™] differentials.







Synthetic Gear Oil

9779150 · 1 qt / 946 ml 619590728 (Scandinavia) · 1 qt / 946 ml

Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems.

- · Long-life, 5-year formula specially formulated for BRP vehicles.
- · Superior heat transfer.
- · Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).

• 5 years (orange).

i-Corrosive Lubricant		9779167 619590724 (Scandinavia) • 12 oz / 340 g
	Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.	



Extreme Duty Suspension Grease

Anti-

· It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

9779708 · 14 oz / 400 g (Not Illustrated) · Designed to work specifically with the components found in Can-Am vehicle suspensions. · It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions. 9779704 (US) · 4 fl oz / 118 ml **XPS Spline Grease** (Not Illustrated) 9779472 (EU) · 4 fl oz / 118 ml · Enhanced rust and corrosion resistance. · Protects against seizure, heat-freeze, galling, rust and corrosion. 9779151 (US) · 12 fl oz / 355 ml DOT 4 Brake Fluid 9779207 (EU) · 12 fl oz / 355 ml

· Meets or exceeds all DOT3 and DOT4 brake fluid requirements.

· High-temperature formula resists fade and also conditions seals and O-rings in braking system.



Racing Brake Fluid RS600		9779152 · 12 fl oz / 355 ml	
	Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.		
	• Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.		
	 Will not harm seals or braking system components. 		
	Should be added only to a clean/unfilled system to avoid dilution and diminished performance.		
	Low-moisture formula slows water vapor absorption through multiple heat cycles.		
	Recommended for use in Ski-Doo and Can-Am racing applications.		
		9779171 (US) · 8 fl oz / 236 ml	
Fuel Stabilizer		9779183 (EU) · 8 fl oz / 236 ml	

Fuel Stabilizer

90

· Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.

- · Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
 - · Prevents problems associated with E10 fuels.
- CAN-AM ATVs PARTS AND MAINTENANCE






BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you. Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-DOO LYNX SEN-200 CAN-AM ROTAX ALUMACraft MANITOL QUINTREX.

www.brp.com



CANAMOFFROAD.COM



Gan-am

R