QUADY ŚREM
RACING TEAM
AUTORYZOWANE CENTRUM BRP

# CAN-AM MAVERICK R



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa



# CAN-AM MAVERICK R


| | |
|---|---|
| Comparative Chart | 80 |
| Maverick r Accessory Packages | 82 |
| Accessories | 83 |
| Roofs | 83 |
| Windshields & Wind Protection | 83 |
| Mirrors | 85 |
| Doors | 85 |
| HMWPE Skid Plates | 86 |
| Bumpers & Protection | 87 |
| LinQ Accessories | 89 |
| Racks & Storage | 94 |
| ACM & SMART Accessories | 96 |
| Lights | 100 |
| Audio | 106 |
| Electrical & Electronic Accessories | 107 |
| Winches | 108 |
| Recovery | 110 |
| Performance | 111 |
| Covers | 112 |


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

| | |  |  |  |  |
|---|---|---|---|---|---|
| | | **MAVERICK R X (INT)*** ** | **MAVERICK R MAX X (INT)*** ** | **MAVERICK R X RS** | **MAVERICK R X RS WITH SAS** |
| COLOR OPTIONS | | Granite Grey & Orange Crush | Granite Grey & Orange Crush | Timeless Black Metallic | Dolomite Grey & Orange Crush |
| ENGINES | | 999T DCT | 999T DCT | 999T | 999T |
| | **Type** | 240 hp (176.5 kW), Rotax Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control | 240 hp (176.5 kW), Rotax Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter and launch control | 240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter | 240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter |
| | **Fuel Delivery System** | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| | **Transmission** | Rotax DCT, 7 Speed with High & Extra Low range | Rotax DCT, 7 Speed with High & Extra Low range | Rotax DCT, 7 Speed with High & Low range | Rotax DCT, 7 Speed with High & Low range |
| | **Drive Train** | Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL | Lockable front differential with exclusive Smart-Lok* True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL | Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL | Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL |
| | **Power Steering** | High torque Gen 2 Tri-Mode DPS | High torque Gen 2 Tri-Mode DPS | High torque Gen 2 Tri-Mode DPS | High torque Gen 2 Tri-Mode DPS |
| SUSPENSIONS | **Front Suspension** | Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel | Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel | Forged Aluminum heavy duty Tall Knuckle - Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel | Forged Aluminum heavy duty Tall Knuckle - Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel |
| | **Front Shocks** | FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment | FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment | FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments | FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) |
| | **Rear Suspension** | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 25 in. (63.5 cm) suspension travel | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 25.5 in. (64.8 cm) suspension travel | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel with Smart-Shox |
| | **Rear Shocks** | FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment and bottom-out control | FOX† 2.5 PODIUM Piggyback with QS3† compression adjustment and bottom-out control | FOX† 3.0 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments | FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) |
| TIRES / WHEELS | **Front/Rear Tires** | XPS Trac Force 32 x 10 x 16 in. | XPS Trac Force 32 x 10 x 16 in. | XPS Trac Force 32 x 10 x 16 in. | XPS Trac Force 32 x 10 x 16 in. |
| | **Wheels** | 16 in. Aluminum flow formed | 16 in. Aluminum flow formed | 16 in. Aluminum flow formed beadlock | 16 in. Aluminum flow formed beadlock |
| BRAKES | **Front** | 32 mm hydraulic triple piston caliper with a 265 mm disc | 32 mm hydraulic triple piston caliper with a 265 mm disc | 32 mm hydraulic triple piston caliper with a 265 mm disc | 32 mm hydraulic triple piston caliper with a 265 mm disc |
| | **Rear** | 30 mm hydraulic twin piston caliper with a 255 mm disc | 32 mm hydraulic twin piston caliper with a 255 mm disc | 30 mm hydraulic twin piston caliper with a 255 mm disc | 30 mm hydraulic twin piston caliper with a 255 mm disc |
| DIMENSIONS / CAPACITIES | **Cage** | High strength (Dual phase) steel tubing and stampings | High strength (Dual phase) steel tubing and stampings | High strength (Dual phase) steel tubing and stampings | High strength (Dual phase) steel tubing and stampings |
| | **Estimated Dry Weight** | 1,076 kg | 1,211 kg | 1,083 kg | 1,087 kg |
| | **L x W x H** | 142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm) | 175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm) | 142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm) | 142 x 78.1 x 71.5 in. (360.7 x 198.5 x 181.5 cm) |
| | **Wheelbase** | 110 in. ( 279.1 cm) | 142.5 in. (485 cm) | 110 in. ( 279.1 cm) | 110 in. ( 279.1 cm) |
| | **Ground Clearance** | 17 in. (43.2 cm) | 17 in. (43.2 cm) | 17 in. (43.2 cm) | 17 in. (43.2 cm) |
| | **Rack Capacity** | 90 kg | 90 kg | 90 kg | 90 kg |
| | **Storage Capacity** | Total: 8.1 L | Total: 8.1 L | Total: 8.1 L | Total: 8.1 L |
| | **Fuel Capacity** | 50 L | 50 L | 50 L | 50 L |
| | **Gauge** | 4.5 in. digital display with keypad & 10.25 in. touchscreen display | 4.5 in. wide digital display with keypad & 10.25 in. touchscreen display | 4.5 in. wide digital display with keypad & 10.25 in. touchscreen display | 4.5 in. wide digital display with keypad & 10.25 in. touchscreen display |
| FE ATURES | **Magneto** | 1700-W | 1700-W | 1700-W | 1700-W |
| | **Instrumentation** | USB A (2 charging port & 1 communication port) DC outlet (10-A) | USB A (2 charging port & 1 communication port) DC outlet (10-A) | USB A (2 charging port & 1 communication port) DC outlet (10-A) | USB A (2 charging port & 1 communication port) DC outlet (10-A) |
| | **Lighting** | Premium high-performance LED headlights Can-Am LED signature | Premium high-performance LED headlights Can-Am LED signature | Premium high-performance LED headlights Can-Am LED signature | Premium high-performance LED headlights Can-Am LED signature |
| | **Anti-theft System** | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button |
| | **Winch** | Winch-ready bumper 2,041 kg winch not installed) | Winch-ready bumper 2,041 kg winch not installed) Full hard roof Premium half doors | Winch-ready bumper (2,041 kg winch not installed) | Winch-ready bumper (2,041 kg winch not installed) |
| | **Protection** | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate | Window net Front lower deflector Front / Rear anchor 3/8" Full HD HMW plastic skid plate Rock guard | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full plastic skid plate |

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
*** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

| | |  |  |  |  |
|---|---|---|---|---|---|
| | | **MAVERICK R MAX X RS WITH SAS** | **MAVERICK R X RC WITH SAS** | **MAVERICK R MAX X RS*** ** | **MAVERICK R MAX X RC WITH SAS (INT)*** ** |
| COLOR OPTIONS | | Timeless Black Metallic (INT)*** | Loft Green Satin | Granite Grey | Loft Green Satin |
| ENGINES | | 999T | 999T | 999T | 999T |
| | **Type** | 240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter | 240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter | 240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter | 240 hp (176.5 kW), Rotax® 999 cc Turbocharged Triple-cylinder engine, liquid cooled with integrated intercooler and high-performance air filter |
| | **Fuel Delivery System** | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) | Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI) |
| | **Transmission** | Rotax DCT, 7 Speed with High & Extra Low range | Rotax DCT, 7 Speed with High & Extra Low range | Rotax DCT, 7 Speed with High & Extra Low range | Rotax DCT, 7 Speed with High & Extra Low range |
| | **Drive Train** | Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL | Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK | Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL | Lockable front differential with exclusive Smart-Lok True 2WD / 4WD with front diff. lock / 4WD TRAIL ACTIV / 4WD TRAIL / 4WD ROCK |
| | **Power Steering** | High torque Gen 2 Tri-Mode DPS | High torque Gen 2 Tri-Mode DPS | High torque Gen 2 Tri-Mode DPS | High torque Gen 2 Tri-Mode DPS |
| SUSPENSIONS | **Front Suspension** | Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel | Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel | Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 24 in. (61 cm) suspension travel | Forged Aluminum heavy duty Tall Knuckle Double A-arm with sway bar / 25 in. (63.5 cm) suspension travel |
| | **Front Shocks** | FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox Technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) | FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) | FOX† 2.5 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments | FOX† 2.5 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) |
| | **Rear Suspension** | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 24 in. (61 cm) suspension travel | 4 Link Trailing arm with Forged Aluminum heavy duty Tall Knuckle / 26 in. (66 cm) suspension travel |
| | **Rear Shocks** | FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) | FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) | FOX† 3.0 PODIUM RC2† Piggyback with bypass, dual speed compression and rebound adjustments | FOX† 3.0 PODIUM† Piggyback with bypass and Smart-Shox technology featuring Live Valve Gen 3 (Dual Valve compression & rebound) |
| TIRES & WHEELS | **Front/Rear Tires** | XPS Trac Force 32 x 10 x 16 in. | XPS Hammer King 35 x 10 x 16 in. | XPS Trac Force 32 x 10 x 16 in. | XPS Hammer King 35 x 10 x 16 in. |
| | **Wheels** | 16 in. Aluminum Flow Formed Beadlock | 16 in. Aluminum flow formed beadlock | 16 in. Aluminum Flow Formed Beadlock | 16 in. Aluminum flow formed beadlock |
| BRAKES | **Front** | 32 mm hydraulic triple piston caliper with a 265 mm disc | 32 mm hydraulic triple piston caliper with a 265 mm disc | 32 mm hydraulic triple piston caliper with a 265 mm disc | 32 mm hydraulic triple piston caliper with a 265 mm disc |
| | **Rear** | 32 mm hydraulic twin piston caliper with a 255 mm disc | 32 mm hydraulic twin piston caliper with a 255 mm disc | 32 mm hydraulic twin piston caliper with a 255 mm disc | 32 mm hydraulic twin piston caliper with a 255 mm disc |
| DIMENSIONS / CAPACITIES | **Cage** | High strength steel (Dual phase) steel tubing and stampings | High strength (Dual phase) steel tubing and stampings | High strength steel (Dual phase) steel tubing and stampings | High strength (Dual phase) steel tubing and stampings |
| | **Estimated Dry Weight** | 1,210 kg | 1,118 kg | 1,205 kg | 1,118 kg |
| | **L x W x H** | 175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm.) | 147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm) | 175 x 78.1 x 69.2 in. (444.7 x 198.4 x 175.7 cm.) | 147.4 x 78.1 x 72.6 in. (374.3 x 198.4 x 184.5 cm) |
| | **Wheelbase** | | 110 in. ( 279.1 cm) | | 110 in. ( 279.1 cm) |
| | **Ground Clearance** | 142.5 in. (365 cm) | 18 in. (45.7 cm) | 142.5 in. (365 cm) | 18 in. (45.7 cm) |
| | **Rack Capacity** | 17 in. (43.2 cm) | 90 kg | 17 in. (43.2 cm) | 90 kg |
| | **Storage Capacity** | 90 kg | Total: 8.1 L | 90 kg | Total: 8.1 L |
| | **Fuel Capacity** | Total: 8.1 L | 50 L | Total: 8.1 L | 50 L |
| FEATURES | **Gauge** | 50 L 4.5 in. wide digital display with keypad & | 4.5 in. wide digital display with keypad & 10.25 in. touchscreen display | 50 L 4.5 in. wide digital display with keypad & | 4.5 in. wide digital display with keypad & 10.25 in. touchscreen display |
| | **Magneto** | 10.25 in. touchscreen display | 1700-W | 10.25 in. touchscreen display | 1700-W |
| | **Instrumentation** | 1700-W USB A (2 charging port & 1 communication port) | USB A (charging port & communication port) DC outlet (10-A) | 1700-W USB A (2 charging port & 1 communica- | USB A (charging port & communication port) DC outlet (10-A) |
| | **Lighting** | Premium high-performance LED headlights Can-Am LED signature DC outlet (10-A) | Premium high-performance LED headlights Can-Am LED signature with start-up animation | tion port) Premium high-performance LED headlights Can-Am LED signature DC outlet (10-A) | Premium high-performance LED headlights Can-Am LED signature with start-up animation |
| | **Anti-theft System** | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button | RF Digitally Encoded Security System (D.E.S.S.™) with Start/Stop button |
| | **Winch** | Winch-ready bumper (2,041 kg winch not installed) | 2,041 kg winch with synthetic rope and roller fairlead | Winch-ready bumper (2,041 kg winch not installed) | 2,041 kg winch with synthetic rope and roller fairlead |
| | **Protection** | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Rock guard | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Front bumper Front intrusion bar Rock slider (UHMWPE) Rock guard | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Rock guard | Full hard roof Premium half doors Front lower deflector Front / Rear anchor Full HD HMW plastic skid plate Front bumper Front intrusion bar Rock slider (UHMWPE) Rock guard |

*Smart-Lok was developed in conjunction with TEAM Industries, a market leader in the drive train industry.
**Smart-Shox was developed in conjunction with Tractive Industries, a market leader in the suspension industry.
*** These models are available only in EMEA countries outside the European Union. All other models are available throughout the EMEA region. Availability and warranty conditions may vary by country. Please contact your local dealer for details.
Vehicles sold within the European Union include a 2-year BRP limited warranty; vehicles sold elsewhere in the EMEA region include a 1-year BRP limited warranty. BRP's limited warranty does not affect consumer guarantees.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# MAVERICK R ACCESSORY PACKAGES

For details on the exact SKUs required for installation, please contact your authorised dealer,
as additional components such as wiring harnesses, mounting brackets or vehicle specific hardware may be required.



## Maverick R ALL-IN

| | |
|---|---|
| **Essentials** | Electronic Device Holder |
| | 10.25 in. Color Touchscreen Display Protector |
| | Can-Am JL Audio Roof - Level 4 |
| | Glass Windshield |
| | Cold Air Roof Scoop |
| | Rear Wind Screen |
| | Soft Upper Door Panels |
| | Aluminum Side Mirrors |
| | Digitally Encoded Security System (D.E.S.S.) - 2nd Key |
| **Protections** | Desert Front Bumper* |
| | Desert Rear Bumper |
| | Rock Sliders |
| **Winches & Recovery** | Can-Am HD 4500-S Winch* |
| | Can-Am Retractable Rope System |
| | Can-Am Winch Accessory Kit |
| **Cargo & Storage** | Upper Door Storage Bags |
| | Shoulder Storage Bag |
| | LinQ Side Cargo Boxes (13.5 L) |
| | LinQ Trunk Box (96 L) |
| | Accessory Control Module* |
| **SMART** | SMART Control Center for ACM |
| | SMART Integrated LED Side Mirror Lights |
| | SMART Integrated LED Hood Light |
| | SMART 40” (102 cm) LED Light Bar |
| | SMART Intermittent Wiper & Washer Kit |

*Excluding X RC models
**Some accessories require additional installation hardware


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# ROOFS

| | | | |
|---|---|---|---|
| | Maverick R | 715007364 | 2 376,00 zł |
| | Maverick R MAX | 715008074 | 4 069,00 zł |

## Sport Roof



- Impact-resistant injected polypropylene.
- Provides excellent protection from the elements and downhill visibility.
- Designed to work with the Cold Air Roof Scoop.
- Windshield compatible.

## Cold Air Roof Scoop

| | | | |
|---|---|---|---|
| | Maverick R | 715008280 | 2 702,00 zł |
| | Maverick R MAX | 715008301 | 3 803,00 zł |



- Feeds fresh air to the engine compartment.
- Sleek design for a sleek racing look.
- Increases cold air to the intake to prevent power loss.
- Required when using a windshield.

**Required for installation:**
- SportRooforCan-AmJLAudioRoof–Level4.

**Not compatible with:**
- TheAudioRoofFlipKit.

# WINDSHIELDS & WIND PROTECTION

## WINDSHIELDS

### Powerflip Windshield

Maverick R, Maverick R MAX | 715009900 | 9 503,00 zł



- ThePowerFlip Windshield is equipped withelectric cylinders that allow the rider to adjust thewindshield opening at the touch of a button.
- High-impact-resistant Quantum† hardcoated polycarbonate full windshield with a rubber seal contour and a tinted top section.
- Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, or somewhere in between.
- Youhaveaninfinitenumberofopening possibilities dependingonyourprotection,visibility and airflow preferences.

**Required for installation:**
- Requires a Cold Air Roof Scoop (715008280 or 715008301).
- Needs Accessory Control Module (ACM) (715010097) or Powerflip Windshield Harness (715008854) for installation.

**Not compatible with:**
- SMART Integrated LED Roof Light (715007322) and Audio Roof Flip Kit (715008164).

### Glass Windshield

Maverick R, Maverick R MAX | 715010203 | 6 261,00 zł



- Curved and laminated glass full windshield.
- Seals firmly against the cage and protects both the rider and the passenger from the elements.
- Provides maximum optical clarity and abrasion resistance.
- Must be used with the Wiper & Washer Kit for clear visibility during severe riding conditions, including mud riding.
- Use with rear wind protection to maximize passenger comfort.
- Compatible with the SMART Integrated Roof LED Light.

**Required for installation:**
- Must be used with the Cold Air Roof Scoop (715008280 or 715008301).

**Not compatible with:**
- Audio Roof Flip Kit (715008164).

### Full Windshield – Hardcoated

Maverick R, Maverick R MAX | 715007321 | 4 119,00 zł



- Highly impact-resistant Quantum† hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidit y.
- Provides excellent optical clarity and better abrasion resistance.
- Protects the driver and the passenger from the elements.
- Quick and easy tool-less removal.
- Use with rear wind protection to maximize comfort for the passenger.
- Can be used with the Windshield Wiper & Washer Kit (715007173) (light-duty usage only).
- Compatible with SMART Integrated Roof LED Light.

**Must be used with:**
- Cold Air Roof Scoop (715008280 or 715008301).

**Not compatible with:**
- Audio Roof Flip Kit (715008164).



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

### SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX | 715008555 | 3 803,00 zł



- Washer fluid dispenser is perfectly concealed on the vehicle.
- Must be installed with the PowerFlip Windshield (715009900) (sold separately).
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

**Required for installation:**
- Electric harness required (715008855) to hook up and operate the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

### Powerflip Windshield Harness

Maverick R, Maverick R MAX | 715008854 | 753,00 zł



- Electric harness required to hook up and operate the Powerflip Windshield (715009900) for on/off function when ACM is not installed.

### SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX | 715007173 | 3 538,00 zł




- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

**Required for installation:**
- Electric harness required (715008855) to hook up and operate the SMART Intermittent Windshield Wiper & Washer Kit in ON/OFF functionality when the ACM is not installed (sold separately).

### Wiper & Washer Kit Wiring Harness

Maverick R, Maverick R MAX | 715008855 | 593,00 zł



- Electric harness required to hook up and operate in ON/OFF functionality the SMART PowerFlip Intermittent Windshield Wiper & Washer Kit and the SMART Intermittent Windshield Wiper & Washer Kit.

### Manual Wiper Kit

Maverick R, Maverick R MAX | 715009424 | 604,00 zł



- Single manual wiper that can be used to clear windshield of debris.
- Easy to install system that requires no electrical hookup.
- Large ergonomic handle provides a good grip over the entire sweeping surface.
- Compatible with hardcoated windshields that use top mounted wipers.

## REAR WIND PROTECTION

### Rear Polycarbonate Window

Maverick R, Maverick R MAX | 715007315 | 2 121,00 zł



- High impact-resistant polycarbonate window.
- Reduces windshield backdraft and stops dust and rain from entering the cabin for added comfort.
- Quick and easy installation.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

### Rear Wind Screen for Speakers

Maverick R, Maverick R MAX | 715009175 | 720,00 zł



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.
- Designed to work with Can-Am's JL Audio Level – 3 and 5 rear speakers, and all roofs.

### Rear Wind Screen

Maverick R, Maverick R MAX | 715007317 | 720,00 zł



- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quickly and easily on roll cage.

**Not compatible with:**
- Can-Am JL Audio System – Level 3 (715007954) and Level 5 (715007957).



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# MIRRORS

Maverick R, Maverick R MAX | 715005262 | 1 008,00 zł




- Sleek design with unique racing style.
- High-quality black molded aluminum for extreme durability.
- 4" (10 cm) convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Multi-position adjustable ball-joint-mounted mirrors.
- Spring-loaded pivots let mirrors fold back completely.
- Sold in pairs.

**Not compatible with:**
- Glass Windshield.

## Aluminum Side Mirrors

Maverick R, Maverick R MAX | 715007363 | 1 634,00 zł



- Sleek design.
- High-quality black molded aluminum for extreme durability.
- The convex surface provides a wider field of view and better visibility around the unit.
- Can be installed at any height on the cage A-pillar for optimized rider vision.
- Possibility to install the Integrated LED Side Mirror Lights (715007185).
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields, Soft Upper Door and Upper Wind Nets.
- Sold in pairs.

## Side Mirrors

Maverick R, Maverick R MAX | 715007188 | 1 008,00 zł



- Sleek design.
- High-impact resistant plastic mirrors.
- The convex surface provides a wider field of view and better visibility around the unit. Can be installed at any height on the cage A-pillar for optimized rider vision.
- Adjustable ball-joint mirrors.
- Possibility to fold down the mirrors (fold-away mechanism).
- Compatible with windshields, Soft Upper Door and Upper Wind Nets.
- Sold in pairs.

## Rear View Mirror and Camera Monitor

Maverick R, Maverick R MAX | 715009410 | 2 652,00 zł




- Fully waterproof rear-view mirror and monitor kit.
- See exactly what you need to see with the multiple camera feeds from the rear-view camera.
- This unit replaces the stock rear-view mirror (the screen is integrated in the unit's replacement rear-view mirror).
- The camera uses infrared light for night vision capabilities.

# DOORS

## SoftUpperDoorPanels

Maverick R
Maverick R MAX

715007432 · 2 doors 5 088,00 zł
715007894 · 4 doors 10 589,00 zł



- Weather-resistant panels reinforced with aluminum frame offer good protection from the elements.
- This extension is an excellent addition to the half-door, providing full coverage.
- Made of heavy-duty UV-resistant solution-dyed polyester canvas for excellent resistance to tear and abrasion.
- Zip-down windows made of clear vinyl for added ventilation with heavy duty zippers.
- Ensures high sealing edge performance.
- Easy to use, it follows the door's movements, facilitating ingress and egress.

## Upper Wind Nets

Maverick R
Maverick R MAX

715007376 2 613,00 zł
715007962 5 298,00 zł




- Complete mesh screen net with a steel frame attaches to the doors of the vehicle for added protection from the wind and mud.
- Easy to use, it follows the door's movements, facilitating ingress and egress.
- Net zips up and down for added ventilation when required.
- The window can be rolled down and attached with a strap to hold it in position.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# HMWPE SKID PLATES




**Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed 3/8" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).**

- Lighter than aluminum.
- Superior stress crack resistance.
- High-impact strength.

| | MAVERICK R | MAVERICK R MAX |
|---|---|---|
| **HMWPE SKID PLATE PROTECTION KIT** | | |
| | **715007373** (2025 & prior) | – |
| **INDIVIDUAL HMWPE SKID PLATES** | | |
| ① **HMWPE Front A-Arm and Trailing Arm Protectors** | **715007183** | **715007183** |
| ② **HMWPE Front Skid Plate** | **715007313** | **715007313** |
| ③ **HMWPE Underbelly Plate** | **715007314** (2025 & prior) | – |
| ④ **HMWPE Front (Nose) Skid Plate** | **715010009** | **715010009** |


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# BUMPERS & PROTECTION

## BUMPERS

### Front Bumper X rc

Maverick R, Maverick R MAX

■ **715010008** · Black **1 767,00 zł**



- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Requires Front Bumper X rc Light Support (715010532) for the installation of lights.
- Winch compatible.

### Trail Front Bumpers

Maverick R, Maverick R MAX

■ **715010071** · Black
■ **715010072** · Yellow
■ **715009925** · Legion Red
**3 133,00 zł**




- Can-Am's largest front bumper protects the headlights and radiator area of the unit.
- Added heavy-duty protection in extreme driving conditions.
- Made of 1.5" (3.8 cm) diameter steel tubing.
- Anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

### Desert Front Bumpers

Maverick R, Maverick R MAX

■ **715007311** · Black **2 121,00 zł**
■ **715007691** · Yellow **2 237,00 zł**
■ **715009926** · Legion Red **2 121,00 zł**




- Sleek and rugged design.
- Provides added protection without sacrificing the agility and performance of the vehicle.
- Made of heavy-duty steel profiled tubing to protect the front of the unit.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Rear Bumper for ultimate protection.
- Features integrated mounting points for lights.
- Winch compatible.

### Dune Front Bumpers

Maverick R, Maverick R MAX

■ **715007169** · Black **2 214,00 zł**
■ **715007305** · Raw Metal



- Highly integrated bumper that creates a more pronounced attack angle and provides added protection to the vehicle.
- Allows for better ground clearance.
- The sleek design gives the unit a sportier look.
- Made of heavy-duty steel with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Features an integrated Tow Hook.
- Not winch compatible.

### Desert Rear Bumpers

Maverick R, Maverick R MAX

■ **715007172** · Black **2 270,00 zł**
■ **715007694** · Yellow **2 270,00 zł**
■ **715009924** · Legion Red **2 270,00 zł**



- Rugged design.
- Provides added protection to the rear of the unit without sacrificing the agility and performance of the vehicle.
- Gives riders extra grip on the bumper and improves accessibility to rear cargo.
- Made of heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Rock Sliders and Front Bumper for ultimate protection.




Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## ROCK SLIDERS

### Rock Sliders

| | |
|---|---|
| Maverick R | ■ 715007170 · Black 2 989,00 zł<br>■ 715007693 · Yellow 2 923,00 zł<br>■ 715009923 · Legion Red 2 923,00 zł |
| Maverick R MAX | ■ 715007922 · Black 4 772,00 zł<br>■ 715007923 · Yellow 4 772,00 zł<br>■ 715009922 · Legion Red 4 772,00 zł |



- Protect the vehicle's sides against obstacles.
- With added grip on top to improve accessibility of the roof cargo.
- Made of unique heavy-duty steel profiled tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Combine with the Front and Rear Bumpers for ultimate protection.
- Sold in pairs.

### HMW-HDPE Rock Sliders

Maverick R — 715008142 — 1 811,00 ZŁ



- The sleek design gives the vehicle a sportier look.
- Tight integration with the unit's body to provide maximum obstacle clearance and outstanding protection.
- Made of combination of HMWPE and HDPE for extra durability.
- Add the Dune Front Bumper for ultimate integrated protection.
- Sold in pairs.

## INTRUSION BAR

### Front Intrusion Bar

Maverick R, Maverick R MAX — ■ 715007312 · Black 2 281,00 ZŁ



- The steel intrusion bar matches the vehicle's styling and enhances its visual impact.
- The tube's design doesn't obstruct the rider's line of sight and reduces blind spots for increased visibility.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Compatible with the 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar (710006818) and SMART Integrated LED Roof Light (715007322).
- Compatible with all windshields.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# MAVERICK R LinQ ACCESSORIES



**LinQ16"centralpositionorange.**
Included mounting position.



**LinQ16"positionyellow.**
2 extra LinQ Base kits needed.*



**LinQ16"positionblue.**
3 extra LinQ Base kits needed.*



**LinQ36"positionred.**
Included mounting position.

*Depending on the size of the accessory.

| No tools needed: Quickly install and remove accessories by hand. Sturdy mounting system that holds up to the roughest terrain. | Standard Cargo Bed | LinQ® Pivoting Rack **715009465** | Adventure Roof Rack **715007186** |
|---|---|---|---|
| **LinQ ACCESSORIES WITH 16" BASE** | • LinQ anchors mounted 16 inches apart, center-to-center.<br>• Lower loading capacity than the LinQ with 36" base accessories.<br>• Can be used on Can-Am ATV and SxS vehicles, Can-Am Spyder and Ryker vehicles, Sea-Doo watercraft and Ski-Doo snowmobiles. | | |
| **LinQ Rigid Cooler 4.7 US Gal (18 L)**<br>715010491<br>**LinQ Cooler 5.3 US Gal (20 L)**<br>295101257 • Gray<br>**LinQ 11.4 US Gal (43 L) Cooler** | Central position:<br>No further requirements<br>Other positions:<br>LinQ Base Installation Kit<br>**715008125**<br>(1 set needed/accessory) | LinQ Base Installation Kit<br>**715008125**<br>(1 set needed/accessory) | LinQ Base Installation Kit<br>**715008125**<br>(1 set needed/accessory) |
| 715007825 • Black, 715009276 • Gray | Central position:<br>No further requirements | No compatibility | No compatibility |
| **LinQ Tool Kit**<br>715006829<br>**LinQ Tool Box**<br>715008111<br>**LinQ SR 5.5 Gal (21 L) Bag**<br>715005424•(10L),715007112•(20L),715006830 • (30 L)<br>860202449<br>**LinQ Roll-Top Bag**<br>**LinQ 4.5 Gal (17 L) Sport Bag**<br>715008110<br>860202447<br>**LinQ 26 US Gal (100 L) Explorer Bag**<br>**LinQ Modular Box**<br>295101016 | Central position:<br>No further requirements<br>(fit on stock mounted LinQ anchors)<br>Other positions:<br>LinQ Base Installation Kit<br>**715008125**<br>(1 set needed/accessory) | LinQ Base Installation Kit<br>**715008125**<br>(1 set needed/accessory) | LinQ Base Installation Kit<br>**715008125**<br>(1 set needed/accessory) |
| **LinQ ACCESSORIES WITH 36" BASE** | • Mount on LinQ racks often used by Can-Am ORV vehicles.<br>• Higher loading capacity than the LinQ with 16" base accessories.<br>• Usage is limited to Can-Am ORV vehicles. | | |
| 295101252<br>**LinQ Semi-Rigid Bag**<br>715005345 | Stopper Kit<br>**715008895** | **2x** LinQ Base Installation Kit<br>**715008125**<br>+<br>Stopper Kit **715008895** | **2x** LinQ Base Installation Kit<br>**715008125**<br>+<br>Stopper Kit **715008895** |
| **LinQ Bow and Gun Case**<br>715008232<br>**LinQ Trunk Box (87 L) – G3L**<br>715009312<br>**LinQ Cargo Box (53 L)**<br>715006997 | No further requirements<br>(fit on stock mounted LinQ anchors) | **2x** LinQ Base Installation Kit<br>**715008125** | **2x** LinQ Base Installation Kit<br>**715008125** |
| **LinQ CARGO ACCESSORIES** | | | |
| **LinQ TrunkBox (96L)**<br>**LinQ Cargo Basket (90 L)**<br>**LinQ 17 US Gal (53 L) Cooler** | No further requirements<br>(fit on stock mounted LinQ anchors) | No compatibility | No compatibility |
| **LinQ HOLDERS** | | | |
| **LinQ Gear Grips**<br>715006998<br>715005340<br>**LinQ Tool Holder**<br>715007358 | No further requirements | LinQ Base Installation Kit<br>**715008125**<br>(1 set needed) | Side wall installation<br>LinQ Adapters<br>**715003058** |



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## LinQ ACCESSORIES WITH 16" BASE

### LinQ Rigid Cooler 4.7 US Gal (18 L)

Maverick R, Maverick R MAX

■ **715010491** · Black — **1 860,00 ZŁ**



- Versatile LinQ 16" configuration fits many vehicles.
- Durable rotomolded rigid construction.
- Molded-in handles for quick installation and removal.
- High quality insulation for optimal ice retention.
- Sealed lid for airtight, weather-tight closure.
- Ergonomic and secure latch system offers excellent sealing.
- 4.7 US gal (18 L) capacity.

**See table for installation location and requirements.**

### LinQ Cooler 5.3 US Gal (20 L)

Maverick R, Maverick R MAX

**295101257** · Gray — **2 010,00 ZŁ**



- LinQ-mounted for fast, easy and secure storage.
- Locks in place with just a quarter turn.
- High-quality insulation for optimal ice retention.
- Keeps ice cold for 5 days.
- Rotomolded construction for exceptional rigidity and durability.
- Sealed lid for airtight, weather-tight closure.
- Rigid handles make transportation easy.
- Horizontal locking handles allow for installation of LinQ Lite accessories.
- Holds thirty-four 355 ml cans.
- 5.3 US gal (20 L) capacity.
- Exterior dimensions: 21" L x 15" W x 14" H (52 cm L x 38 cm W x 35 cm H).
- Interior dimensions: 15" L x 10" W x 9" H (39 cm L x 26 cm W x 23 cm H).

**See table for installation location and requirements.**

### LinQ 5.3 US Gal (20 L) Semi-Rigid Cooler

Maverick R, Maverick R MAX

**295101252** — **1 235,00 ZŁ**



- 5.3 US gal (20 L) of insulated, water-resistant capacity.
- Quick, easy and secure LinQ system installation.
- Attaches with one set of LinQ fasteners.
- Single-day-use soft cooler.
- Mesh pocket on top of the lid.
- Zippered pocket under the lid for quick and easy access.
- Removable interior for easy cleaning.
- Carry handles for easy transport.
- Can contain twelve 355 ml cans.
- Dimensions: 19" L x 13" W x 10" H.

**See table for installation location and requirements.**

### LinQ 11.4 US Gal (43 L) Cooler

Maverick R, Maverick R MAX

■ **715007825** · Black
**715009276** · Gray — **3 012,00 ZŁ**



- Versatile LinQ 16" configuration fits many vehicles.
- High quality injection-molded impact resistant polypropylene outer shell for exceptional durability.
- High quality insulation for optimal ice retention.
- Thicker insulation on bottom to isolate vehicle heat.
- 11.4 US gal (43 L) capacity.
- LinQ-mounted for fast, easy, secure storage.
- Locks in place with only a quarter turn.
- Rigid handles make transportation easy.
- Horizontal locking handles allow installation of LinQ Lite accessories.
- Dry-basket included to protect items.
- Drain plug at the bottom to evacuate water.
- New ergonomic and secure latch system offers excellent sealing.
- Possibility to lock the cooler with a padlock.

**See table for installation location and requirements.**

### NEW Ice Pack for LinQ Coolers

Maverick R, Maverick R MAX

**295101513** — **156,00 ZŁ**



- Acts as a cooling element to keep your cooler contents fresh.
- Slim profile design fits seamlessly inside the LinQ 5.3 US Gal (20 L) Cooler lid without sacrificing storage space.
- Comes with two swivel latches for easy on and off installation.
- Dual-purpose functionality doubles as a compartment divider for better organization with LinQ 11.4 US Gal (43 L) Cooler.

**Required for installation:**
- LinQ 5.3 US Gal (20 L) Cooler (295101257) or LinQ 11.4 US Gal (43 L) Cooler (715007825 or 715009276).

### LinQ Modular Box

Maverick R, Maverick R MAX

**715005494** · (10 L) — **616,00 ZŁ**
**715007112** · (20 L) — **704,00 ZŁ**
**715006830** · (30 L) — **787,00 ZŁ**



- Allows stacking of other modular boxes to always have the right gear accessible.
- Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.

**See table for installation location and requirements.**



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

### Thermal Insert for LinQ Modular Box (10 L)

Maverick R, Maverick R MAX | 219401110 | 305,00 ZŁ



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2 1/2" H.

### LinQ Tool Box

Maverick R, Maverick R MAX | 715008111 | 787,00 ZŁ



- High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- Weather-resistant, sealed and lockable cover.
- Easy one-second on/off tool-less system.
- All the benefits of LinQ—simple, fast and secure.

**See table for installation location and requirements.**

### LinQ Tool Kit

Maverick R, Maverick R MAX | 715006829 | 1 557,00 ZŁ



- Includes:
  - Cutter pliers
  - Long-nose pliers
  - Locking pliers
  - Ratchet wrench 3/8" drive - 6" ratchet extension
  - Integrated CVT belt storage location (belt not included)
  - Long-socket 19 mm 3/8" drive – 6 pts
  - Socket 18 mm 3/8" drive
  - Long-socket 17 mm 3/8" drive – 6 pts
  - Socket 15 mm 3/8" drive
  - Socket 13 mm 3/8" drive
  - Socket 10 mm 3/8" drive
  - Socket 8 mm 3/8" drive
  - Socket Torx T40 3/8" drive - Socket Torx T30 3/8" drive - Socket Torx T20 3/8" drive - Breaker bar 3/8" drive
- Combination Wrench set:
  - Wrench 19 mm - Wrench 18 mm - Wrench 15 mm
  - Wrench 13 mm - Wrench 10 mm - Wrench 8 mm

**See table for installation location and requirements.**

### SR 5.5 Gal (21 L) LinQ Bag

Maverick R, Maverick R MAX | 860202449 | 1 008,00 ZŁ



- All the benefits of LinQ—simple, fast and secure.
- Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- Utilizes LinQ mounting system (Patent US 8777531 and US 8875830).
- Easy one-second on/off tool-less system.

**See table for installation location and requirements.**

### LinQ Roll-Top Bag

Maverick R, Maverick R MAX | 715008110 | 1 008,00 ZŁ



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Dimensions: 14" L x 19" W x adjustable H.

**See table for installation location and requirements.**

### LinQ Explorer Bag

Maverick R, Maverick R MAX | 295101016 | 1 966,00 ZŁ



- 26 gal (100 L) of watertight storage.
- Installs in seconds with tool-less LinQ accessory system.
- Dedicated essentials compartment for registration, license, insurance and more.
- Exclusive D.E.S.S.™ key storage.
- External quick-access pocket for small items like keys and wallets.
- Turns into a backpack when you get off your machine.
- Collapsible if not fully packed with straps on both sides.
- Dimensions: 26" L x 18" W x 14" H.

## LinQ ACCESSORIES WITH 36" BASE

### NEW LinQ Semi-Rigid Bag

Maverick R, Maverick R MAX | 715005345 | 1 357,00 ZŁ



- Offers 70 L (18.5 gal) of cargo space for fully loaded adventures.
- Semi-rigid construction.
- Removable lid that converts the bag into a practical storage basket.
- Dedicated seal ensures excellent dust and weather resistance.
- Three-section lid design for quick and convenient access.
- Integrated removable center compartment to keep your items neatly organized.

**See table for installation location and requirements.**
**Required for installation:**
- Stopper Kit (715008895).



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## NEW LinQ Bow & Gun Case

Maverick R, Maverick R MAX | 715008232 | 2 575,00 ZŁ



- Made of impact-resistant injected polypropylene and weatherproof.
- LinQ-mounted for efficient and secure storage.
- Practical design allows you to store a bow and arrows or firearms up to 40" (1 m).
- Arrow rubber racking system securely fixes shafts in place under lid.
- Fits up to 9 arrows from 6 mm to 9 mm.
- Two convoluted foam pieces and one foam sheet are included, so you can make the necessary adjustments according to your use.
- Mounting tabs attach to the base, and a 6' velcro strap is included to let you firmly position your gear exactly the way you want.
- Easily carried with the rigid handle.
- Anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- Compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).
- Can be installed in several 16" configurations (SXS), or in a 36" configuration (ATV & SXS).
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Check local regulations regarding firearms transportation.

**See table for installation location and requirements.**

## LinQ Trunk Box (87 L) – G3L

Maverick R, Maverick R MAX | 715009312 | 2 314,00 ZŁ



- Weatherproof polyethylene rear cargo box compatible on the rear rack.
- Storage capacity of 23 gal (87 L).
- Optimized shape of the cargo box base to fit the G3L rear rack perfectly.
- Lockable with a lock on the front of the box (2 keys included).
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Requires the installation of the Stopper Kit 715008895 included with the accessory.

**See table for installation location and requirements.**

## LinQ 9.2 Gal (35 L) Cooler

Maverick R, Maverick R MAX | 715006998 | 3 277,00 ZŁ



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 35 L.
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).
- Molded-in handles for quick installation and removal.

**See table for installation location and requirements.**

## LinQ Cargo Box (53 L)

Maverick R, Maverick R MAX | 715006997 | 1 750,00 ZŁ



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- Easy to install and remove with the LinQ system.
- New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (2 keys included).

**See table for installation location and requirements.**

## LinQ Low Profile Box (63 L)

Maverick R, Maverick R MAX | 715007827 | 1 750,00 ZŁ



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 63 L.
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- Can be installed in several 16" configurations, or in a 36" configuration.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (t wo keys include d).

**See table for installation location and requirements.**

## LinQ Cargo Basket (90 L)

Maverick R, Maverick R MAX | 715005274 | 1 207,00 ZŁ



- Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- Easy to install and remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- 6 handles on the contour to easily install bungee cords.
- Ability to install Tool Holders (715008896) on the basket.

**See table for installation location and requirements.**



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## LinQ CARGO ACCESSORIES

### LinQ Trunk Box (96 L)

Maverick R, Maverick R MAX | 715007182 | 2 099,00 ZŁ



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 96 L and 15 kg.
- Easy to install, easy to remove with the LinQ system.
- Can already be installed on your vehicle thanks to the stock mounted LinQ anchor.
- Ability to install in conjunction with the LinQ Side Cargo Boxes (13.5 L) for a complete cargo solution.

**See table for installation location and requirements.**

### LinQ Side Cargo Boxes (13.5 L)

Maverick R, Maverick R MAX | 715007372 | 1 528,00 ZŁ



- Weatherproof box made of impact-resistant injected polypropylene reinforced with glass fiber.
- Features a maximum storage capacity of 13.5 L each and 5 kg.
- Easy to install, easy to remove thanks to the LinQ system.
- Possibility of installing up to two LinQ 16" accessories between the LinQ Side Cargo Boxes (13.5 L).
- Ability to install in conjunction with the LinQ Trunk Box (96 L) for a complete cargo solution.

**See table for installation location and requirements.**

## LinQ HOLDERS

### LinQ Lite Action Camera Holder

Maverick R, Maverick R MAX (2026 & up) | 295101139 | 236,00 ZŁ



- LinQ Lite attachment system for cameras.
- Provides great vantage points to capture photos and videos.
- Offers 360-angle positioning for perfect filming and taking photos.
- Designed to hold devices securely.
- Fast, easy attachment and removal.

### LinQ Lite Device Holder

Maverick R, Maverick R MAX (2026 & up) | 715009201 | 919,00 ZŁ



- Made with strong magnets that you can trust while riding through rough terrain.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.
- 360° adjustment for an improved driving experience and immersion.
- Secure LinQ Lite attachment allows you to install/remove the holder in seconds.
- Robust plastic and aluminum construction allows for the right fit and easy installation.
- Compatible with the Cellphone Holder (715008786). • To keep a good vision while driving, wearing this device for smartphones only.

### LinQ Tool Holder

Maverick R, Maverick R MAX | 715007358 | 305,00 ZŁ



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

### NEW Tool Holder Bolt-On

Maverick R, Maverick R MAX | 715008896 | 224,00 ZŁ



- Tool Holder is made to fit the LinQ Cargo Basket (90 L) (715005274), LinQ Cargo Box (53 L) (715006997).
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs.
- Several degrees of adjustment.

### LinQ Gear Grips

Maverick R, Maverick R MAX | 715005340 | 815,00 ZŁ



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- Make transporting your tools a snap by combining the LinQ Gear Grips with the LinQ system.
- 360° orientation.
- Sold in pairs.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## LinQ MOUNTING

### LinQ Adapter

Maverick R, Maverick R MAX | 715003058 | 114,00 ZŁ



- Sold in pack of 4.
- Allows the installation of the LinQ Tool Holder on the Adventure Roof Rack.

### LinQ Base Installation Kit

Maverick R, Maverick R MAX | 715008125 | 114,00 ZŁ



- Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

### LinQ Lock

Maverick R, Maverick R MAX | 860201968 | 312,00 ZŁ



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.

**Not compatible with:**
- LinQ Tool Holder, LinQ 4.2 US Gal (16 L) Cooler (219400964), LinQ Gun Case (715010936), LinQ Tool Box (715008111) or LinQ Gear Grips (715005340).

### Spare Tire Ratchet Tie-Downs

Maverick R, Maverick R MAX | 280000955 | 194,00 ZŁ



- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate most common UTV tire sizes.
- Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

# RACKS & STORAGE

## RACKS

### LinQ Pivoting Rack

Maverick R, Maverick R MAX | 715009465 | 4 506,00 ZŁ



- Strong and durable, the LinQ Pivoting Rack helps keep cargo securely in place.
- Anti-corrosion coating with durable powder coat finish.
- Gas cylinder pivot action, locks in the open position.
- Possibility of installing up to three LinQ 16" accessories on top of the rack.
- Compatible with LinQ accessories for installation under the rack.
- Features anchor points for the spare-tire attachment.
- Spare Tire Tie-Downs sold separately.

### Adventure Roof Rack

Maverick R | 715007186 | 3 621,00 ZŁ
Maverick R MAX | 715008073 | 7 583,00 ZŁ



- The ideal cargo solution. Pack all the gear you need to take on any off-road experience.
- Built using lightweight 1.25" (3.2 cm) diameter steel tubing.
- Supports loads of up to 75 lb (34 kg).
- This roof rack features a height adjustment setting to precisely accommodate a stock roof or a roof with Cold Air Roof Scoop.
- Integrated mounting points for lights.
- Features anchor points for a spare tire attachment.
- Can be completed with LinQ Adapter (715003058) on the side.
- The Spare Tire Tie-Downs sold separately.

**Required for installation:**
- Sport Roof (715007364 or 715008074).


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## STOR AGE

### Center Console Bag

Maverick R MAX | 715007895 | 787,00 ZŁ



- These weather-resistant bags hold your gear safely and securely while you ride.
- Extra storage solution for front and rear passenger.
- Accessible from front and rear seating position.
- Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.
- Volume 23 L.
- Dedicated pocket for goggles.
- Detachable side pouches for additional storage/garbage.
- Clear side pockets for cellphones.

### Shoulder Storage Bag

Maverick R, Maverick R MAX | 715007371 | 571,00 ZŁ



- This weather-resistant bag holds your gear safely and securely while you ride.
- Attach the bag between the seats to maximize unused space and increase the vehicle's cargo capacity.
- This bag has a 1.5 gal (6 L) capacity and is equipped with outer netting compartments and a flexible inner net to hold items in place.
- The thermoformed base creates a semi-rigid structure to ease installation.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.

**Not compatible with:**
- SMART Helmet Pumper System.

### Overhead Storage Bag

Maverick R, Maverick R MAX | 715007379 | 704,00 ZŁ



- This weather-resistant bag holds your gear safely and securely while you ride.
- Makes smart use of the overhead space and increases the vehicle's cargo capacity by 2.3 gal (9 L).
- The thermoformed base attaches to the roof for easy bag installation and the soft construction makes the bag flexible enough to fit oddly shaped loads.
- Features a hanging function for easier access to the items in the bag and an integrated net for even more storage space.
- Contains two sections: a fixed bag and a detachable bag that can be carried.
- Easily access your smartphone using the touchscreen-compatible clear front pocket.

### Rear Upper Door Storage Bags

Maverick R MAX | 715007893 | 660,00 ZŁ



- Weather-resistant bags hold your gear safely and securely while you ride.
- Door bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
- Thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

### Upper Door Storage Bags

Maverick R, Maverick R MAX | 715008065 | 765,00 ZŁ



- These weather-resistant bags hold your gear safely and securely while you ride.
- The door bags fit in the upper door opening to increase your vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and is equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added elbow cushions for extra comfort.
- Sold in pairs.

### Lower Door Storage Bags

Maverick R, Maverick R MAX | 715007324 | 660,00 ZŁ



- These weather-resistant bags hold your gear safely and securely while you ride.
- The door bags fit in the lower door opening to increase the vehicle's cargo space.
- Each bag is designed as a 1.3 gal (5 L) capacity pocket and equipped with inner netting compartments.
- The thermoformed base attaches to the doors, allowing the bags to be installed.
- Its soft construction makes the bag flexible enough to fit odd-shaped loads.
- Added cushions for extra comfort.
- Sold in pairs.

**Not compatible with:**
- Door Speakers (Level 5 Audio System).

### Passenger Storage Seat Bag

Maverick R, Maverick R MAX | 715008080 | 1 097,00 ZŁ



- This weather-resistant bag holds your gear safely and securely while you ride.
- Bag settling on the passenger's seat to increase the vehicle's cargo capacity.
- This bag features a 14.5 gal (55 L) storage capacity and is divided into two compartments.
- The top compartment is insulated to keep your beverages cold and includes two cup holders.
- Additional pocket inside for additional storage, such as a cell phone.
- The bottom compartment is accessible from both sides and serves as a large pocket for storing various items.
- The detachable pocket at the front of the bag can be used as a garbage bag.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

### Back Panel Storage Net

Maverick R, Maverick R MAX | 715008312 | 175,00 ZŁ



- Storage net behind the passenger's seat for more storage.

### Bed Side Doors

Maverick R, Maverick R MAX | 715009154 | 565,00 ZŁ



- Creates a storage solution out of the rear bed cavities of the unit.
- Perfect for housing trail and safety items that remain on the vehicle.
- Includes two Bed Side Doors, one for each side.

# ACM & SMART ACCESSORIES

## ACCESSORY CONTROL MODULE (ACM)

### Accessory Control Module

Maverick R, Maverick R MAX (except X rc models) | 715010097 | 2 547,00 ZŁ



- Bringing the SMART to accessories using live vehicle ECU information to maximize your accessory experience.
- Connect your accessories to the 10.25" Color Touchscreen Display.
- Easy accessory installation (plug and play).
- Creates an ecosystem that makes installing accessories quicker and easier.
- Includes ACM Front Harness to connect front-mounted SMART accessories to the Accessory Control Module (two auxiliary connectors available).

**Required for installation:**
- Requires ACM Rear Harness (715009268) to connect rear-mounted SMART accessories to the Accessory Control Module.
- Accessory Control Center (715010834) is required for 2024 and 2025 models without the 10.25" Touch Display.

### Rear ACM Harness

(Not illustrated)

Maverick R, Maverick R MAX | 715009268 | 2 043,00 ZŁ

- Required to connect rear-mounted accessories and rear chase lights to the ACM.
- Creates an ecosystem that makes installing accessories quicker and easier.
- Five auxiliary connectors are available.

### X rc Roof Harness

Maverick R, Maverick R MAX (X rc models only) | 715010620 | 286,00 ZŁ



- Electric harness required to hook up and operate Roof Lights with ACM.
- Required only for Maverick R X rc.

### SMART Control Center for ACM

Maverick R, Maverick R MAX | 715010834 | 2 702,00 ZŁ



- Control accessories with the selection of different modes, the illuminated halo around the button indicates the active mode.
- Icons illuminate when accessories are activated.
- Make accessory control changes without having to take your eyes off the trail by choosing the accessory button required (quick access).
- All Front LED Off button to turn off all front lights with one click. Remembers the last programmed setups when this button is pressed again.
- 6 pre-programmed buttons (Light Bars, PowerFlip Windshield, All Front LED Off, Corner Lights) and 10 programmable buttons to customize according to the accessories installed.

**Required for installation:**
- Accessory Control Module.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## SMART ACCESSORIES

### NEW SMART 15" (38 cm) LED Light Bar

Maverick R, Maverick R MAX

715008746 **1 973,00 zł**



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 24 white LEDs and 12 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 12,000 raw lumens and the selective yellow 5,280 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by quickly flicking the switch.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases, and the Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

**See table for compatibility, installation location and requirements**

### SMART 10" (25 cm) LED Light Bar

Maverick R, Maverick R MAX

715008745 **1 715,00 zł**



- The perfect combination of powerful white and selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 16 white LEDs and 8 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 8,100 raw lumens and the selective yellow 2,640 raw lumens, delivering stunning lighting performance.
- The lens is made from hard-coated polycarbonate.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

**See table for installation and requirements.**

### SMART 40" (102 cm) LED Light Bar

Maverick R, Maverick R MAX

715008747 **4 878,00 zł**



- The perfect combination of powerful white or selective yellow LEDs.
- The selective yellow LEDs are ideal for driving in low visibility conditions.
- The light is composed of 64 white LEDs and 32 yellow LEDs.
- Spot and Flood combo beam.
- The side lens design provides highly effective wide-angle illumination.
- The white LEDs produce 32,000 raw lumens and the selective yellow 10,560 raw lumens, delivering stunning lighting performance.
- Features a signature LED light that enhances the vehicle's appearance when not activated.
- The lens is made from hard-coated polycarbonate.
- IP67 and IP69k submersible and pressure washer safe.
- Switch options: Off, Low and High. Color change by flicking the switch quickly.
- SMART options: Off, Low, High, color change and SMART Automatic Mode.
- SMART MODE: Intensity increases or decreases and Spot/Flood ratio varies according to the speed of the vehicle with the installation of the Accessory Control Module (ACM).
- ECE R10 Certified.

**See table for installation location and requirements.**

### NEW SMART 40" (102 cm) LED Light Bar Mounts – Low

Maverick R, Maverick R MAX,

715010843 **460,00 zł**



- Allows you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle cage or on the Sport Roof.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 3.75" (9.5 cm) overall height.

**See table for installation location and requirements.**
**Not compatible with:**
- Cold Air Roof Scoop (715008280 or 715008301), Can-Am JL Audio Roof (715007309 or 715007967).

### NEW SMART 40" (102 cm) LED Light Bar Mounts – High

Maverick R, Maverick R MAX

715010844 **604,00 zł**



- Allow you to install the SMART 40" (102 cm) LED Light Bar (715008747) directly on the vehicle with or without a Roof Scoop.
- Premium steel construction with a durable black powder-coated finish for long-lasting protection.
- Simple bolt-on design for quick, hassle-free installation.
- 7.48" (19 cm) overall height.

**See table for installation location and requirements.**




Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## SMART Integrated LED Roof Light

Maverick R, Maverick R MAX | 715007322 | **6 144,00 zł**






- Mounted under the roof for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 22,100 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accesssory Control Module (ACM) activated).
- ECE R10 Certified.


**Required for installation:**
- Accessory Control Module (715010097 or 715010620) is required for SMART functionality.
- Electric Harness (715008209) required to hook up and operate the Integrated LED Roof Light (715007322) for on/off function when ACM is not installed.

**Not compatible with:**
- Powerflip Windshield (715009900).

## SMART Integrated LED Hood Light

Maverick R, Maverick R MAX | 715007378 | **1 767,00 zł**







- Mounted flush inside the hood scoop for a signature look.
- Intensity varies (increases or decreases) according to the speed of the vehicle with the installation of the Accessory Control Module (ACM) (Spot/Flood ratio).
- Spot/Flood combo beam.
- 5,250 lumens.
- Off/Low/High (switch activated).
- Off/Low/High/SMART Automatic Mode (Accesssory Control Module (ACM) activated).
- ECE R10 Certified.

**Required for installation:**
- Accessory Control Module (715010097) is required for SMART functionality.
- Wiring Harness (715008211) required for on/off function when ACM is not installed. Sold separately.

## SMART Integrated LED Side Mirror Lights

Maverick R, Maverick R MAX | 715007185 | **1 565,00 zł**






- Light up corners.
- Increase the width of the beams and illuminate the wheels for increased visibility.
- Wide flood beam.
- 3,000 lumens for each light.
- Left and right dynamic lighting with Accessory Control Module (ACM) install. Follow steering wheel input.
- ECE R10 Certified.

**Required for installation:**
- Require Aluminum Side Mirrors (715007363).
- Accessory Control Module (715010097) is required for SMART functionality.
- Electric Harness required (715008212) to hook up and operate the Integrated LED Side Mirror Lights for on/off function when ACM is not installed.

## SMART LED Chase Lights

Maverick R, Maverick R MAX | 715007727 | **3 209,00 zł**



- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Four modes available:
  - Trail Mode: serves as a taillight and as a brake light.
  - Chasing Mode: displays amber light pattern and serves as a brake light.
  - Work Mode: white light to light up your cargo bed.
  - Reverse Mode (when connected with Accessory Control Module (ACM)): serves as a back up light.
- Modular to allow installation with rear roll cage mounted accessories.
- Plug-and-play installation with the Accessory Control Module (ACM).
- The Cold Air Roof Scoop limits the performance of the Chase Lights to only the two outside portions and not the center.
- ECE R10 Certified.

**Required for installation:**
- Accessory Control Module (715010097) and Rear ACM Harness (715009268) are required for SMART functionality.
- Electric Harness (715008210) required to hook up and operate the LED Chase Lights (715007727) for a non-smart function when ACM is not installed.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## NEW SMART Helmet Pumper System

| | |
|---|---|
| Maverick R | Coming soon |
| Maverick R MAX | Coming soon |



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimized housing paired with two high static-pressure fans delivers superior airflow and volume—outperforming any other helmet pumper.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: Washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

**Required for installation:**
- SMART: Accessory Control Module (715009121) and Rear ACM Wiring Harness (715009268)
- Not SMART: Helmet Pumper System Harness (715008905)

**Not compatible with:**
- Shoulder Storage Bag (715007371) and LinQ Lite Multi Holder (295100977)

## SMART Particle Separator

Maverick R, Maverick R MAX | **715007187** | **2 458,00 zł**



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- IP68 fan.
- Keeps your air filter clean longer.
- Maintains engine performance.

**Required for installation:**
- Air Intake Tube (706600403) is currently required for installation.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.

## SMART PowerFlip Intermittent Windshield Wiper & Washer Kit

Maverick R, Maverick R MAX | **715008555** | **3 803,00 zł**



- Washer fluid dispenser is perfectly concealed on the vehicle.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

**Required for installation:**
- Powerflip Windshield (715009900).
- SMART: Accessory Control Module (715010097).
- Not SMART: Electric Harness (715008855).

## SMART Intermittent Wiper & Washer Kit

Maverick R, Maverick R MAX | **715007173** | **3 538,00 zł**



- An ideal way to keep your windshield clear in the rain, or while riding through mud and water.
- The wiper mechanism and washer fluid dispenser are perfectly concealed on the vehicle.
- The wiper and washer fluid dispenser installs at the bottom of the windscreen for maximum visibility.
- For use on glass or hardcoated windshields.
- SMART and fixed intermittence wiper speed feature available when the kit is installed in combination with ACM.

**Required for installation:**
- Electric Harness (715008855) required to hook up and operate the Wiper & Washer Kit (715007173) for on/off function when ACM is not installed.

## NEW SMART 40" (102 cm) LED Light Bar Harness

(Not illustrated)

Maverick R, Maverick R MAX | **715010831** | **726,00 zł**

- Required for the installation of the SMART 40" (102 cm) LED Light Bar (715008747) if the ACM is not installed.

## NEW Helmet Pumper System Harness

Maverick R, Maverick R MAX | **715008905** | **438,00 zł**



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# LIGHTS

## CAN-AM LIGHTS WITH ACM

SMART FUNCTIONALITY

| ① CHOOSE YOUR MOUNT POINT | ② CHOOSE YOUR LIGHTS | | | | | | |
|---|---|---|---|---|---|---|---|
| | SMART Integrated LED Roof Light **715007322** | SMART Integrated LED Hood Light **715007378** | SMART Integrated LED Side Mirror Lights **715007185** | SMART LED Chase Lights **715007727** | SMART 40" (102 cm) LED Light Bar **715008747** | SMART 10" (25 cm) LED Light Bar **715008745** | SMART 15" (38 cm) LED Light Bar **715008746** |
| **Vehicle Integrated** | Accessory Control Module **715010097** or X rc Roof Harness **715010620** (X rc models only) | Accessory Control Module **715010097** | Aluminum Side Mirrors **715007363** + Accessory Control Module **715010097** | Accessory Control Module **715010097** + Rear ACM Harness **715009268** | No compatibility | | |
| **FrontBumper X rc** (715010008) | No compatibility | | | | No compatibility | Front Bumper X rc Light Support **715010532** + Accessory Control Module **715010097*** (for non XRC model) *Not compatible with Accessory Control Module **715009796** | |
| **Desert Front Bumper** (715007311, 715007691 or 715009926) | | | | | | Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796** | Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796** |
| **Trail Front Bumper** (715010071, 715010072or 715009925) | | | | | | | No compatibility |
| **Sport Roof with Light Support Bar** (715003529) | | | | | Accessory Control Module **715010097** or X rc Roof Harness **715010620** (X rc models only) *Not compatible with Accessory Control Module **715009796** | | Accessory Control Module **715010097** *Not compatible with Accessory Control Module **715009796** |
| **Audio Roof** (no additionalbracket needed) | | | | | | No compatibility | |
| **Adventure Roof Rack** (715007186 or 715008073) | | | | | | | |
| **SMART 40" (102 cm) LED Light BarMounts** (715010843 o r 715 010 8 4 4) | | | | | | | |

*All lights are intended for off-road use only.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# CAN-AM LIGHTS WITHOUT ACM

ON/OFF FUNCTIONALITY

| ① CHOOSE YOUR MOUNT POINT | ② CHOOSE YOUR LIGHTS | | | | | | |
|---|---|---|---|---|---|---|---|
| | SMART Integrated LED Roof Light **715007322** | SMART Integrated LED Hood Light **715007378** | SMART Integrated LED Side Mirror Lights **715007185** | SMART LED Chase Lights **715007727** | SMART 40" (102 cm) LED Light Bar **715008747** | SMART 10" (25 cm) LED Light Bar **715008745** | SMART 15" (38 cm) LED Light Bar **715008746** |
| **Vehicle Integrated** | Integrated LED Roof Light Wiring Harness **715008209** | Integrated LED Hood Light Wiring Harness **715008211** | Aluminum Side Mirrors **715007363** + Integrated LED Side Mirror Lights Wiring Harness **715008212** | LED Chase Lights Wiring Harness **715008210** | No compatibility | No compatibility | |
| **FrontBumper X rc** (715010008) | No compatibility | | | | No compatibility | Lights Wiring Harness **715009886** | Lights Wiring Harness **715009886** |
| **Desert Front Bumper** (715007311, 715007691 or 715009926) | | | | | | | |
| **TrailFront Bumper** (715010071, 715010072 or 715009925) | | | | | | | No compatibility |
| **Sport Roof with Light Support Bar** (715003529) | | | | | | | |
| **Audio Roof** (no additionalbracket needed) | | | | | Lights Wiring Harness **715010831** | No compatibility | |
| **Adventure Roof Rack** (715 0 0718 6 , 715 0 0 8 073) | | | | | | | |
| **SMART 40" (102 cm) LED Light BarMounts** (715010843 o r 715 010 8 4 4) | N/A | | | | | | |

*All lights are intended for off-road use only.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# BAJA LIGHTS WITH ACM

| ① CHOOSE YOUR MOUNT POINT | ② CHOOSE YOUR LIGHTS | | | | |
|---|---|---|---|---|---|
| | 40" (102 cm) Baja DesignsOnX6ArcLED LightBar **710006818** | 10" (25 cm) Baja Designs OnX6 LED Light Bar **710006819** | Baja Designs XL Sport LED Lights **710006821** | Baja Designs Squadron Sport LED Lights **710006820** | Baja Designs XL80 LED Lights **710005041** |
| **FrontBumper X rc** (715010008) | No compatibility | Front Bumper X rc Light Support **715010532** + LED Light Bars ACM Adaptor **715008213** OR Light Harness for X rc models **715010830** | Front Bumper X rc Light Support **715010532** + LED Lights ACM Adaptor **715007715** OR Light Harness for X rc models **715010830** | | |
| **Desert Front Bumper** (715007311, 715007691 or 715009926) | | LED Light Bars ACM Adaptor **715008213** OR Light Harness for X rc models **715010830** | LED Lights ACM Adaptor **715007715** OR Light Harness for X rc models **715010830** | | |
| **Trail Front Bumper** (715010071, 715010072 or 715009925) | | | | | |
| **Roof with Light SupportBar** (715003529) | LED Light Bars ACM Adaptor **715008213** + X rc Roof Harness **715010620** (X rc models only) | No compatibility | LED Lights ACM Adaptor **715007715** + X rc Roof Harness **715010620** (X rc models only) | | |
| **Sport Roof with Roof Light Mounting Kit – Low Position** (715008585) | | | No compatibility | | |
| **Sport Roof with Roof Light Mounting Kit – High Position** (715007930) | | | | | |
| **Adventure Roof Rack** (715 0 0718 6 , 715 0 0 8 073) | | | LED Lights ACM Adaptor **715007715** + X rc Roof Harness **715010620** (X rc models only) | | |

*All Baja lights are not ACM compatible with Maverick R X rc models.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# BAJA LIGHTS WITHOUT ACM

| ① CHOOSE YOUR MOUNT POINT | 40" (102 cm) Baja DesignsOnX6ArcLED LightBar **710006818** | 10"(25 cm) BajaDesigns OnX6 LED Light Bar **710006819** | Baja Designs XL Sport LED Lights **710006821** | Baja Designs Squadron Sport LED Lights **710006820** | Baja Designs XL80 LED Lights **710005041** |
|---|---|---|---|---|---|
| **FrontBumper X rc** ( 715 010 0 8) | No compatibility | Front Bumper X rc Light Support **715010532** + Wiring Harness **715008863** | Front Bumper X rc Light Support **715010532** + Wiring Harness **715008865** | | Front Bumper X rc Light Support **715010532** + Wiring Harness **715008863** |
| **Desert Front Bumper** (715007311, 715007691 or 715009926) | | Wiring Harness **715008863** | Wiring Harness **715008863** | Wiring Harness **715008863** | Wiring Harness **715008863** |
| **TrailFrontBumper** (715010071, 715010072 or 715009925) | | | | | |
| **Roof with Light SupportBar** (715003529) | Wiring Harness **715008864** | | | | |
| **Roof Light Mounting Kit –Low Position** (715008585) | | No compatibility | | | |
| **Roof Light Mounting Kit –High Position** (715007930) | | | | | |
| **Adventure Roof Rack** (715 0 0718 6 , 715 0 0 8 073) | | Wiring Harness **715008863** | Wiring Harness **715008863** | Wiring Harness **715008863** | Wiring Harness **715008863** |
| ③ ORDER | **ORDER ALL PART NUMBERS IN INTERSECTING BOX** *Note:Wheninstallingmorethanonelightkit,additionallightpowercableormounting kit is required. | | | | |

*All lights are intended for off-road use only.




Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar

Maverick R, Maverick R MAX | 710006818 | **10 213,00 zł**







- 252 W light bar producing 29,000 lumens.
- Equipped with 24 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.

**See table for installation location and requirements.**

## Baja Designs 10" (25 cm) OnX6 LED Light Bar

Maverick R, Maverick R MAX | 710006819 | **2 880,00 zł**







- 108 W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Dual intensity (high/low) settings.

**See table for installation location and requirements.**

## Baja Designs XL80 LED Lights

Maverick R, Maverick R MAX | 710005041 | **5 456,00 zł**







- 80 W per spot producing 9,500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot.
- Dual intensity (high/low) settings.
- Driving/combo light pattern for smooth blend of light for both near field applications and distance.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

**See table for installation location and requirements.**

## Baja Designs Squadron Sport LED Lights

Maverick R, Maverick R MAX | 710006820 | **1 466,00 zł**







- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Sold in pairs.
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

**See table for installation location and requirements.**

## Baja Designs XL Sport LED Lights

Maverick R, Maverick R MAX | 710006821 | **2 511,00 zł**






- 26 W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam focus for illumination farther down.
- Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

**See table for installation location and requirements.**

## Dome Light

Maverick R, Maverick R MAX | 715009228 | **439,00 zł**



- Offers an optimal visibility in the cab and integrates perfectly with the vehicle.
- 160 lumens of soft white light ensures clear visibility of the surroundings.
- Built-in on/off button on the light.
- Wiring included.
- Can be installed on cage or Sport Roof.

**Not compatible with:**
- Audio Roof.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## Light Support Bar

Maverick R, Maverick R MAX | 715003529 | 1 247,00 zł



- Sleekly styled rugged aluminum construction.
- Full vehicle width to allow the installation of any large LED light bar.
- Required for light installation on vehicle's roof.
- Lights sold separately.

## Front Bumper X rc Light Support

Maverick R, Maverick R MAX | 715010532 | 416,00 zł



- Required for lights on Front Bumper X rc (715010008).

## Baja Designs Light Mounting Kit – High Position

Maverick R, Maverick R MAX | 715007930 | 743,00 zł



- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- Compatible with the Cold Air Roof Scoop.

## Baja Designs Light Mounting Kit – Low Position

Maverick R, Maverick R MAX | 715008585 | 604,00 zł



- Mounting system for 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.

**Not compatible with:**
- Cold Air Roof Scoop.

## NEW Baja Designs Lights Wiring Harness

(Not illustrated)

Maverick R (X rc models only) | 715010830 | 554,00 zł

- To allow the installation of Baja lights on front bumper of X rc models.

**Required for installation:**
- Front Bumper X rc Light Support (715010532).

## Lights Wiring Harness

Maverick R, Maverick R MAX | 715009886 | 438,00 zł



- Power cable for installation of the SMART 10" (25 cm) LED Light Bar (715008745).



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

# AUDIO

## Can-AmJLAudioSystem – Level 5

Maverick R, Maverick R MAX

715007957 **25 783,00 zł**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including six 6.5" (165 mm) speakers (two dash, two door and two surround speakers), as well as two 10" (254 mm) under-seat 250 W subwoofers that will enhance both the driver's and the passenger's experience.
- Speakers include an adjustable RGB LED cone illumination.
- Uses one MX500/4 to power up our six speakers, and one MX500/1 to feed the under-seat subwoofers.
- Complements the Can-Am Audio Roof – Level 4 (715007309).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

**Required for installation:**
- Can Am JL Audio Source Unit (715008230) for vehicle without 10.25" Touch Display.

## Can-Am JL Audio Roof – Level 4

Maverick R
Maverick R MAX

715007309 **18 953,00 zł,**
715007967 **29 779,00 zł**



- Full roof with premium JL Audio System for Maverick R.
- Features fully sealed and waterproofed components and construction.
- Easy to install and connect.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Its weatherproof components include four 7.7" coaxial speakers (6 speakers for MAX) and a 500-watt amplifier.
- The system is expertly tuned for exceptional sound when you're riding in your Maverick R.
- Speakers include an adjustable RGB LED cone illumination, controlled via an app on your smartphone.
- When combined with the Can-Am Audio System – Level 3 (715007954) or Level 5 (715007957), it provides the ultimate sound experience.
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

**Not compatible with:**
- Adventure Roof Rack (715008073 or 715007186).

**Required for installation:**
- Can Am JL Audio Source Unit (715008230) for vehicle without 10.25" Touch Display.

## Can-Am JL Audio System – Level 3

Maverick R, Maverick R MAX

715007954 **19 594,00 zł**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a fully integrated look.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Controlled by the 10.25" Touch Display or by the Can-Am JL Audio Source Unit.
- Made using premium JL Audio components, including four 6.5" (165 mm) speakers (two dash and two surround speakers), and a 10" (254 mm) under-seat 250 W subwoofer that will enhance both the driver's and the passenger's experience.
- Uses one MX280/4 to power up our four speakers, and one MX500/1 to power up the under-seat subwoofer.
- Easy to install, with the option to add a second subwoofer (715007310).
- Complements the Can-Am Audio Roof – Level 4 (715007309).
- Vol Up/Down Switch (710010952) can be added to control volume separately from the Touchscreen control.

**Required for installation:**
- Can Am JL Audio Source unit (715008230) for vehicle without 10.25" Touch Display.

## Can-Am JL Audio Roof Flip Kit

Maverick R, Maverick R MAX

715008164 **2 464,00 zł**



- Combines with the Can-Am JL Audio Roof – Level 4 (715007309 or 715007967) for Flip option.

**Not compatible with:**
- Cold Air Roof Scoop (715008280, 715008301) and Adventure Roof Rack (715007186, 715008073).

## Can-Am JL Audio Subwoofer

Maverick R, Maverick R MAX

715007310 **4 080,00 zł**



- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Easy to install, this 10" (254 mm) under-seat 250 W subwoofer enhances both the driver's and the passenger's experience.
- When combined with the Can-Am Audio System – Level 3 (715007954) or with the Can-Am Audio Roof – Level 4 (715007309), this premium JL Audio component creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, a Can-Am JL Audio Amplifier (715007714) is required.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## Can-Am JL Audio Amplifier

Maverick R, Maverick R MAX

**715007714** **3 693,00 zł**




- Orchestrated for outstanding sound quality and calibrated to enhance your audio experience.
- Designed to fit the vehicle perfectly for a seamless integration.
- Designed to be Can-Am tough in the most demanding riding conditions.
- This MX500/1 is a premium JL Audio component and is used to feed one or two 250 W under-seat subwoofers.
- When combined with the Can-Am Audio Roof – Level 4 (715007309 or 715007967), it creates the ultimate sound experience.
- To add one or two subwoofers to the Can-Am JL Audio Roof – Level 4, this item is required.
- Easy to install, mounting support included.

## Can-Am JL Audio Source Unit

Maverick R, Maverick R MAX

**715008230** **3 975,00 zł**



- Required with all Can-Am Audio JL levels installed on vehicles without 10.25" Touch Display.
- Designed to fit the vehicle perfectly for a fully integrated look.
- AM/FM/Bluetooth compatible.

## NEW Vol Up/Down Switch

Maverick R, Maverick R MAX

**710010952** **170,00 zł**



- Volume control is now possible using this switch independently of the touchscreen display.

# ELECTRICAL & ELECTRONIC ACCESSORIES

## 10.25 in. Color Touchscreen Display Protector

Maverick R (with 10.25" Touch Display),



- Tempered glass – 0.3 mm thick.
- 9H hardness for tough protection.
- 100% bubble free adhesive.
- Anti-scratch, anti-glare and anti-fingerprint.
- Maintains 99.99% clarity.
- Easy to clean.
- Includes cleaning tools: wet wipe, dry wipe, dust absorber and soft cloth.

## GPS Module with Group Ride

(Not illustrated)

Maverick R, Maverick R MAX

**86860202990** (US)
**860203151**(EU) **1 041,00 zł**

- Enables live location sharing offline with friends and other vehicles around.
- Works without phone connection or cellular network, for a range of 1+ miles (1.6 km) depending on terrain.
- Embedded topographic maps and GPS function included.
- Module update has to be done in dealership.
- Included on all models with 10.25" Touch Display.
- Retrofit for 2024, 2025 & 2026 vehicles with 10.25" Touch Display.
- Requires 2 bolts M6x50 (250000749) for the retrofit on SSV.

## Electronic Device Holder

Maverick R, Maverick R MAX

**715007176** **1 612,00 zł**



- Increases the storage capacity of the glovebox by 1 gal (4 L), with secure magnetic adjustable support for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction allows for the right fit and easy installation.
- Magnet 10 times stronger than any electronic device's weight, ride through rough terrain confidently.
- 2 possible positions for your electronic device: Portrait & Landscape. Adjustable support with 2 positions: facing the passenger or towards the driver for an improved driving experience and immersion.
- Includes everything needed for installation on your favorite electronic devices: 2 pre-assembled Can-Am plates with 3M multi-surface adhesive.

## Cellphone Holder

Maverick R, Maverick R MAX

**715008786** **532,00 zł**



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.

**Required for installation:**
- Electronic Device Holder (715007176) or LinQ Lite Device Holder (715009201) for the Cellphone Holder to be supported.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

### Auxiliary Battery Installation Kit

Maverick R, Maverick R MAX | 715007837 | 2 170,00 zł



- Allows the rider to add a second battery and/or replace the original battery (18 Ah or 30 Ah) for a dual battery setup. Recommended to power auxiliary electrical components such as sound systems or winches.
- Automatic rundown protection.
- Installs behind the seat for easy access.
- Equipped with an electronic module that prevents the auxiliary electrical components from draining the original battery.

**Required for installation:**
- Requires the purchase of a second battery and battery hardware (not included and sold separately).

# WINCHES

## CAN-AM HD WINCHES

### NEW Can-Am HD 5500 Winch

Maverick R, Maverick R Max | 715010192 | 1 993,00 zł



- Pulling strength capability of 5,500 lb (2,494 kg).
- Includes 34.4' x 9/32" (10.5 m x 7.2 mm) steel cable.
- Heavy-duty 4-way roller fairlead.
- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- CE & UKCA Compliant.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).

**Required for installation:**
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch-compatible front bumper.

### NEW Can-Am HD 5500-S Winch

Maverick R, Maverick R Max | 715010193 | 2 427,00 zł



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- EPDM Winch Cable Stopper included (715009921).
- Can-Am Winch Hook included (715011610).
- Sealed solenoid for all-weather protection.
- IP68 waterproofing prevents water and environmental intrusions.
- Weather-sealed corded remote and dash-mounted switch.
- Pulling strength capability of 5,500 lb (2,494 kg).
- 9/32" x 40' (7 mm x 12.2 m) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- Operate the winch remotely when you're not on the vehicle with the Wireless Winch Remote (715008286) (sold separately).
- CE & UKCA Compliant.

**Required for installation:**
- Winch Electrical Harness (715008850) and winch-compatible front bumper.

### Can-Am HD 4500 Winch

Maverick R, Maverick R MAX | 715011705 | 1 734,00 zł



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- CE & UKCA Compliant.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15/64" (13 m of 6.3 mm) wire steel cable.
- Heavy-duty 4-way roller fairlead.

**Required for installation:**
- Winch Electrical Harness (715008850), Winch Roller Fairlead Spacer (715008922) and winch compatible front bumper.

### Can-Am HD 4500-S Winch

Maverick R, Maverick R MAX | 715011706 | 2 342,00 zł



- Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and durability.
- Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Weather-sealed corded remote and dash mounted switch.
- Pulling strength capability of 4,500 lb (2,041 kg).
- 50' of 1/4" (15.2 m of 6.35 mm) synthetic rope.
- Corrosion-proof aluminum Hawse fairlead.
- CE & UKCA Compliant.

**Required for installation:**
- Winch Electrical Harness (715008850) and winch compatible front bumper.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## WINCH ACCESSORIES

### Winch Cable Stopper

All Can-Am HD Winches | 715009921 | 111,00 zł



- Made of EPDM, a highly durable synthetic rubber.
- The Winch Cable Stopper isn't just for looks. It helps extend the life of the winch, rope, hook and fairlead.
- In addition, the split design makes it easy to install.

### NEW Can-Am HD Winch Auto-Stop

Can-Am HD Winch | 715010042 | 604,00 zł



- The Auto Stop Mechanism pauses rope intake to avoid over-spooling and keep your synthetic rope protected for long-term use.
- Requires synthetic winch rope (NOT compatible with steel cable).

### NEW Can-Am HD Hawse Fairlead

Can-Am HD Winch | 715010966 | 224,00 zł



- A must-have when upgrading your winch to a synthetic cable.
- Corrosion-proof die-cast aluminum Hawse fairlead.
- Finished with a black powder-coated surface.
- Must be used with synthetic cables only.

### Can-Am HD Hawse Fairlead

Can-Am HD Winch | 715006426 | 270,00 zł



- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum Hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- Must be used with synthetic cables only.

### WARN Hawse Fairlead

WARN Winch | 715007785 | 560,00 zł



- Double-powder-coated construction.
- To be used with synthetic winch cables only.

### Winch Roller Fairlead Spacer

Maverick R, Maverick R MAX | 715008922 | 366,00 zł



- Required when using a Winch and Roller Fairlead with a wire cable.
- Made of aluminum, with an anti-corrosion finish.

### Synthetic Winch Cable

Can-Am HD Winch | 715006430 | 704,00 zł
WARN Winch | 715007783 | 848,00 zł



- 50' of 1/4" (15.2 m of 6.35 mm) synthetic cable for Can-Am HD winches.
- Can-Am HD Hawse Fairlead (715006426) is required when upgrading to a synthetic cable to avoid premature cable damage and wear.
- WARN Hawse Fairlead (715007785) is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.

### Wire Rope Replacement

Can-Am HD Winch | 705014978 | 103,00 zł
WARN Winch | 715006699 | 488,00 zł



- 43' of 15/64" (14.3 m of 6.3 mm) wire rope for Can-Am HD Winch.
- 55' of 1/4" (16.8 m of 6.35 mm) wire rope for WARN winch kit.
- 4,500 lb (2,041 kg) pulling strength.

### Synthetic Cable Extension

715001120 | 1 019,00 zł



- Lightweight 1/4" (6.35 mm) diameter, easy to handle and won't rattle in cargo box.
- Easily attaches to winch cable to provide additional 50' (15.2 m) of distance.
- 4,500 lb (2,041 kg) single line capacity.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

### Winch Electrical Harness
(Not illustrated)

Maverick R, Maverick R MAX | **715008850** | **1 063,00 zł**

- Required for winch installation.

### NEW Can-Am HD Winch Hook

Can-Am HD Winch | **715011610** · Platinum Silver | **180,00 zł**



- Heavy-duty, forged, and heat-treated steel hook for maximum strength.
- Unique and premium design with a Can-Am-stamped logo.
- Durable cast-aluminum latch with a functional 1" opening.
- Integrated pulling strap for quick and easy handling.
- Finished with a platinum-silver powder coating for long-lasting protection.

### Wireless Winch Remote

Can-Am HD Winch | **715008286** | **689,00 zł**



- On/Off and Winch In/Winch Out buttons with LED indicator light.
- Large Winch In/Winch Out buttons for easy activation with gloves.
- Ergonomic remote handle shape with a trigger-like holding protrusion.
- Quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- All components are IP67 sealing rated.
- The remote also floats in case it's dropped during a deep water recovery.
- Dash and handlebar mounting options.
- Compatible with all Can-Am HD winches.

### Wired Remote Control

Can-Am HD Winch‡ | **715006504** | **112,00 zł**



- This kit allows winch owners to add the hand-held remote to vehicles with a stock winch.
- OEM stock winch is sold separately.
- EC compliant.

† Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.
‡Remote Control (710007050) and connection socket are included.

# RECOVERY

### NEW Can-Am Retractable Rope System

Maverick R, Maverick R MAX | **715010190** | **941,00 zł**



- Tow a disabled vehicle easily.
- 11 ft. self-retracting tow rope for quick and convenient op eration.
- 3,200 lb (1,450 kg) towing capacity.*
- Ready to use with an integrated soft shackle for simple hookup.
- Rope is easy to replace with no threading required.
- Lightweight design makes it easier to carry, thanks to its built-in handle.
- Weight: 14.7 lb (6.67 kg).
- Compact design fits all Can-Am off-road hitch receivers and most units with a 2" receiver.

*Never exceed vehicle max towing capacity.

### NEW Can-Am Winch Accessory Kit

Maverick R, Maverick R MAX | **715010814** | **560,00 zł**



- Complete recovery kit featuring a Can-Am Soft Shackle (715010577), Recovery Ring (715010836) and Tree Saver Strap.
- Durable Tree Saver Strap—8' x 3" wide with folded eyes and an abrasion guard.
- Includes a carrying bag to keep all components organized.
- For synthetic rope only.

### NEW Can-Am Kinetic Recovery Kit

Maverick R, Maverick R MAX | **715010837** | **582,00 zł**



- Includes a Kinetic Rope (715010835) and two Soft Shackles (715010577).
- Comes with a practical roll-top carrying bag that offers plenty of space to add additional recovery accessories.
- Features drain hole to allow water to escape.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

## NEW Can-Am Soft Shackle

Maverick R, Maverick R MAX | 715010577 | 135,00 zł



- 3/8 in. (9.5 mm) x 12 in. (30.4 cm) loop UHMWPE soft shackle.
- 21,000 lb (9,525 kg) breaking strength.
- 4,200 lb (1,905 kg) working load limit.
- Lightweight, ultra-strong 12-strand UHMWPE braid offers steel-like strength with added flexibility.
- Provides a quick, strong connection thanks to the “dog bone” rigid piece, which easily locks the loop.
- Protective covering to reduce early damage.

## NEW 2" Soft Shackle Hitch Receiver

Maverick R, Maverick R MAX | 715010784 | 269,00 zł



- Provides a reliable recovery solution that plugs directly into any 2" receiver.
- 8,000 lb (3,636 kg) working load limit.
- Forged aluminum construction with a durable viper-red powder-coated finish.
- Easy installation: slide the shackle mount into the receiver and secure it with a hitch pin (not included).
- Compatible with the Can-Am Soft Shackle (715010577) for a complete recovery setup.

## NEW Can-Am Kinetic Recovery Rope (5/8" x 25')

Maverick R, Maverick R MAX | 715010835 | 361,00 zł



- 15,000 lb (6,803 kg) breaking strength.
- 3,000 lb (1,360 kg) working load limit.
- Product size: 5/8" x 25' (16 mm x 7.6 m).
- Our kinetic energy rope stretches up to 30%.
- Each rope is built from heavy-duty synthetic fiber engineered to withstand repeated use in the harshest off-road conditions. Reinforced protective sleeves add extra durability and help guard against wear in high-friction areas.
- Kinetic ropes provide superior pulling power by stretching up to 30% to store and release kinetic energy.
- This controlled stretch reduces shock on both vehicles, making recoveries smoother and safer than traditional tow straps.
- From mud to sand to snow, these ropes deliver the forward momentum needed to break free.

## NEW Recovery Ring

Maverick R, Maverick R MAX | 715010836 | 135,00 zł



- Change the direction of your pull.
- Machined from premium aluminum alloy.
- Features a black hard-anodized, ultra-smooth, low-friction finish that delivers long-lasting durability in a sleek design.
- This recovery ring is perfectly sized to fit the Can-Am Soft Shackle (715010577) and works flawlessly with synthetic winch ropes below 1/2".
- Working load limit: 6,600 lb.
- Minimum breaking strength: 33,000 lb.
- For use with synthetic winch rope only and a soft shackle.

# PERFORMANCE

| | Maverick R | Coming soon |
|---|---|---|
| | Maverick R MAX | Coming soon |

## NEW SMART Helmet Pumper System



- Creates positive air pressure inside the helmet to prevent dust intrusion.
- Continuously circulates fresh, cool air to reduce heat buildup.
- Optimized housing paired with two high static-pressure fans delivers superior airflow and volume—outperforming any other helmet pumper.
- Includes two ultra-light, flexible, expandable breathing hoses stretching from 26" (68 cm) to 72" (1.8 m).
- MAX: Includes four ultra-light, flexible, expandable breathing hoses, two stretching from 26" (68 cm) to 72" (1.8 m) and two from 47" (1.2 m) to 128" (3.2 m).
- 3-stage high-flow filtration system for maximum performance and longer filter life: washable, splash-proof pre-filter. Washable foam second stage. Dry media final filter.
- Two mounting systems for versatile installation: direct bolt-on or half-clamp.
- SMART Mode: automatically adjusts fan speed based on vehicle speed/RPM when paired with an ACM.
- Without ACM, the system operates in ON/OFF mode only.
- Caps for unused outlets to increase airflow can be placed on the ends of the hoses after use and hung from the roof area using the rubber straps.
- Includes rubber straps to secure hoses (4 for 2-Up models, 10 for MAX models).

**Required for installation:**
- SMART: Accessory Control Module (715009121) & Rear ACM Wiring Harness (715009268).
- Not SMART: Helmet Pumper System Harness (715008905).

**Not compatible with:**
- Shoulder Storage Bag (715007371) and LinQ Lite Multi Holder (295100977).

## NEW Helmet Pumper System Harness

Maverick R, Maverick R MAX | 715008905 | 438,00 zł



- Required for the installation of the SMART Helmet Pumper System if the ACM is not installed.



Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa

### SMART Particle Separator

Maverick R, Maverick R MAX | 715007187 | 2 458,00 zł



- Filters up to 96% of the dust prior to air intake.
- Fan speed adjusts with vehicle speed/RPM when equipped with ACM (Accessory Control Module).
- Mounts directly to the stock air intake duct.
- IP68 fan.
- Keeps your air filter clean longer.
- Maintains engine performance.

**Required for installation:**
- Air Intake Tube (706600403) is currently required for installation.
- Requires Particle Separator Harness (715008890) when not equipped with the ACM.

### Particle Separator Harness
(Not illustrated)

Maverick R, Maverick R MAX | 715008890 | 881,00 zł

- Electric harness required to hook up and operate the Engine Air Intake Particle Separator (715007187) for on/off function when ACM is not installed.

### Lonestar Racing Fire Extinguisher Support

Maverick R, Maverick R MAX | 715007320 | 1 114,00 zł



- Quick-release support that lets riders slide the fire extinguisher out in a matter of seconds in an emergency.
- Made of billet anodized black aluminum.
- Fits 1.85" (4.7 cm) tubing.
- Can be fixed anywhere on the cage.
- Provides riders with the safety and security of knowing they have dependable emergency equipment on board.
- Comes with both billet mounts, quick-pull pin, mounting plate and two clamps.
- Fire extinguisher sold separately.
- “Lonestar Racing for Can-Am” branded.

**Not compatible with:**
- LinQ Pivoting Rack (715009465).

### Performance Air Filter by Twin AIR†

Maverick R, Maverick R MAX | 715002895 | 521,00 zł



- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high airflow.
- Washable and reusable.

### Digitally Encoded Security System (D.E.S.S.) Green Key

Maverick R, Maverick R MAX | 710005232 | 323,00 zł



- Top-security anti-theft protection for your vehicle.
- Encrypted chip technology restricts access to your vehicle’s electronic ignition system.
- One vehicle/one code.
- A vibration/shock-resistant ball-and-socket design that ensures a reliable connection.
- 2 programmable modes:
  - Normal mode: configurable, limits vehicle speed to 70 km/h (44 mph) and may have torque reduction.
  - Performance mode: no restrictions.

# COVERS

### NEW Can-Am Trailering Cover

Maverick R | 715008761 | 1 927,00 zł
Maverick R MAX | 715008762 | 2 370,00 zł



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- All high abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap on passenger side.
- Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.


Cennik zawiera sugerowane ceny detaliczne brutto w walucie PLN. Ceny mogą ulec zmianie bez wcześniejszego uprzedzenia. Cennik nie jest ofertą w rozumieniu prawa